

PRIAMUS

Serial Publication of the Centre for Entomological Studies Ankara

Volume 12, Part 1

01 05 2007

ISSN 1015-8243

Contents/İçindekiler: Koçak, A. Ö. & M. Kemal, Synonymical and distributional List of the species of Ankara Province (Central Turkey) (Lepidoptera), p.1; editorial p.32

Synonymical and distributional List of the species of Ankara Province (Central Turkey) (Lepidoptera)¹

Ahmet Ömer Koçak Muhabbet Kemal

Abstract: Koçak, A.Ö. & M. Kemal, Synonymical and distributional List of the species of Ankara Province (Central Turkey) (Lepidoptera). *Priamus* 12 (1): 1-32.

This paper deals with the Lepidoptera species hitherto recorded in the Ankara Province in the Central Turkey. Totally 1388 species are listed alphabetically under the relevant families. For each species, the scientific name, author, date of publication, synonyms, and distributional information in Turkey as provincial codes are given.

Key Words: *Lepidoptera*, fauna, checklist, Turkey, Ankara Province.

This article is based upon the information of the Databank and the Collection of the Cesa. The aim is to inform the readers about the present situation of the Lepidoptera fauna of the Province Ankara. This province is currently under investigation within the Project Lepidoptera of Turkey (LTR) carried out by the authors (Cesa) for the period 2007-2010. The publications on the Lepidoptera of Turkey used are listed in *Memoirs* vol.2 (1991) and 3-4 [under preparation]. In the list mentioned below, all the species known from the related province are given as current scientific name combination, author(s), date of publication. Totally 1388 species are arranged alphabetically under the related families. Synonymous names are given with the author(s) and date of publication in the chronological order. Distributional information of each species indicates that the Turkish provinces in codes².

In the next issues of this serials you will find similar faunistic lists of the various provinces of Turkey, under investigation within the frame of the research Project of the Cesa.³

- 1) *Adela repetitella* Mann, 1861 (Adelidae) *repetitella* Mann, 1861 05 06
- 2) *Cauchas florella* (Staudinger, 1871) (Adelidae) *florella* Staudinger, 1871 06
- 3) *Alucita cancellata* (Meyrick, 1908) (Alucitidae) *cancellata* Meyrick, 1908 06 31 42
- 4) *Alucita cymatodactyla* Zeller, 1852 (Alucitidae) *cymatodactyla* Zeller, 1852. 06 23 38 44 76
- 5) *Alucita grammodactyla* Zeller, 1841 (Alucitidae) *grammodactyla* Zeller, 1841 01 05 06 16 29 42 44 45 46 55 58 61 71
- 6) *Alucita huebneri* Wallengren, 1859 (Alucitidae) *huebneri* Wallengren, 1859 06 33 50
- 7) *Arctia (Epicallia) villica* (Linnaeus, 1758) (Arctiidae) *villica* Linnaeus, 1758; *corsica* Oberthür, 1911; *niceensis* Oberthür, 1911; *britannica* Oberthür, 1911; *meridionalis* Heinrich, 1923. 03 05 06 07 10 13 14 15 16 17 19 22 30 32 33 34 37 42 46 60 64 65 66 71
- 8) *Arctia (Eucharia) festiva* (Hufnagel, 1766) (Arctiidae) *festiva* Hufnagel, 1766; *hebe* Linnaeus, 1767; *interrogationis* Ménétériés, 1863; *sartha* Staudinger, 1886; *nivea* O. Bang-Haas, 1927; *ragusai* Stauder, 1928. 05 06 16 17 24 25 27 32 36 38 40 42 44 58 60 63 64 65 71
- 9) *Eilema complana* (Linnaeus, 1758) (Arctiidae) *complanata* Linnaeus, 1758; *ochrocephala* Fourcroy, 1785; *sericea* Gregson, 1860; *molybdeola* Guenée, 1861; *balcanica* Daniel, 1939. 05 06 14 16 25 34 36 46
- 10) *Eilema costalis* (Zeller, 1847) (Arctiidae) *#morosina* Herrich-Schäffer, 1847; *costalis* Zeller, 1847 06 07 08 10 16 25 33 34 36 42 45 46 53 56 75
- 11) *Eilema palliatella* (Scopoli, 1763) (Arctiidae) *palliatella* Scopoli, 1763; *unita* [Denis & Schiffermüller], 1775; *palleola* Hübner, [1808]; *gilveola* Ochsenheimer, 1810; *vitellina* Treitschke, 1834; *flaveola* Rambur, 1866. 06 10 12 14 25 45 60 62 71
- 12) *Eilema pseudocomplana* (Daniel, 1939) (Arctiidae) *pseudocomplana* Daniel, 1939 06 16 25 36 42 46 62
- 13) *Epatolmis caesarea* (Goeze, 1781) (Arctiidae) *#luctifera* [Denis & Schiffermüller], 1775; *caesarea* Goeze, 1781; *japonica* Walker, [1865]. 06 16
- 14) *Lacydes spectabilis* (Tauscher, 1806) (Arctiidae) *spectabilis* Tauscher, 1806; *intercissa* Freyer, 1842. 03 06 13 23 24 25 26 30 38 42 46 50 58 65 70 73
- 15) *Ocnogyna (Somatotrichia) parasita* (Hübner, 1790) (Arctiidae) *parasita* Hübner, 1790 05 06 07 09 15 17 20 35 42 43 45

¹ This faunal list is the preliminary results based upon the Databank of the Cesa, and a part the Project entitled "Lepidoptera of Turkey (LTR)" See: Koçak, A.Ö. & M. Kemal, 2007, Results of the International Projects of the CESA on the Lepidoptera of the World- I. *Cent. ent. Stud., Memoirs* 3-4: [in preparation].

² The explanations of the codes are obtainable in the following internet address: <http://www.members.tripod.com/Cesa88/CODE.doc>

³ see also Miscellaneous Papers of the Cesa.

- 16) **Paidia (s.str.) cinerascens (Herrich-Schäffer,[1847])** (Arctiidae) *cinerascens Herrich-Schäffer,[1847]* 03 05 06 16 42 46 71
- 17) **Phragmatobia fuliginosa (Linnaeus,1758)** (Arctiidae) *fuliginosa Linnaeus,1758; fervida Staudinger,1871 nec Walk.,1855; lurida Rothschild,1910; monticola Daniel,1970 nec Reiss.,1934* 01 05 06 07 12 14 16 19 22 32 33 34 35 36 42 44 46 50 52 53 55 56 65 71 76
- 18) **Phragmatobia placida (Frivaldsky,1835)** (Arctiidae) *placida Frivaldsky,1835* 04 05 06 23 30 32 33 36 42 43 46 60 65
- 19) **Rhyparia purpurata (Linnaeus,1758)** (Arctiidae) *purpurata Linnaeus,1758; purpurea Linnaeus,1767; uralensis Spuler,1906; barteli Krulikowsky,1909.* 05 06 08 16 30 36 60 73
- 20) **Setina aurata (Ménétriés,1832)** (Arctiidae) *aurata Ménétriés,1832; #pontica Draudt,1933; pontica Schwingenschuss,1939* 06 08 25 36 53
- 21) **Spiris striata (Linnaeus,1758)** (Arctiidae) *striata Linnaeus,1758; grammica Linnaeus,1758; funerea Eversmann,1847; strandi Obratsov,1936; slovenica Daniel,1939; wisniewskii Wojtusik & Niesielowski,1946; hospitali Marten,1948.* 05 06 08 10 14 16 25 26 28 45 60 66 69
- 22) **Tyria jacobaeae (Linnaeus,1758)** (Arctiidae) *jacobaeae Linnaeus,1758; senecionis Godart,1823; confluentis Schultz,1908.* 04 05 06 07 16 19 25 30 36 48 65 71
- 23) **Aglais urticae (Linnaeus,1758)** (Argynnididae) *urticae Linnaeus,1758; opima Verity,1919; variegata Querci,1932; strandi Verity,1936.* 01 02 03 04 05 06 07 08 10 11 12 13 14 16 17 18 19 21 22 23 24 25 26 28 29 30 31 32 33 34 35 36 37 38 39 42 43 44 46 49 50 51 52 53 55 58 60 61 62 65 66 69 70 73 74 76 78 81
- 24) **Argynnis (Fabriciana) adippe (Rottemburg,1775)** (Argynnididae) *cydippe Linnaeus,1761 (rejected); berecynthia Poda,1761 (rejected); adippe Rottemburg,1775; phryxa Bergsträßer,1780; margaritacea Retzius,1783; syrinx Borkhausen,1788; aspasia Borkhausen,1788; liriopoe Borkhausen,1788; baiuvarica Spuler,1901, etc.* 01 05 06 07 08 10 11 14 16 25 31 32 33 34 37 39 42 43 46 53 58 67 74 76 77 78
- 25) **Argynnis (Fabriciana) niobe (Linnaeus,1758)** (Argynnididae) *niobe Linnaeus,1758.* 01 03 04 05 06 07 08 11 12 13 14 15 16 18 23 24 25 27 29 30 31 32 33 35 36 38 39 42 43 44 46 47 48 49 50 51 53 56 58 60 61 62 65 66 69 71 70 73 74 76 80
- 26) **Argynnis (Pandoriana) pandora ([Denis & Schiffermüller],1775)** (Argynnididae) *pandora [Denis & Schiffermüller],1775; maja Cramer,1775 nec Fabricius,1775; cynara Fabricius,1777; cyrnea Schwerda,1926; transcaucasica Moucha,1967; deserticola Gross & Ebert,1975.* 01 02 03 04 05 06 07 08 10 11 12 13 14 15 16 17 18 20 21 22 23 24 25 26 27 29 30 31 32 33 34 35 36 37 38 39 40 42 43 44 46 47 48 49 50 51 52 53 55 56 58 60 61 62 63 65 66 67 69 70 71 72 73 74 76 77 78 80 81
- 27) **Argynnis (Speyeria) aglaja (Linnaeus,1758)** (Argynnididae) *aglaja Linnaeus,1758; charlotta Haworth,1802; emilia Acerbi,1802 nec Cr.,1779; caroleotta Jermyn,1827; locuples Verity,1919 nec Butler,1879; emilocuples Verity,1919; locupletata Verity,1922; montesignum Sagarra,1926.* 01 03 04 05 06 07 08 10 11 12 13 14 16 18 24 25 26 28 29 30 31 32 33 34 36 37 39 42 43 46 50 51 53 57 58 60 61 62 65 66 67 69 74 76
- 28) **Argynnis (s.str.) paphia (Linnaeus,1758)** (Argynnididae) *paphia Linnaeus,1758; valesina Esper,[1798]; magnata Verity,1919; revelata Verity,1934; magnifica Verity,1919; magnificamagnata Verity,1950.* 01 02 05 06 07 08 09 10 11 13 14 16 17 24 25 29 30 31 32 33 34 35 36 37 39 41 42 43 46 48 53 55 60 61 62 65 67 74 76 77 78 81
- 29) **Boloria (Clossiana) euphrosyne (Linnaeus,1758)** (Argynnididae) *euphrosyne Linnaeus,1758; argenticollis Retzius,1783; fignal Herbst,1800; densoi Fruhstorfer,1909; apennina Fruhstorfer,1916; cynosoma Fruhstorfer,1916; nestonclara Verity,1932; eminens Verity,1932; varianana Verity,1932; austreminens Verity,1950, etc.* 01 03 05 06 08 14 16 18 22 25 26 29 30 36 37 43 52 57 60 61 66 74 78 81
- 30) **Brenthis hecate ([Denis & Schiffermüller],1775)** (Argynnididae) *hecate [Denis & Schiffermüller],1775; harmothoe Fruhstorfer,1917; florida Verity,1919; stricta Verity,1933.* 03 05 06 08 10 13 16 23 24 25 29 30 34 36 37 39 42 44 49 58 60 62 65 66 69 70 73 74 76
- 31) **Cynthia cardui (Linnaeus,1758)** (Argynnididae) *cardui Linnaeus,1758; carduelis Cramer,1775; elymi Rambur,1829; kershawi McCoy,1868; pallida Schoyen,1881; universa Verity,1919; takesakiana Kato,1925.* 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 65 66 67 68 69 70 71 72 73 74 76 78 80 81
- 32) **Euphydryas (Eurodryas) aurinia (Rottemburg,1775)** (Argynnididae) *aurinia Rottemburg,1775; artemis [Denis & Schiffermüller],1775; lye Bergsträßer,[1779]; koloswarensis Piller & Mitterpacher,1783; scotica Robson,1880; signifera Kane,1893; anglicana Fruhstorfer,1917; achedia Fruhstorfer,1917.* 05 06 08 14 16 18 25 29 30 34 36 46 53 59 62 65 69 73 75 76
- 33) **Euphydryas (Eurodryas) orientalis (Herrich-Schäffer,[1845])** (Argynnididae) *orientalis Herrich-Schäffer,[1845]; amasina Seitz,1908.* 05 06 16 18 23 42 43 44 71
- 34) **Inachis io (Linnaeus,1758)** (Argynnididae) *io Linnaeus,1758; ioides Ochsenheimer,1808; caucasica Jachontov,1911.* 05 06 08 10 11 14 16 17 21 24 25 28 29 34 37 39 43 52 53 55 57 58 60 61 66 69 74 78 81
- 35) **Issoria lathonia (Linnaeus,1758)** (Argynnididae) *lathonia Linnaeus,1758; saturata Röber,1897; hungarica Aigner-Abafi,1906; florens Verity,1916; emiflorens Verity,1919; attenuata Sagarra,1926; nigroprivata Verity,1933.* 01 03 04 05 06 07 08 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 42 43 44 45 46 48 49 50 51 52 53 55 57 58 59 60 61 62 65 66 67 69 70 71 73 74 76 77 80 81
- 36) **Limnitis (Azuritis) reducta Staudinger,1901** (Argynnididae) *reducta Staudinger,1901.* 01 02 03 05 06 07 08 09 10 11 13 14 15 16 17 18 20 21 22 23 24 25 26 27 29 30 31 32 33 34 35 36 37 39 42 43 44 45 46 48 50 51 52 53 55 58 59 60 62 65 66 67 71 73 75 76 77 78
- 37) **Melitaea (Cinclidia) (phoebe) phoebe (Goeze,1779)** (Argynnididae) *#phoebe [Denis & Schiffermüller],1775; phoebe Goeze,1779; paedotropos Bergsträßer,[1780]; tremulae Piller & Mitterpacher,1783.* 01 04 05 06 08 10 11 13 14 16 17 22 23 24 25 26 27 30 33 34 36 39 41 42 44 46 50 51 55 58 59 61 62 65 66 69 71 73 74 77 78 80
- 38) **Melitaea (Cinclidia) (phoebe) punica Oberthür,1876** (Argynnididae) *punica Oberthür,1876* 01 02 03 05 06 07 08 10 12 13 15 16 17 18 19 20 21 23 24 25 26 27 28 29 30 31 32 33 35 36 38 41 42 43 44 46 48 49 50 51 55 58 60 62 65 66 68 69 70 71 73 76 80
- 39) **Melitaea (Didymaeformis) didyma (Esper,[1779])** (Argynnididae) *didyma Esper,[1779]; armoricana Oberthür,1909.* 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 46 47 48 49 50 51 53 54 55 58 60 61 62 63 64 65 66 67 68 69 70 71 73 74 76 78 80
- 40) **Melitaea (Didymaeformis) fascelis (Fabricius,1787)** (Argynnididae) *#trivia Denis & Schiffermüller,1775; iphigenia Esper,1782 (praeoc.); #fascelis Esper,1783; fascelis Fabricius,1787; cleo Latreille,1803* 01 02 03 05 06 07 08 09 10 11 12 13 15 16 17 18 19 20 22 23 25 27 29 30 31 32 33 34 35 36 37 38 39 41 42 43 44 45 47 48 49 50 51 55 56 57 58 59 60 62 63 65 66 69 70 71 73 76 77 80 81
- 41) **Melitaea (s.str.) cinxia (Linnaeus,1758)** (Argynnididae) *cinxia Linnaeus,1758; abacus Retzius,1783; fulla Quensel,1791.* 01 02 03 04 05 06 07 08 12 13 14 16 17 18 20 21 23 24 25 26 27 28 29 30 31 32 33 34 36 37 38 39 41 42 43 44 46 47 48 49 50 51 52 55 56 58 60 61 62 65 66 69 70 71 73 74 76 80
- 42) **Mellicta athalia (Rottemburg,1775)** (Argynnididae) *athalia Rottemburg,1775; eos Rossi,1803 nec Rossi,1794; pyronia Hübner,1804; aphaea Hübner,1816; tessellata Stephens,1827; britanna Verity,1914; luciflua Fruhstorfer,1916; vividior Gouin,1922; subluciflua Verity,1935; mixtacladussa Verity,1940; neglecta Pfau,1962* 01 03 05 06 08 10 11 16 17 18 19 24 25 29 30 31 34 36 37 39 42 52 53 54 55 58 60 61 62 66 69 73 74
- 43) **Nymphalis antiopa (Linnaeus,1758)** (Argynnididae) *antiopa Linnaeus,1758; pompadour Pollich,1783; morio Retzius,1783; borealis Wnukowsky,1927.* 03 05 06 08 09 10 11 14 16 17 22 24 26 28 29 32 33 34 35 36 37 38 42 45 53 58 60 62 66 71 74
- 44) **Nymphalis polychloros (Linnaeus,1758)** (Argynnididae) *polychloros Linnaeus,1758; testudo Esper,1781; pyrrhomelaena Hübner,1824; pyromelas Freyer,1834; fervida Standfuss,1896.* 01 03 05 06 07 08 09 10 11 13 14 16 17 18 19 20 21 22 23 25 26 30 31 32 33 34 35 36 40 41 42 43 44 45 46 47 48 50 51 52 56 58 60 62 65 71 73
- 45) **Nymphalis xanthomelas (Esper,[1781])** (Argynnididae) *#xanthomelas [Denis & Schiffermüller],1775; xanthomelas Esper,[1781]* 01 05 06 08 12 13 16 24 25 30 31 33 34 36 42 46 49 51 62 69 72 73 76
- 46) **Polygonia (Comma) c-album (Linnaeus,1758)** (Argynnididae) *c-album Linnaeus,1758; g-album Fourcroy,1785.* 03 05 06 08 11 13 14 16 17 18 20 22 24 25 27 29 30 31 32 33 34 36 37 39 41 42 43 44 46 48 49 50 52 53 55 59 60 61 62 65 66 73 74 76 78 81

- 47) **Polygonia (Comma) egea (Cramer,[1775])** (Argynnididae) *egea* Cramer,[1775] (*junior homonym*); *vaualbum* Esper,1780; *l-album* Esper,1789; *triangulum* Fabricius,1793; *autumnalis* Stefanelli,1873; *#balucha* Evans,1932; *#pallida* Evans,1932. 01 02 04 05 06 07 08 09 13 14 16 17 20 21 23 24 25 26 27 29 30 32 33 34 35 36 37 38 41 42 43 44 45 46 47 48 49 50 51 53 58 60 62 63 65 66 68 71 72 73 76 78
- 48) **Thaleropsis ionia (Eversmann,1851)** (Argynnididae) *ionia* Eversmann,1851; *ammonia* Herrich-Schäffer,1851. 03 05 06 07 08 13 21 23 24 25 28 30 32 33 42 44 47 48 58 60 62 65 73
- 49) **Vanessa atalanta (Linnaeus,1758)** (Argynnididae) *atalanta* Linnaeus,1758; *amiralis* Retzius,1783; *#klemensiewiczzi* Schille,1896; *#klime* Fischer,1896; *italica* Stichel,1900. 01 03 05 06 07 08 10 11 13 14 16 17 18 21 22 23 24 25 27 29 30 31 32 33 34 35 36 37 38 39 42 43 44 45 46 48 50 51 52 53 55 58 59 60 61 62 63 65 66 71 74 78 80 81
- 50) **Amselina cedestiella (Zeller,1868)** (Autostichidae) *cedestiella* Zeller,1868; *dissoluta* Staudinger,1870. 05 06 42 46 51 71
- 51) **Amselina emir (Gozmany,1961)** (Autostichidae) *emir* Gozmany,1961 06 32 33 42 71
- 52) **Amselina parapesta Gozmany,1986** (Autostichidae) *parapesta* Gozmany,1986 03 06
- 53) **Arragonia anatolica Gozmany,1986** (Autostichidae) *anatolica* Gozmany,1986 06 33 50 58
- 54) **Mylothra pyrrhella Ragonot,1895** (Autostichidae) *pyrrhella* Ragonot,1895; *zeitunella* Rebel,1902. 06 31 46
- 55) **Oegoconia deauratella (Herrich-Schäffer,[1854])** (Autostichidae) *deauratella* Herrich-Schäffer,[1854]; *bacescui* Popescu-Gorj & Capuse,1965 05 06 38 42 46
- 56) **Brachodes appendiculata (Esper,[1783])** (Brachodidae) *appendiculata* Esper,[1783]; *vahlana* Fabricius,1787; *saldonana* Fabricius,1787; *chimaera* Hübner,1796; *lucida* Lederer,1853; *powelli* Oberthür,1922 05 06 38 42 44 50 71 76
- 57) **Bucculatrix anthemidella Deschka,1972** (Bucculatricidae) *anthemidella* Deschka,1972 06
- 58) **Carposina berberidella Herrich-Schäffer,[1854]** (Carposinidae) *berberidella* Herrich-Schäffer,[1854] 06 42 44
- 59) **Carposina scirrhosella Herrich-Schäffer,[1854]** (Carposinidae) *scirrhosella* Herrich-Schäffer,[1854]; *orientella* Stanoiu & Nemeş,1968. 06 16
- 60) **Axia (Epicimelia) theresiae (Korb,1900)** (Cimeliidae) *theresiae* Korb,1900 06 13 29 30 42 44 50 58 65 76
- 61) **Coleophora adelogrammella Zeller,1849** (Coleophoridae) *adelogrammella* Zeller,1849; *collina* Frey,1880; *separatella* Benander,1939. 06 58
- 62) **Coleophora adjectella Herrich-Schäffer,1861** (Coleophoridae) *adjectella* Herrich-Schäffer,1861 06
- 63) **Coleophora albotitae Rebel,1935** (Coleophoridae) *albotitae* Rebel,1935 06 29 46 58
- 64) **Coleophora alcyonipennella (Kollar,1832)** (Coleophoridae) *alcyonipennella* Kollar,1832; *cuprariella* Zeller,1847; *praticolella* Zeller,1849; *cuprifulgella* Toll,1962 05 06 12 14 16 33 34 41 46 53 55 76
- 65) **Coleophora amasicola Toll,1942** (Coleophoridae) *amasicola* Toll,1942 05 06
- 66) **Coleophora amasiella Stainton,1867** (Coleophoridae) *amasiella* Stainton,1867 05 06 42 46 68
- 67) **Coleophora ammophora (Falkovitsh,1989)** (Coleophoridae) *ammophora* Falkovitsh,1989 06 25 58
- 68) **Coleophora argentifimbriata Walsingham,1907** (Coleophoridae) *argentifimbriata* Walsingham,1907 06
- 69) **Coleophora argentula (Stephens,1834)** (Coleophoridae) *argentula* Stephens,1834; *cothurnella* Duponchel,1843; *argentulella* Doubleday,1859; *argentulella* Bruand,1859 06
- 70) **Coleophora astragalella Zeller,1849** (Coleophoridae) *astragalella* Zeller,1849; *fimbriosella* Herrich-Schäffer,1861; *plusiella* Constant,1865; *persimilis* Rebel,1904 04 05 06 16 42 50 58
- 71) **Coleophora audeoudi Rebel,1935** (Coleophoridae) *audeoudi* Rebel,1935 06 42
- 72) **Coleophora bernoulliella (Goeze,1783)** (Coleophoridae) *bernoulliella* Goeze,1783; *anatipenella* Hübner,1796 06 29 61
- 73) **Coleophora bilineatella Zeller,1849** (Coleophoridae) *bilineatella* Zeller,1849 06
- 74) **Coleophora cartilaginella Christoph,1872** (Coleophoridae) *cartilaginella* Christoph,1872; *dubiosa* Toll,1952; *paraspumosella* Toll,1957; *medicagivora* Toll,1961. 04 05 06 12 23 38 42 51 71
- 75) **Coleophora colutella (Fabricius,1794)** (Coleophoridae) *colutella* Fabricius,1794; *serenella* Duponchel,1843; *crocina* Tengström,1848; *stanoiuii* Nemeş,2004 06
- 76) **Coleophora confusa Staudinger,1880** (Coleophoridae) *confusa* Staudinger,1880 05 06 38 41 42
- 77) **Coleophora conspicuella Zeller,1849** (Coleophoridae) *conspicuella* Zeller,1849; *centaureicolella* Bruand,[1856]; *similis* Staudinger,1880; *aceris* Caradja,1920 05 06 46 76
- 78) **Coleophora coronillae Zeller,1849** (Coleophoridae) *coronillae* Zeller,1849 06 42 46 58
- 79) **Coleophora crepidinella Zeller,1847** (Coleophoridae) *crepidinella* Zeller,1847 06
- 80) **Coleophora crispella Baldizzone,1994** (Coleophoridae) *crispella* Baldizzone,1994 06 07 23
- 81) **Coleophora dianthi Herrich-Schäffer,1855** (Coleophoridae) *dianthi* Herrich-Schäffer,1855; *dianthella* Herrich-Schäffer,1861; *amseli* Toll,1942 01 06 12 33
- 82) **Coleophora dignella Toll,1961** (Coleophoridae) *dignella* Toll,1961 06 07 14 42
- 83) **Coleophora discordella Zeller,1849** (Coleophoridae) *discordella* Zeller,1849; *dorycniella* Hartig,1939 06
- 84) **Coleophora dubiella Baker,1888** (Coleophoridae) *dubiella* Baker,1888; *reisseri* Rebel,1926; *eucera* Toll,1952; *microeucera* Toll,1960; *leucostrigella* Toll,1960 06 50
- 85) **Coleophora echinacea Falkovitsh,1972** (Coleophoridae) *echinacea* Falkovitsh,1972 06
- 86) **Coleophora etrusca Baldizzone,1990** (Coleophoridae) *etrusca* Baldizzone,1990 06 23 33
- 87) **Coleophora ferruginea Baldizzone,1994** (Coleophoridae) *ferruginea* Baldizzone,1994 06 29 38
- 88) **Coleophora filaginella Fuchs,1881** (Coleophoridae) *filaginella* Fuchs,1881; *graurii* Nemeş,2004 06
- 89) **Coleophora fiorii Toll,1953** (Coleophoridae) *fiorii* Toll,1953 06 42
- 90) **Coleophora flaviella Mann,1857** (Coleophoridae) *flaviella* Mann,1857 06 29
- 91) **Coleophora flavipennella (Duponchel,1843)** (Coleophoridae) *flavipennella* Duponchel,1843 06 16 55
- 92) **Coleophora fuscociliella Zeller,1849** (Coleophoridae) *fuscociliella* Zeller,1849; *bucovinae* Nemeş,2004 06 16
- 93) **Coleophora galbulipennella Zeller,1838** (Coleophoridae) *galbulipennella* Zeller,1838; *otitae* Zeller,1839. 06 13 29 30 46
- 94) **Coleophora gazella Toll,1952** (Coleophoridae) *gazella* Toll,1952 06 13 42 58
- 95) **Coleophora goluensis Baldizzone,1994** (Coleophoridae) *golusensis* Baldizzone,1994 06 07 23 42 71
- 96) **Coleophora granulosa Staudinger,1880** (Coleophoridae) *granulosa* Staudinger,1880 05 06 33 42
- 97) **Coleophora hemerobiella (Scopoli,1763)** (Coleophoridae) *hemerobiella* Scopoli,1763 06 50 61
- 98) **Coleophora heringi Toll,1952** (Coleophoridae) *heringi* Toll,1952 05 06 50
- 99) **Coleophora herniariae Baldizzone,2001** (Coleophoridae) *herniariae* Baldizzone,2001 06
- 100) **Coleophora hieronella Zeller,1849** (Coleophoridae) *hieronella* Zeller,1849 06 16 41 55
- 101) **Coleophora hystricella Toll,1957** (Coleophoridae) *hystricella* Toll,1957 06
- 102) **Coleophora ispartae Baldizzone,1994** (Coleophoridae) *ispartae* Baldizzone,1994 06 32
- 103) **Coleophora kautzi Rebel,1933** (Coleophoridae) *kautzi* Rebel,1933 03 06 30 32 42 50 70
- 104) **Coleophora kuehnella (Goeze,1783)** (Coleophoridae) *kuehnella* Goeze,1783; *palliatella* Zincken,1813. 06 16
- 105) **Coleophora lixella Zeller,1849** (Coleophoridae) *lixella* Zeller,1849 05 06 29 38 42 50 58
- 106) **Coleophora lusciniapennella (Treitschke,1833)** (Coleophoridae) *lusciniapennella* Treitschke,1833; *viminetella* Zeller,1849. 06
- 107) **Coleophora luteolella Staudinger,1880** (Coleophoridae) *luteolella* Staudinger,1880; *mendosella* Toll,1960 01 05 06 11 34 41 42 50
- 108) **Coleophora malatiella Toll,1952** (Coleophoridae) *malatiella* Toll,1952 06 44

- 109) *Coleophora medelichensis* Krone, 1908 (Coleophoridae) *medelichensis* Krone, 1908 06 38 41 42 50 51
- 110) *Coleophora necessaria* Staudinger, 1880 (Coleophoridae) *necessaria* Staudinger, 1880; *indiges* Falkovitsh, 1992. 05 06 13 50 58
- 111) *Coleophora niveistrigella* Heinemann & Wocke, [1877] (Coleophoridae) *niveistrigella* Heinemann & Wocke, [1877] 06
- 112) *Coleophora nomgona* Falkovitsh, 1975 (Coleophoridae) *nomgona* Falkovitsh, 1975 06 50
- 113) *Coleophora nutantella* Mühlig & Frey, 1857 (Coleophoridae) *nutantella* Mühlig & Frey, 1857 06 29
- 114) *Coleophora obtectella* Zeller, 1849 (Coleophoridae) *obtectella* Zeller, 1849 04 06 13 25 29 42 50 53 58
- 115) *Coleophora occatella* Staudinger, 1880 (Coleophoridae) *occatella* Staudinger, 1880 05 06
- 116) *Coleophora ochrea* (Haworth, [1828]) (Coleophoridae) *ochrea* Haworth, [1828] 03 06 13 30 42 46 71
- 117) *Coleophora onobrychiella* Zeller, 1849 (Coleophoridae) *onobrychiella* Zeller, 1849; *arenariella* Zeller, 1865 06 16 29 42 50 55 58
- 118) *Coleophora onopordiella* Zeller, 1849 (Coleophoridae) *onopordiella* Zeller, 1849; *eremica* Amsel, 1935; *cerinaula* Meyrick, 1936; *fusca* Toll, 1952; *pseudophlomidella* Toll, 1952; *sivandella* Toll, 1959; *litorella* Nemes, 2003 05 06 23 25 33 38 42 44 45 50 51 58 71
- 119) *Coleophora oriolella* Zeller, 1849 (Coleophoridae) *oriolella* Zeller, 1849 06 58
- 120) *Coleophora paphlagoniae* Baldizzone, 1994 (Coleophoridae) *paphlagoniae* Baldizzone, 1994 06
- 121) *Coleophora paraptarmica* Toll & Amsel, 1967 (Coleophoridae) *paraptarmica* Toll & Amsel, 1967 06
- 122) *Coleophora parthenica* Meyrick, 1891 (Coleophoridae) *parthenica* Meyrick, 1891; *cygnipennella* Toll, 1959; *candidella* Toll, 1959; *transcaspica* Toll, 1959; *laskharella* Toll & Amsel, 1967; *hilmendella* Amsel, 1968. 06 33 42
- 123) *Coleophora passeripennella* Baldizzone, 2001 (Coleophoridae) *passeripennella* Baldizzone, 2001 06
- 124) *Coleophora pellicornella* Zerny, 1930 (Coleophoridae) *pellicornella* Zerny, 1930 03 06 42 50 70
- 125) *Coleophora pennella* ([Denis & Schiffermüller], 1775) (Coleophoridae) *pennella* [Denis & Schiffermüller], 1775; *borowskiella* Goeze, 1783; *mucosa* Fourcroy, 1785; *mucosella* Villers, 1789; *onosmella* Brahm, 1791; *struthonipennella* Hübner, 1796; *cornuum* Vallot, 1818; *hispanicella* Möschler, 1866; *diffinis* Staudinger, 1880; *nervosella* Müller-Rutz, 1927; *flavilineella* Toll, 1952; *gogovi* Capuse, 1971 05 06 16 29 33 46 50 58
- 126) *Coleophora phlomidis* Stainton, 1867 (Coleophoridae) *phlomidis* Stainton, 1867 05 06 12 23 33 42 46 58
- 127) *Coleophora phrygiae* Baldizzone, 1994 (Coleophoridae) *phrygiae* Baldizzone, 1994 03 06 25 38 42 58
- 128) *Coleophora preisseckeri* Toll, 1942 (Coleophoridae) *preisseckeri* Toll, 1942 06
- 129) *Coleophora propinqua* Staudinger, 1880 (Coleophoridae) *propinqua* Staudinger, 1880 06 33 51
- 130) *Coleophora ptarmica* Walsingham, 1910 (Coleophoridae) *ptarmica* Walsingham, 1910 06 55
- 131) *Coleophora pyrenaica* Baldizzone, 1980 (Coleophoridae) *pyrenaica* Baldizzone, 1980 06 50 70
- 132) *Coleophora qulikushella* Toll, 1959 (Coleophoridae) *qulikushella* Toll, 1959 06 33 42 51 58 71
- 133) *Coleophora riffelensis* Rebel, 1913 (Coleophoridae) *riffelensis* Rebel, 1913; *fischeri* Toll, 1950; *klemensiewiczii* Toll, 1950 06 41
- 134) *Coleophora salicorniae* Heinemann & Wocke, 1877 (Coleophoridae) *salicorniae* Heinemann & Wocke, 1877; *cypricella* Rebel, 1928. 01 06
- 135) *Coleophora serpylletorum* Hering, 1889 (Coleophoridae) *serpylletorum* Hering, 1889; *assisti* Nemes, 2003 06 14 25 33 38 42 50 58
- 136) *Coleophora silenella* Herrich-Schäffer, 1855 (Coleophoridae) *silenella* Herrich-Schäffer, 1855; *dragusanii* Nemes, 2004 06
- 137) *Coleophora stramentella* Zeller, 1849 (Coleophoridae) *stramentella* Zeller, 1849 06 07 16 29 38 58 71
- 138) *Coleophora tauricella* Staudinger, 1880 (Coleophoridae) *tauricella* Staudinger, 1880; *skopusella* Amsel, 1935; *kurdistanella* Amsel, 1955. 06 33 41
- 139) *Coleophora taygeti* Baldizzone, 1983 (Coleophoridae) *taygeti* Baldizzone, 1983 06 16
- 140) *Coleophora testudo* Falkovitsh, 1973 (Coleophoridae) *testudo* Falkovitsh, 1973 06
- 141) *Coleophora thymi* Hering, 1942 (Coleophoridae) *thymi* Hering, 1942 06
- 142) *Coleophora treskaensis* Toll & Amsel, 1967 (Coleophoridae) *treskaensis* Toll & Amsel, 1967; *sciurella* Baldizzone, 1987 06 26
- 143) *Coleophora trigeminella* Fuchs, 1881 (Coleophoridae) *trigeminella* Fuchs, 1881 06 29
- 144) *Coleophora tripeniella* Baldizzone, 1994 (Coleophoridae) *tripeniella* Baldizzone, 1994 06
- 145) *Coleophora univittella* Staudinger, 1880 (Coleophoridae) *univittella* Staudinger, 1880 04 06 13 29 32 38 42 44 45 50 53 58 70
- 146) *Coleophora uralensis* Toll, 1961 (Coleophoridae) *uralensis* Toll, 1961 06
- 147) *Coleophora valesianella* Zeller, 1849 (Coleophoridae) *valesianella* Zeller, 1849; *giraudi* Ragonot, 1874; *simillima* Staudinger, 1880; *predotaella* Rebel, 1914 06 07 32 42 50 71
- 148) *Coleophora vulnerariae* Zeller, 1839 (Coleophoridae) *vulnerariae* Zeller, 1839; *icterella* Duponchel, 1840; *vulnerariella* Doubleday, 1859; *vulnerariella* Bruand, 1859 05 06 46
- 149) *Coleophora wockeella* Zeller, 1849 (Coleophoridae) *wockeella* Zeller, 1849; *fumigatella* Caradja, 1920; *italiae* Toll, 1960 05 06 16 45 46
- 150) *Coleophora xanthoargentea* Toll, 1959 (Coleophoridae) *xanthoargentea* Toll, 1959 06
- 151) *Eteobalea anonymella* (Riedl, 1965) (Cosmopterigidae) *anonymella* Riedl, 1965 06
- 152) *Eteobalea serratella* (Treitschke, 1833) (Cosmopterigidae) *serratella* Treitschke, 1833; *sareptensis* Walsingham, 1907; *cinereocapitella* Caradja, 1920 05 06 16 38 42 46 76
- 153) *Eteobalea sumptuosella* (Lederer, 1855) (Cosmopterigidae) *sumptuosella* Lederer, 1855; *cinereocapitella* Caradja, 1920; *amseli* Osthelder, 1940 05 06 42 46
- 154) *Sorhagenia rhamniella* (Zeller, 1839) (Cosmopterigidae) *rhamniella* Zeller, 1839; *asperipunctella* Bruand, 1850 06
- 155) *Vulcaniella fiordalisa* (Petty, 1904) (Cosmopterigidae) *fiordalisa* Petty, 1904; *gnaphaliella* Chrétien, 1922. 06
- 156) *Vulcaniella glaseri* (Riedl, 1966) (Cosmopterigidae) *glaseri* Riedl, 1966 06 58
- 157) *Vulcaniella grabowiella* (Staudinger, 1859) (Cosmopterigidae) *grabowiella* Staudinger, 1859 06
- 158) *Vulcaniella pomposella* (Zeller, 1839) (Cosmopterigidae) *pomposella* Zeller, 1839 06 34 76
- 159) *Cossus cossus* (Linnaeus, 1758) (Cossidae) *cossus* Linnaeus, 1758; *unguiculatus* Fabricius, 1794; *ligniperda* Fabricius, 1794 01 05 06 12 13 14 16 17 19 23 25 30 36 42 46 49 53 55 58 60 61 65 73
- 160) *Dyspessa emilia* (Staudinger, 1879) (Cossidae) *emilia* Staudinger, 1879 01 05 06 07 19 33 42 50 58
- 161) *Dyspessa salicicola* (Eversmann, 1848) (Cossidae) *salicicola* Eversmann, 1848 04 06 17 22 33 36 39 76
- 162) *Dyspessa ulula* (Borkhausen, 1790) (Cossidae) *ulula* Borkhausen, 1790; *hepialica* Borkhausen, 1790; *hepialina* Hübner, 1792; *marmorata* Rambur, 1858; *fuscula* Staudinger, 1892; *affinis* Rothschild, 1917; *maroccana* Rothschild, 1917; *pallida* Rothschild, 1917 nec Roth., 1912. 05 06 07 14 16 17 20 21 26 33 36 42 45 46 58 60 66
- 163) *Isoceras bipunctatum* (Staudinger, 1887) (Cossidae) *bipunctatum* Staudinger, 1887 06 07 13 25 27 29 30 33 38 46 49 56 58 60 63 71 73
- 164) *Stygoides colchica* (Herrich-Schäffer, [1851]) (Cossidae) *colchica* Herrich-Schäffer, [1851] 05 06 07 33 46
- 165) *Zeuzera pyrina* (Linnaeus, 1761) (Cossidae) *pyrina* Linnaeus, 1761; *hypocastani* Poda, 1761; *aesuli* Linnaeus, 1767; *hilaris* Fourcroy, 1785; *octopunctata* Boisduval, 1832; *decipiens* Kirby, 1892 06 07 08 14 34 38 42 45 46 50 61
- 166) *Amata rossica* (Turati, 1917) (Ctenuchidae) *#nigricornis* Alpheraky, 1883; *rossica* Turati, 1917; *anatolica* Zerny, 1931; *bithynica* Schwingenschuss, 1940; *osthelderi* Obratzov, 1966 01 05 06 07 08 14 16 24 28 33 37 38 55 58 60 64 71 75 76
- 167) *Dysauxes ancilla* (Linnaeus, 1767) (Ctenuchidae) *ancilla* Linnaeus, 1767; *obscura* Fabricius, 1781; *quadriculata* Goeze, 1783; *lomopicta* Fourcroy, 1785; *fuscoptera* Fourcroy, 1785; *tripunctata* Scopoli, 1786; *arcuatella* Schrank, 1802; *horta* Schrank, 1802; *abundans* Dannehl, 1933; *pluripuncta* Naufock, 1933. 06 32
- 168) *Dysauxes famula* (Freyer, 1836) (Ctenuchidae) *famula* Freyer, 1836; *hyalina* Freyer, 1845; *ragusaria* Zickert, 1904; *kaschmirensis* Rothschild, 1910; *semidiaphana* Stauder, 1921; *herthina* Stauder, 1921; *burgeffi* Draudt, 1931; *pseudoservula* Naufock, 1933; *pontica* Friese, 1959; *sofiata* De Laever, 1983; *lucana* De Laever, 1983. 01 06 07 08 10 11 12 14 16 17 21 23 25 30 31 33 34 36 42 44 45 46 50 56 59 60 65 71 73
- 169) *Tinagma anchusellum* Benander, 1936 (Douglassiidae) *anchusellum* Benander, 1936 05 06 23 42 46

- 170) *Tinagma ocnestomellum* (Stainton,1850) (Douglasiidae) *ocnestomellum* Stainton,1850; *echii* Herrich-Schäffer,1854. 05 06 16 33
- 171) *Cilix asiatica* A.Bang-Haas,1907 (Drepanidae) *asiatica* A.Bang-Haas,1907; *depalpata* Strand,1913 05 06 07 10 12 17 30 33 36 42 45 46 47 50 58 65 71 73
- 172) *Cilix glaucata* (Scopoli,1763) (Drepanidae) *glaucata* Scopoli,1763; *modesta* Müller,1764; *ruffa* Linnaeus,1766; *spinula* [Denis & Schiffermüller],1775; *candidula* [Denis & Schiffermüller],1775; *compressa* Fabricius,1777 06 14 17 32 33 42 64
- 173) *Watsonella binaria* (Hufnagel,1767) (Drepanidae) *binaria* Hufnagel,1767; *falcata* Fabricius,1775; *falculataria* Villers,1789; *falcatalis* Haworth,1802; *uncula* Hübner,[1802] 05 06 08 10 12 14 16 30 42 46 50 53 62 65 71 73
- 174) *Elachista anatoliensis* Traugott-Olsen,1990 (Elachistidae) *anatoliensis* Traugott-Olsen,1990 06
- 175) *Elachista argentella* (Clerck,1759) (Elachistidae) *argentella* Clerck,1759 05 06 16 33 42 46
- 176) *Elachista blancellae* Traugott-Olsen,1992 (Elachistidae) *blancellae* Traugott-Olsen,1992 06
- 177) *Elachista turkensis* Traugott-Olsen,1990 (Elachistidae) *turkensis* Traugott-Olsen,1990 06
- 178) *Epermenia* (Calotropis) *insecurella* (Stainton,1849) (Epermeniidae) *insecurella* Stainton,1849; *dentosella* Stainton,1851; *iniquellus* Wocke,1867; *plumbeella* Rebel,1915; *kruegerella* Schawerda,1921. 06 42 65
- 179) *Epermenia* (s.str.) *wockeella* (Staudinger,1880) (Epermeniidae) *wockeella* Staudinger,1880. 05 06 47
- 180) *Ethmia amasina* (Staudinger,1879) (Ethmiidae) *amasina* Staudinger,1879 01 05 06 46 65
- 181) *Ethmia bipunctella* (Fabricius,1775) (Ethmiidae) *bipunctella* Fabricius,1775; *echiella* [Denis & Schiffermüller],1775; *hochenwartiella* Rossi,1790; *griseicostella* Wiltshire,1947. 05 06 16 35 42 46 56 71
- 182) *Ethmia quadrinotella* (Mann,1861) (Ethmiidae) *quadrinotella* Mann,1861; *atticella* Caradja,1920; *galaxaea* Meyrick,1922. 01 05 06 31 42 46 71 76
- 183) *Ethmia rothschildi* (Rebel,1912) (Ethmiidae) *rothschildi* Rebel,1912 06
- 184) *Ethmia treitschkeella* (Staudinger,1879) (Ethmiidae) *treitschkeella* Staudinger,1879 05 06 42 44
- 185) *Anarsia* (Ananarsia) *lineatella* Zeller,1839 (Gelechiidae) *lineatella* Zeller,1839; *heratella* Amsel,1967; *tauricella* Amsel,1967. 05 06 16 46 71
- 186) *Aristotelia subericinella* (Duponchel,1843) (Gelechiidae) *subericinella* Duponchel,1843; *prohaskaella* Rebel,1907 06 46
- 187) *Aroga velocella* (Zeller,1839) (Gelechiidae) *velocella* Zeller,1839; *affiniella* Zetterstedt,[1839]; *tesserella* Zetterstedt,[1839]; *brunnea* Schöyén,1882; *aterrimella* Rebel,1889; *rupicolella* Müller-Rutz,1934 06 16
- 188) *Bryotropha arabica* Amsel,1952 (Gelechiidae) *arabica* Amsel,1952 05 06 15 23 26 33 42 44 46 47 63 71
- 189) *Bryotropha desertella* (Douglas,1850) (Gelechiidae) *desertella* Douglas,1850; *decrepidella* Herrich-Schäffer,1854. 05 06 16
- 190) *Bryotropha hendrikseni* Karsholt & Rutten,2005 (Gelechiidae) *hendrikseni* Karsholt & Rutten,2005 06 07 32
- 191) *Bryotropha hulli* Karsholt & Rutten,2005 (Gelechiidae) *hulli* Karsholt & Rutten,2005 06 07 38 41 48 77
- 192) *Bryotropha sabulosella* (Rebel,1905) (Gelechiidae) *sabulosella* Rebel,1905 06 32 20 29 38 50 71 76
- 193) *Bryotropha tachyptilella* (Rebel,1916) (Gelechiidae) *tachyptilella* Rebel,1916 06 23 32 42
- 194) *Carpatolechia fugitivella* (Zeller,1839) (Gelechiidae) *fugitivella* Zeller,1839; *#fugitivella* Noack,1960. 06
- 195) *Chionodes distinctella* (Zeller,1839) (Gelechiidae) *distinctella* Zeller,1839; *striolatelata* Heinemann,1870; *tristella* Teich,1889; *indistinctella* Rebel,1901; *laticornella* Amsel,1939; *unicolor* Toll,1948; *deserticola* Piskunov,1979. 06 13 16 24 25 38 76
- 196) *Coloptilia conchylidella* (Hofmann,[1898]) (Gelechiidae) *conchylidella* Hofmann,[1898] 06
- 197) *Deltophora maculata* (Staudinger,1879) (Gelechiidae) *maculata* Staudinger,1879 05 06 31 42 46
- 198) *Deltophora stictella* (Rebel,1927) (Gelechiidae) *stictella* Rebel,1927 06 71
- 199) *Dirhinosisia arnoldiella* (Rebel,1905) (Gelechiidae) *arnoldiella* Rebel,1905 06 38 46
- 200) *Ephysteris* (Microcraspedus) *deserticolella* (Staudinger,1871) (Gelechiidae) *deserticolella* Staudinger,1871. 06
- 201) *Ephysteris* (Microcraspedus) *diminutella* (Zeller,1847) (Gelechiidae) *diminutella* Zeller,1847 06
- 202) *Epiparasia incertella* (Herrich-Schäffer,1861) (Gelechiidae) *incertella* Herrich-Schäffer,1861; *longivitella* Rebel 06 38 42 68
- 203) *Eulamprotes superbella* (Zeller,1839) (Gelechiidae) *superbella* Zeller,1839 06
- 204) *Filatima spurcella* (Duponchel,1843) (Gelechiidae) *spurcella* Duponchel,1843; *fuscantella* Heinemann,1870. 05 06 16
- 205) *Gelechia repetitrix* Meyrick,1931 (Gelechiidae) *repetitrix* Meyrick,1931 06
- 206) *Isophrictis anthemidella* (Wocke,1871) (Gelechiidae) *anthemidella* Wocke,1871 05 06 35 46 65 71
- 207) *Istrianis femoralis* (Staudinger,1876) (Gelechiidae) *femoralis* Staudinger,1876; *comodonella* Staudinger,1879; *gravosensis* Rebel,1937; *angustipennis* Rebel,1941; *funebrella* Rebel,1941. 06 33 46
- 208) *Megacrasedus argyreneurellus* Staudinger,1876 (Gelechiidae) *argyreneurellus* Staudinger,1876 06
- 209) *Megacrasedus attritellus* Staudinger,1871 (Gelechiidae) *attritellus* Staudinger,1871 06
- 210) *Metzneria aprilella* (Herrich-Schäffer,[1854]) (Gelechiidae) *aprilella* Herrich-Schäffer,[1854] 05 06 16 33 42 46
- 211) *Metzneria ehikeella* Gozmany,1954 (Gelechiidae) *ehikeella* Gozmany,1954 06 46 71
- 212) *Metzneria intestinella* (Mann,1864) (Gelechiidae) *intestinella* Mann,1864 05 06 16 23 46
- 213) *Metzneria paucipunctella* (Zeller,1839) (Gelechiidae) *paucipunctella* Zeller,1839; *zimmermanni* Hering,1940; *confusalis* Lucas,1955. 06 46
- 214) *Nothris verbascella* (Brahm,1791) (Gelechiidae) *#verbascella* [Denis & Schiffermüller],1775; *verbascella* Brahm,1791; *lutarea* Haworth,1828 05 06 16 38 42 46
- 215) *Ornativalva mixolitha* (Meyrick,1918) (Gelechiidae) *mixolitha* Meyrick,1918 06 33 71
- 216) *Pexicopia malvella* (Hübner,[1805]) (Gelechiidae) *umbrella* auct.; *malvella* Hübner,[1805]; *lutarea* Haworth,1828 05 06
- 217) *Platyedra subcinerea* (Haworth,[1828]) (Gelechiidae) *subcinerea* Haworth,[1828]; *vilella* Zeller,1847. 05 06 16 33 35 46 76
- 218) *Prolita solutella* (Zeller,1839) (Gelechiidae) *solutella* Zeller,1839; *fumosella* Douglas,1852; *pribitzeri* Rebel,1889; *nigrobipunctella* Lucas,1932. 05 06 16 46
- 219) *Recurvaria leucatella* (Linnaeus,1761) (Gelechiidae) *#leucatella* Clerck,1759; *leucatella* Linnaeus,1761; *leucatea* Haworth,1828. 06 16
- 220) *Scrobipalpa* (Ilseopsis) *atriplicella* (Fischer v. Röslerstamm,1841) (Gelechiidae) *atriplicella* Fischer v. Röslerstamm,1841 06
- 221) *Scrobipalpa* (Ilseopsis) *chetitica* Povolny,1974 (Gelechiidae) *chetitica* Povolny,1974 06
- 222) *Scrobipalpa* (Ilseopsis) *grossa* Povolny,1966 (Gelechiidae) *grossa* Povolny,1966 06
- 223) *Scrobipalpa* (Ilseopsis) *obsoletella* (Fischer v. Röslerstamm,1841) (Gelechiidae) *obsoletella* Fischer v. Röslerstamm,1841; *miscitella* Clarke,1932; *calaritanella* Amsel,1951. 06
- 224) *Scrobipalpa* (s.str.) *halophila* Povolny,1973 (Gelechiidae) *halophila* Povolny,1973 06
- 225) *Scrobipalpa* (s.str.) *heretica* Povolny,1973 (Gelechiidae) *heretica* Povolny,1973 06 71
- 226) *Scrobipalpa* (s.str.) *meteorica* Povolny,1984 (Gelechiidae) *meteorica* Povolny,1984 06
- 227) *Scrobipalpa* (s.str.) *nana* Povolny,1973 (Gelechiidae) *nana* Povolny,1973 06
- 228) *Scrobipalpula psilella* (Herrich-Schäffer,[1854]) (Gelechiidae) *psilella* Herrich-Schäffer,[1854]; *cacuminum* Frey,1870. 06 38
- 229) *Sitotroga cerealella* (Olivier,1789) (Gelechiidae) *cerealella* Olivier,1789; *hordei* Kirby,1815; *arctella* Walker,1864; *melanartha* Lower,1900; *palearis* Meyrick,1913; *ochrescens* Meyrick,1938 06 46
- 230) *Sophronia finitimella* Rebel,1905 (Gelechiidae) *finitimella* Rebel,1905 06 38
- 231) *Stenolechia gemmella* (Linnaeus,1758) (Gelechiidae) *gemmella* Linnaeus,1758; *nivella* Fabricius,1794; *nivea* Haworth,1828; *lepidella* Zeller,1839; *nigrovittella* Duponchel,[1839]. 06 42
- 232) *Stomopteryx detersella* (Zeller,1847) (Gelechiidae) *detersella* Zeller,1847 05 06 16 33 42 45 46 65 71 76

- 233) *Stomopteryx remissella* (Zeller,1847) (Gelechiidae) *remissella* Zeller,1847 06 16 46
- 234) *Syncopacma patruella* (Mann,1857) (Gelechiidae) *patruella* Mann,1857 06
- 235) *Teleiopsis diffinis* (Haworth,[1828]) (Gelechiidae) *diffinis* Haworth,[1828]; *tristis* Staudinger,1879. 05 06 16
- 236) *Agriopsis brumaria* (Borkhausen,1794) (Geometridae) *#leucophaearia* [Denis & Schiffermüller],1775; *brumaria* Borkhausen,1794; *nigricaria* Hübner,[1799]. 06 34 39 71
- 237) *Alsophila hirsutaria* (Fabricius,1781) (Geometridae) *#aescularia* [Denis & Schiffermüller],1775; *hirtaria* Fabricius,[1776] *nec* Linnaeus,1761; *hirsutaria* Fabricius,1781; *murinaria* Borkhausen,1794. 06
- 238) *Amorphognia necessaria* (Zeller,1849) (Geometridae) *necessaria* Zeller,1849 05 06 09 34 42 45 65 71
- 239) *Anticlea badiata* (Lang,1789) (Geometridae) *#badiata* [Denis & Schiffermüller],1775; *badiata* Lang,1789; *radiata* Spener & Spener,1843. 05 06 14
- 240) *Anticlea derivata* ([Denis & Schiffermüller],1775) (Geometridae) *derivata* [Denis & Schiffermüller],1775; *nigrofasciaria* Goeze,1781; *separata* Thunberg,1788. 06 14 16 39 42
- 241) *Aplasta ononaria* (Fuessly,1783) (Geometridae) *ononaria* Fuessly,1783; *rubellata* Villers,1789; *rubicapraria* Hübner,1793; *sudataria* Hübner,[1817] 05 06 09 13 16 17 23 31 33 39 40 41 42 46 48 59 65 71
- 242) *Aplocera annexata* (Freyer,[1830]) (Geometridae) *annexata* Freyer,[1830]; *boisduvaliata* Duponchel,1831 05 06 16 24 31 33 36 38 42 46 58 60 61 65 69 76
- 243) *Aplocera columbata* (Metzner,1845) (Geometridae) *columbata* Metzner,1845; *nomadaria* Herrich-Schäffer,1848 05 06 13 14 16 24 25 42 58 76
- 244) *Aplocera plagiata* (Linnaeus,1758) (Geometridae) *plagiata* Linnaeus,1758; *pallidata* Staudinger,1879. 01 05 06 14 16 17 22 23 24 30 31 33 34 35 38 39 42 45 46 58 60 62 65 71
- 245) *Aplocera uniformata* (Urbahn,1971) (Geometridae) *uniformata* Urbahn,1971 06 29 36 53 62
- 246) *Apocheima hispidarium* ([Denis & Schiffermüller],1775) (Geometridae) *hispidaria* [Denis & Schiffermüller],1775; *ursularia* Donovan,1808; *tauaria* Newman,1833. 06 34 44
- 247) *Archiearis notha* (Hübner,[1803]) (Geometridae) *notha* Hübner,[1803] 06 34
- 248) *Artiora evonymaria* (Hübner,[1799]) (Geometridae) *#evonymaria* [Denis & Schiffermüller],1775; *evonymaria* Hübner,[1799]. 06
- 249) *Aspitares ochrearia* (Rossi,1794) (Geometridae) *ochrearia* Rossi,1794; *sulphuraria* Fabricius,1794; *trifoliaria* Haworth,1809; *citraria* Hübner,[1826]; *laetula* Hulst,1896; *parvularia* Lempke,1953 05 06 16 17 22 31 33 34 39 41 45 46 59 64 71 79
- 250) *Aspitares quadripunctata* (Goeze,1781) (Geometridae) *#gilvaria* [Denis & Schiffermüller],1775; *quadripunctata* Goeze,1781. 06 17
- 251) *Campaea margaritata* (Linnaeus,1767) (Geometridae) *margaritata* Linnaeus,1767; *margaritaria* [Denis & Schiffermüller],1775; *sesquistriaria* Knoch,1781; *straminea* Retzius,1783; *nayas* Fourcroy,1785; *vitriolata* Cyrilli,1787; *straminearia* Villers,1789; *rubrociliata* Schawerda,1932 06 08 14 31 34 39
- 252) *Camptogramma bilineatum* (Linnaeus,1758) (Geometridae) *bilineata* Linnaeus,1758; *brocatella* Fourcroy,1785; *dumetata* Schrank,1802; *bilinearia* Boisduval,1840; *musauria* Freyer,1846; *testaceolata* Staudinger,1871 05 06 14 16 17 22 23 31 33 34 35 36 38 39 42 45 46 59 65
- 253) *Casilda antophilaria* (Hübner,[1813]) (Geometridae) *antophilaria* Hübner,[1813]; *gegenaria* Alpheraky,1883; *#albipunctaria* Alpheraky,1883; *elvira* Thierry-Mieg,1911. 06 07 16 33 42
- 254) *Cataclyme riguata* (Hübner,[1813]) (Geometridae) *riguata* Hübner,[1813]; *subtilisparsata* Wehrli,1932. 05 06 14 16 23 38 42 46 58 71 76
- 255) *Catarhoe permixtaria* (Guenée,[1858]) (Geometridae) *#permixtaria* Herrich-Schäffer,1851; *permixtaria* Guenée,[1858] 05 06 14 16 17 31 42 46 65 71
- 256) *Catarhoe putridaria* (Herrich-Schäffer,[1852]) (Geometridae) *putridaria* Herrich-Schäffer,[1852]; *bulgariata* Millière,1868 05 06 38 42 58 76
- 257) *Chesias leuconura* L.B.Prout,1931 (Geometridae) *leuconura* L.B.Prout,1931; *sureyata* Rebel,1933. 06 71
- 258) *Chesistege korbi* (Bohatsch,1909) (Geometridae) *korbi* Bohatsch,1909 06 24 31 46 58 71 76
- 259) *Chiasmia (Godonela) syriacaria* (Staudinger,1871) (Geometridae) *syriacaria* Staudinger,1871; *venerata* Christoph,1887; *#syriacata* Wehrli,1934. 06 31 46 76
- 260) *Chiasmia clathrata* (Linnaeus,1758) (Geometridae) *clathrata* Linnaeus,1758; *almacola* Wehrli,1934. 05 06 14 16 22 31 33 34 42 46 50 65 71
- 261) *Chlorissa viridata* (Linnaeus,1758) (Geometridae) *viridata* Linnaeus,1758; *volutata* Fabricius,1775; *sirene* Villers,1789 06 14 16 17 37
- 262) *Chloroclysta miata* (Linnaeus,1758) (Geometridae) *miata* Linnaeus,1758; *miaria* [Denis & Schiffermüller],1775; *viridifasciaria* Goeze,1781; *virgata* Fourcroy,1785 *nec* Hufn.,1767; *coraciata* Hübner,[1799]; *viridulata* Zetterstedt,1839; *coraciaria* La Harpe,1853 06 14 76
- 263) *Cidaria fulvata* (Forster,1771) (Geometridae) *fulvata* Forster,1771 06 14 24 29 42 58 69 76
- 264) *Cleora cinctaria* ([Denis & Schiffermüller],1775) (Geometridae) *cinctaria* [Denis & Schiffermüller],1775; *pascuaria* Brahm,1791; *consimilaria* Duponchel,1829. 06 16
- 265) *Cleta filacearia* (Herrich-Schäffer,[1847]) (Geometridae) *filacearia* Herrich-Schäffer,[1847] 05 06 31 36
- 266) *Colotois pennaria* (Linnaeus,1761) (Geometridae) *pennaria* Linnaeus,1761; *cerasi* Fabricius,1775; *bifidaria* Haworth,1809 05 06 13 22 33 34
- 267) *Cosmorhoe ocellata* (Linnaeus,1758) (Geometridae) *ocellata* Linnaeus,1758; *lynca* Fabricius,1775; *lynceata* Fabricius,1781; *ocellaria* Boisduval,1840 01 05 06 14 16 22 33 34 35 59 61
- 268) *Cyclophora puppillaria* (Hübner,[1799]) (Geometridae) *puppillaria* Hübner,[1799]. 06 07 14 16 17 31 33 34 42 45 46 58
- 269) *Dyscia (Calodyscia) innocentaria* (Christoph,1885) (Geometridae) *innocentaria* Christoph,1885; *sicanaria* Oberthür,1923 05 06 16 17 35 38 42 45 46 50 71
- 270) *Eilicrinia cordiaria* (Hübner,1790) (Geometridae) *cordiaria* Hübner,1790 06 16 22 42 45 46 58 59 65 71
- 271) *Eilicrinia trinotata* (Metzner,1845) (Geometridae) *trinotata* Metzner,1845 05 06 16 22 38 39 42 45 59 71
- 272) *Ematurga atomaria* (Linnaeus,1758) (Geometridae) *atomaria* Linnaeus,1758; *isoscelata* Scopoli,1763; *pennata* Scopoli,1763; *aceraria* Hufnagel,1767; *artemisaria* Herbst,1782; *picta*, *microcosa* Fourcroy,1785; *glarearia* Hübner,[1799]; *obsoletaria* Zett.,1839; *minuta* Heydemann,1925; *arenaria* Candeze,1926. 05 06 11 14 16 22 33 34 37 39 41 45 52 54 58 67
- 273) *Enanthopyrthra legataria* (Herrich-Schäffer,[1852]) (Geometridae) *legataria* Herrich-Schäffer,[1852] 05 06 16 32 44 65
- 274) *Epirrhoe galiata* ([Denis & Schiffermüller],1775) (Geometridae) *galiata* [Denis & Schiffermüller],1775; *quadriannulata* Haworth,1809; *unilobata* Haworth,1809; *chalybeata* Hübner,[1813]; *eophanata* Krulikowsky,1906; *emina* Schawerda,1912 05 06 16 29 31 34 42 46 48 51
- 275) *Erannis defoliaria* (Linnaeus,1761) (Geometridae) *#defoliaria* Clerk,1759; *defoliaria* Linnaeus,1761 06 22 34 39 46
- 276) *Euphyia chalusata* Wiltshire,1970 (Geometridae) *chalusata* Wiltshire,1970 06 71
- 277) *Eupithecia achyrdaghica* Wehrli,1929 (Geometridae) *achyrdaghica* Wehrli,1929 06 46
- 278) *Eupithecia alliardia* Staudinger,1870 (Geometridae) *alliardia* Staudinger,1870; *#notata* Dietze,1910 *nec* Stph.,1831 06 42 58
- 279) *Eupithecia breviculata* (Donzel,1837) (Geometridae) *breviculata* Donzel,1837; *anatolica* Schwingenschuss,1939; *georgica* Vojnits,1977. 05 06 16 17 31 35 39 42 46 65 71
- 280) *Eupithecia caeruleata* Favre,1899 (Geometridae) *caeruleata* Favre,1899 06 31 46 71
- 281) *Eupithecia denticulata* (Treitschke,1828) (Geometridae) *denticulata* Treitschke,1828 06 31 42 58 66 76
- 282) *Eupithecia extraversaria* Herrich-Schäffer,[1852] (Geometridae) *extraversaria* Herrich-Schäffer,[1852]; *libanotidata* Guenée,[1858] 06

- 283) *Eupithecia extremata* (Fabricius,1787) (Geometridae) *extremata* Fabricius,1787; *glaucomictata* Mann,1855; *hangayi* Vojnits,1977. 06 31
32 33 35 42 45 46 65
- 284) *Eupithecia graphata* (Treitschke,1828) (Geometridae) *graphata* Treitschke,1828; *corticulata* Freyer,1840; *italicata* Guenée,[1858] 05 06
25 76
- 285) *Eupithecia indigata* (Hübner,[1813]) (Geometridae) *indigata* Hübner,[1813]; *turfosata* Draudt,1903; *pliniata* Stauder,1929 06 07
- 286) *Eupithecia kunzi* Pinker,1976 (Geometridae) *kunzi* Pinker,1976 06
- 287) *Eupithecia millefoliata* Roesler,1866 (Geometridae) *millefoliata* Roesler,1866; *achilleata* Mabille,1869; *#maeoticaria* Bohatsch,1893 06 42
46 58 76
- 288) *Eupithecia oblongata* (Thunberg,1784) (Geometridae) *#centaureata* [Denis & Schiffermüller],1775; *oblongata* Thunberg,1784; *boloniensis* Fourcroy,1875; *centralisata* Staudinger,1892. 05 06 16 17 42 46 58 65 71
- 289) *Eupithecia ochridata* Schütze & Pinker,1968 (Geometridae) *ochridata* Schütze & Pinker,1968; *szelenyii* Vojnits,1969. 06
- 290) *Eupithecia pseudocastigata* Pinker,1976 (Geometridae) *pseudocastigata* Pinker,1976 06
- 291) *Eupithecia reisserata* Pinker,1976 (Geometridae) *reisserata* Pinker,1976 06
- 292) *Eupithecia scalptata* Christoph,1885 (Geometridae) *scalptata* Christoph,1885 06 42
- 293) *Eupithecia semigraphata* Bruand,[1847] (Geometridae) *semigraphata* Bruand,[1847] 05 06 30 42 46
- 294) *Eupithecia spissilineata* (Metzner,1846) (Geometridae) *spissilineata* Metzner,1846; *multilineata* Mann,1866. 05 06 07 30 42 46
- 295) *Eupithecia subsequaria* Herrich-Schäffer,[1852] (Geometridae) *subsequaria* Herrich-Schäffer,[1852]; *dubiosa* Wagner,1929; *dubiosata* Wagner,1929; *richteri* Vardikjan,1954 05 06 42
- 296) *Heliomata glarearia* (Brahm,1791) (Geometridae) *#glarearia* [Denis & Schiffermüller],1775; *glarearia* Brahm,1791. 05 06 14 16 39 43 65
71 76
- 297) *Hemistola chrysoprasaria* (Esper,[1794]) (Geometridae) *nayas* Fourcroy,1785; *pomona* Fourcroy,1785; *lucidata* Donovan,1794; *chrysoprasaria* Esper,[1794]; 06 14
- 298) *Horisme corticata* (Treitschke,1835) (Geometridae) *corticata* Treitschke,1835 05 06 14 16 34 46
- 299) *Hydria cervicalis* (Scopoli,1763) (Geometridae) *cervinalis* Scopoli,1763; *cervinata* [Denis & Schiffermüller],1775; *fasciaria* Goeze,1781; *fasciata* Retzius,1783; *cervinaria* Treitschke,1825; *certata* Hübner,[1825]; *certaria* Boisduval,1840. 05 06 17 24 29 58
- 300) *Hylaea fasciaria* (Linnaeus,1758) (Geometridae) *fasciaria* Linnaeus,1758; *prosapiaria* Linnaeus,1758; *neustriaria* Hufnagel,1767; *prasinaria* [Denis & Schiffermüller],1775; *biliolata* Villers,1789; *viridifasciosa* Esper,1794; *cleui* Leraut,1993 06 14 17 22 33 59
- 301) *Idaea aureolaria* ([Denis & Schiffermüller],1775) (Geometridae) *trilineata* Scopoli,1772 *nec* Hufn.,1767; *aureolaria* [Denis & Schiffermüller],1775; *bicincta* Fourcroy,1875; *trilinearia* Hübner,[1787]. 05 06 16 18 46
- 302) *Idaea consolidata* (Lederer,1853) (Geometridae) *consolidata* Lederer,1853 05 06 07 16 34 46
- 303) *Idaea degeneraria* (Hübner,[1799]) (Geometridae) *degeneraria* Hübner,[1799]; *degenerata* Treitschke,1828; *floridaria* Turati,1913 05 06
07 16 17 22 31 33 34 39 42 46 58 65 71
- 304) *Idaea humiliata* (Hufnagel,1767) (Geometridae) *humiliata* Hufnagel,1767; *osseata* [Denis & Schiffermüller],1775; *ossearia* Hübner,[1799] 05 06 14 16 22 39 71
- 305) *Idaea intermedia* (Staudinger,1879) (Geometridae) *intermedia* Staudinger,1879 01 05 06 31 38 46 47 71
- 306) *Idaea maritimaria* (Bruand,1846) (Geometridae) *maritimaria* Bruand,1846; *deversaria* Herrich-Schäffer,[1847]; *hyalinata* Christoph,1885 05 06 07 14 16 29 33 34 39 42
- 307) *Idaea metohiensis* (Rebel,1900) (Geometridae) *metohiensis* Rebel,1900; *anatolica* Schwingenschuss,1938. 06 36 42
- 308) *Idaea moniliata* ([Denis & Schiffermüller],1775) (Geometridae) *moniliata* [Denis & Schiffermüller],1775; *?pentalineata* De Villers,1789; *omicata* Fabricius,1794; *#moniliaria* Hübner,[1799]; *pluripunctata* Scharfenberg,1805 01 05 06 14 16 22 33 34 39 42
- 309) *Idaea rusticata* ([Denis & Schiffermüller],1775) (Geometridae) *rusticata* [Denis & Schiffermüller],1775; *mustelata* Rambur,1866. 05 06
13 16 22 38 39 42 58
- 310) *Larerannis marginaria* (Fabricius,1777) (Geometridae) *marginaria* Fabricius,1777; *testacea* Retzius,1783; *testacearia* Villers,1789; *progemma* Hübner,[1799]; *capreolaria* Esper,1801 *nec* [Den. & Schiff.],1775; *luctuaria* Haworth,1809; *connectaria* Haworth,1809; *stictaria* Haworth,1809 06 22 34
- 311) *Lithostege ancyrana* L.B.Prout,1938 (Geometridae) *ancyrana* L.B.Prout,1938 06
- 312) *Lithostege bosporaria* (Herrich-Schäffer,[1848]) (Geometridae) *bosporaria* Herrich-Schäffer,[1848]; *porcataria* Boisduval,1848; *latestrigata* Rebel,1931. 06 34 42
- 313) *Lithostege griseata* ([Denis & Schiffermüller],1775) (Geometridae) *incanata* Hufnagel,1767; *griseata* [Denis & Schiffermüller],1775; *asinata* Fabricius,1794; *duplicaria* Hübner,[1799]; *grisearia* Hübner,[1799]; *clarkia* Stephens,1850 03 05 06 16 26 38 42 46 71
- 314) *Lobophora halterata* (Hufnagel,1767) (Geometridae) *halterata* Hufnagel,1767 06 46
- 315) *Lomaspilis marginata* (Linnaeus,1758) (Geometridae) *marginata* Linnaeus,1758; *bithynica* Wehrli,1939 06 14 34 39 75
- 316) *Lythria cruentaria* (Hufnagel,1767) (Geometridae) *purpurata* Linnaeus,1761 *nec* Linn.,1758; *cruentaria* Hufnagel,1767; *rotaria* Fabricius,1798; *sordidaria* Zetterstedt,1839. 03 06 16 22 34 38 41 42 60 65 71
- 317) *Lythria purpuraria* (Linnaeus,1758) (Geometridae) *purpuraria* Linnaeus,1758; *cruentata* Hufnagel,1767 *nec* Sc.,1763; *sanguinolenta* Fourcroy,1785 *nec* Linn.,1767 05 06 14 16 17 22 31 33 34 38 39 42 46 58 60 69 71
- 318) *Narraga cappadocica* Herbulot,1943 (Geometridae) *cappadocica* Herbulot,1943 06 38 58 71
- 319) *Neognopharmia stenenaria* (Boisduval,1840) (Geometridae) *stenenaria* Boisduval,1840; *lapidaria* Freyer,1841 05 06 14 16 17 31 42 44
46 47
- 320) *Nychiodes (Eunychiodes) amygdalaria* (Herrich-Schäffer,[1848]) (Geometridae) *amygdalaria* Herrich-Schäffer,[1848] 06 16 21 31 33 44
45 46
- 321) *Odezia atrata* (Linnaeus,1758) (Geometridae) *atrata* Linnaeus,1758; *chaerophyllata* Linnaeus,1767; *chaerophyllaria* Boisduval,1840; *pyrenaica* Gumpenberg,1887 05 06 29 33 36 42 60 65 71
- 322) *Opisthograptis luteolata* (Linnaeus,1758) (Geometridae) *luteolata* Linnaeus,1758; *crataegata* Linnaeus,1761; *crataegaria* Hübner,[1823]; *#emaculata* Graeser,1892; *impunctata* Osthelder,1931. 05 06 08 14 16 17 34 39 45
- 323) *Orthonama obstipata* (Fabricius,1794) (Geometridae) *obstipata* Fabricius,1794; *fluviata* Hübner,[1799]; *gemma* Hübner,1799; *albicinctata* Haworth,1809; *angustata* Haworth,1809; *quaerendaria* Costa,1850; *baccata* Guenée,[1858]; *lapillata* Guenée,[1858]; *contrariata* Walker,1862; *exagitata* Walker,1862; *intrusata* Walker,1862; *peracutata* Walker,1862; *signataria* Walker,1863; *obruptata* Walker,1863; *pigrata* Walker,1866; *plemyrata* R.Felder & Rogenhofer,1875; *inconspicua* Warren,1896; *brunneipennis* Hulst,1896; *discata* Warren,1905 05 06 07 14 16 17 22 31
33 34 42 46 65 71
- 324) *Orthostixis cribraria* (Hübner,[1799]) (Geometridae) *cribraria* Hübner,[1799]. 05 06 16 17 31 33 42 46 65
- 325) *Ourapteryx sambucaria* (Linnaeus,1758) (Geometridae) *sambucaria* Linnaeus,1758. 06 16 45 58
- 326) *Perconia strigillaria* (Hübner,1787) (Geometridae) *strigillaria* Hübner,1787; *respersaria* Hübner,[1799]; *inaequaria* Haworth,1809; *herpetaria* Rambur,1866; *grisearia* Lempke,1952; *fuscognaria* Lempke,1953 05 06 14 16 17 22 31 33 34 52 59
- 327) *Perizoma flavofasciata* (Thunberg,1792) (Geometridae) *flavofasciata* Thunberg,1792; *decolorata* Thunberg,[1799] *nec* Vill.,1789. 06 16
- 328) *Phigalia pedaria* (Fabricius,1787) (Geometridae) *#pilosaria* [Denis & Schiffermüller],1775; *pedaria* Fabricius,1787. 06 34
- 329) *Philereme transversata* (Hufnagel,1767) (Geometridae) *transversata* Hufnagel,1767; *rhamnata* [Denis & Schiffermüller],1775. 05 06 16
33 38 46 71
- 330) *Phyllometra culminaria* (Eversmann,1843) (Geometridae) *culminaria* Eversmann,1843; *desertaria* Freyer,1844. 06 50

- 331) **Protorhoe corollaria** (Herrich-Schäffer,[1848]) (Geometridae) *corollaria* Herrich-Schäffer,[1848]; *noacki* Draudt, 1935. 01 06 31 33 42 46 50
- 332) **Pseudopanthera macularia** (Linnaeus,1758) (Geometridae) *macularia* Linnaeus,1758; *maculata* Scopoli,1763; *panthera* Fourcroy,1785; *quadrimaculata* Haworth,1809; *meridionalis* Galvagni,1908 05 06 16 54
- 333) **Pseudoterpna pruinata** (Hufnagel,1767) (Geometridae) *pruinata* Hufnagel,1767; *prasinaria* Fabricius,1775 *nec* Hufnagel,1767; *cythisaria* [Denis & Schiffermüller],1775; *genistaria* Villers,1789. 06 14 16 48
- 334) **Pydna badiaria** (Freyer,[1841]) (Geometridae) *badiaria* Freyer,[1841]; *telaria* Herrich-Schäffer,[1847]; *cervinaria* Herrich-Schäffer,[1847]; *praecanaria* Eversmann,1847; *pollenaria* Freyer,1854. 05 06 25 29 30 38 42 44 46 50 51 58 65 71
- 335) **Rhodometra sacraria** (Linnaeus,1767) (Geometridae) *sacraria* Linnaeus,1767; *labda* Cramer,1777; *sacralis* Thunberg,1784; *fulvaria* Fabricius,1794; *sanguinaria* Esper,1801; *minervae* Gistel,1856; *labdaria* Guenée,[1858]; 01 05 06 07 09 16 17 22 27 33 34 42 45 46 51 58 59 63 65
- 336) **Rhodostrophia auctata** (Staudinger,1879) (Geometridae) *auctata* Staudinger,1879 05 06 24 25 29 38 42 43 46 49 50 58 62 65 69 71 76
- 337) **Rhodostrophia calabra** (Petagna,1786) (Geometridae) *calabra* Petagna,1786; *trifasciata* Cyrillo,1787; *calabrararia* Hübner,1790. 05 06 07 14 17 22 31 34 39 50 61 62 71
- 338) **Rhodostrophia discopunctata** Amsel,1935 (Geometridae) *tabidaria* auct. *nec* Zell.,1847; *discopunctata* Amsel,1935 05 06 14 16 17 31 33 38 42 46 50 58 65
- 339) **Rhodostrophia sieversi** (Christoph,1882) (Geometridae) *sieversi* Christoph,1882 06 30 44 46 65 71
- 340) **Scopula beckeraria** (Lederer,1853) (Geometridae) *beckeraria* Lederer,1853 01 04 05 06 07 24 30 42 47 58 63 65 71
- 341) **Scopula decorata** ([Denis & Schiffermüller],1775) (Geometridae) *decorata* [Denis & Schiffermüller],1775; *cinerata* Fabricius,1781; *violata* Thunberg,1784; *caerulata* Gmelin,1790; *decoraria* Hübner,[1799]; *ornataria* Esper,[1806]. 03 05 06 14 16 29 30 38 39 42 43 45 46 51 58 60 71 76
- 342) **Scopula immistaria** (Herrich-Schäffer,[1852]) (Geometridae) *elisabetharia* Heydenreich,1851; *immistaria* Herrich-Schäffer,[1852] 06 23 24 25 30 46 47 58 65 76
- 343) **Scopula ornata** (Scopoli,1763) (Geometridae) *ornata* Scopoli,1763; *institata* Hufnagel,1767; *paludata* Linnaeus,1767; *institata* Rottemburg,1777; *interrupta* Goeze,1781; *intersecta* Fourcroy,1785. 05 06 07 09 11 14 16 17 22 34 39 59 65 76 77
- 344) **Scopula submutata** (Treitschke,1828) (Geometridae) *submutata* Treitschke,1828; *submutaria* Boisduval,1840; *submutulata* Rebel,1902 01 05 06 07 16 17 24 31 33 42 45 46 47 58 71
- 345) **Scotopteryx bipunctaria** ([Denis & Schiffermüller],1775) (Geometridae) *bipunctaria* [Denis & Schiffermüller],1775; *undulata* Scopoli,1763 *nec* Linn.,1758; *geminataria* Villers,1789; *gachtaria* Freyer,1851 05 06 08 14 16 17 29 36 38 53 60 61 69 75
- 346) **Scotopteryx chenopodiata** (Linnaeus,1758) (Geometridae) *chenopodiata* Linnaeus,1758; *limitata* Scopoli,1763; *zonata* Hufnagel,1767; *olivaceofasciata* Retzius,1783; *chenopodiaria* Haworth,1809; *mensuraria* sensu Duponchel,1829 05 06 08 14 18 42 36 53 61 65 69 75
- 347) **Scotopteryx coarctaria** ([Denis & Schiffermüller],1775) (Geometridae) *coarctaria* [Denis & Schiffermüller],1775; *coarctata* Fabricius,1794; *tenebraria* Hübner,[1809] 01 05 06 14 16 33 36
- 348) **Scotopteryx moeniata** (Scopoli,1763) (Geometridae) *moeniata* Scopoli,1763; *moeniararia* [Denis & Schiffermüller],1775; *fimbriata* Fabricius,1777 *nec* Schr.,1759; *angulata* Rottemburg,1777 *nec* Hufn.,1767; *moenataria* Villers,1789; *modesta* Lempke,1967 06 08
- 349) **Scotopteryx mucronata** (Scopoli,1763) (Geometridae) *mucronata* Scopoli,1763; *virgaria* Esper,[1801]; *turturia* Treitschke,1827 06 14 42
- 350) **Scotopteryx vicinaria** (Duponchel,1830) (Geometridae) *vicinaria* Duponchel,1830; *zumsteinaria* Harpe,1862; *ilyriacaria* Schawerda,1919 05 06 31 37 46 65
- 351) **Stueningia poggearia** (Lederer,1855) (Geometridae) *poggearia* Lederer,1855 06 33 46
- 352) **Tephрина hopfferaria** (Staudinger,1879) (Geometridae) *hopfferaria* Staudinger,1879 05 06 42 50 71
- 353) **Theria rupicaprararia** ([Denis & Schiffermüller],1775) (Geometridae) *rupicaprararia* [Denis & Schiffermüller],1775 05 06 22
- 354) **Thetidia smaragdaria** (Fabricius,1787) (Geometridae) *smaragdaria* Fabricius,1787 05 06 16 42 65 71
- 355) **Xanthorhoe designata** (Hufnagel,1767) (Geometridae) *designata* Hufnagel,1767; *propugnata* [Denis & Schiffermüller],1775; *fuscifasciata* Retzius,1783; *fuscaria* Villers,1789; *propugnaria* Treitschke,1825 06 14 53 61
- 356) **Xanthorhoe fluctuata** (Linnaeus,1758) (Geometridae) *fluctuata* Linnaeus,1758; *fibulata* Hufnagel,1767; *cinerata* Fourcroy,1785 *nec* Fabr.,1781; *costovata* Haworth,1809; *fluctuaria* Boisduval,1840 05 06 14 16 17 22 33 34 39 42 46 51 58
- 357) **Xanthorhoe montanata** ([Denis & Schiffermüller],1775) (Geometridae) *montanata* [Denis & Schiffermüller],1775; *implicata* Villers,1789; *implicaria* Haworth,1809; *montanaria* Treitschke,1828 06 14 53 61 76
- 358) **Acrocercops brongniardella** (Fabricius,1798) (Gracillariidae) *brongniardella* Fabricius,1798; *substriga* Haworth,1828; *quercetella* Zeller,1838; *curtisella* Duponchel,[1840] 05 06 16
- 359) **Aspilapteryx (Sabulopteryx) inquinata** Triberti,1985 (Gracillariidae) *inquinata* Triberti,1985 06 50 58
- 360) **Heliodines roesella** (Linnaeus,1758) (Heliodinidae) *roesella* Linnaeus,1758 06 44
- 361) **Triodia amasina** (Herrich-Schäffer,[1851]) (Hepialidae) *amasina* Herrich-Schäffer,[1851] 05 06 10 23 42 45 46 63 65 71
- 362) **Carcharodus (Lavatheria) lavatherae** (Esper,[1783]) (Hesperiidae) *lavatherae* Esper,[1783]; *australior* Verity,1919; *pyrenaicus* Ricard,1948. 01 03 05 06 07 08 12 13 14 17 18 19 21 23 24 25 29 30 32 33 36 37 38 40 41 42 44 46 49 50 51 56 58 60 62 65 66 68 70 73 74 75 76
- 363) **Carcharodus (Reverdinus) orientalis** Reverdin,1913 (Hesperiidae) *orientalis* Reverdin,1913; *centralanatolica* Pfeiffer,1927; *aestatis* Verity,1928; *postorientalis* Verity,1928; *maccabaeus* Hemming,1932. 01 03 05 06 07 08 10 13 14 16 17 18 19 20 21 23 24 25 27 29 30 31 32 33 34 35 36 38 42 43 44 46 47 48 49 50 51 56 58 60 62 65 66 69 70 73 74 76
- 364) **Carcharodus (s.str.) alceae** (Esper,[1780]) (Hesperiidae) *alceae* Esper,[1780]; *malvae* Hufnagel,1766 *nec* Linn.,1758; *malvarum* Hoffmannsegg,1804; *magnaustalis* Verity,1924; *corsicus* Picard,1948. 01 03 04 05 06 07 08 09 10 12 13 15 16 17 20 21 23 24 25 26 27 29 30 31 32 33 34 35 36 38 41 42 43 44 45 46 47 48 49 50 51 53 56 58 60 62 63 65 66 67 70 71 72 73 74 76
- 365) **Erynnis (Hesperopegasus) marloyi** (Boisduval,[1834]) (Hesperiidae) *marloyi* Boisduval,[1834]; *sericea* Freyer,1838; *rustan* Kollar,[1849]. 01 03 04 05 06 07 08 09 12 13 16 17 18 21 23 24 25 27 28 29 30 31 32 33 34 35 36 38 40 42 44 46 48 50 58 60 62 65 66 70 71 73 76
- 366) **Erynnis (s.str.) tages** (Linnaeus,1758) (Hesperiidae) *tages* Linnaeus,1758; *morio* Scopoli,1763; *geryon* Rottemburg,1775; *subclarus* Verity,1921. 01 03 05 06 07 08 11 12 13 14 16 17 18 21 22 23 24 25 26 28 29 30 31 32 33 34 35 36 37 38 41 42 44 45 46 49 50 51 52 54 56 58 59 62 65 66 67 69 70 71 73 75 76
- 367) **Hesperia comma** (Linnaeus,1758) (Hesperiidae) *comma* Linnaeus,1758; *virgula* Retzius,1783; *alpina* Bath,1896; *galliaemeridiei* Verity,1928; *alpapennina* Verity,1928; *alpiumflava* Verity,1928; *macrocomma* Verity,1928; *superalpina* Verity,1928; *atralpina* Verity,1928. 03 04 05 06 07 08 10 13 14 15 16 23 24 25 29 30 32 33 35 36 38 42 46 50 51 58 60 65 66 69 70 71 76 81
- 368) **Muschampia nomas** (Lederer,1855) (Hesperiidae) *nomas* Lederer,1855 01 03 05 06 07 12 13 21 23 27 31 32 33 38 42 44 46 47 49 50 51 58 60 62 63 70 73
- 369) **Muschampia proteides** (Wagner,1929) (Hesperiidae) *proteides* Wagner,1929; *lycaonius* Wagner,1929; *sovietica* Sichel,1964; *lycaonius* Benjamini & Avni,2001 [misident.]; *lycaomius* Benjamini & Avni,2001 01 03 05 06 07 08 13 14 15 21 24 25 32 33 38 42 43 44 46 49 51 58 60 65 70 76
- 370) **Muschampia tessellum** (Hübner,[1802]) (Hesperiidae) *tessellum* Hübner,[1802]; *hibisci* Böber,1812; *mazzola* Ochsenheimer,1816 03 06 08 14 16 21 24 25 29 34 36 43 48 67 69 75 76 81
- 371) **Ochlodes venatus** (Bremer & Grey,[1852]) (Hesperiidae) *venatus* Bremer & Grey,[1852] 01 02 03 05 06 07 08 10 11 13 14 16 17 24 25 26 29 30 31 32 33 34 36 37 39 41 42 43 46 53 58 60 61 62 65 66 69 72 73 74 81

- 372) **Pyrgus armoricanus (Oberthür,1910)** (Hesperiidae) *armoricanus Oberthür,1910; petheri Romei,1927.* 01 02 03 04 05 06 07 08 09 12 13 14 16 17 18 19 23 24 25 26 27 28 29 30 32 33 34 35 36 37 38 41 42 43 44 46 48 49 51 52 53 58 60 61 62 65 66 68 69 70 71 73 74 76
- 373) **Pyrgus cinarae (Rambur,[1839])** (Hesperiidae) *cinarae Rambur,[1839]; cynarae Boisduval,1840* 01 03 05 06 08 13 15 16 22 25 29 30 33 35 36 38 42 43 53 58 60 62 76
- 374) **Pyrgus malvae (Linnaeus,1758)** (Hesperiidae) *malvae Linnaeus,1758; minor Esper,1777; sao Bergsträßer,1779; taras Bergsträßer,1780; altheae Esper,1783; malvarum Ochsenheimer,1808; cardui Latreille,1823; elegantior Verity,1934; #extrema Pfeiffer,1938.* 05 06 14 16 17 26 34 39 41 55 67 81
- 375) **Pyrgus melotis (Duponchel,[1834])** (Hesperiidae) *melotis Duponchel,[1834]; hypoleucos Lederer,1853; jordana Hemming,1932.* 01 02 03 04 05 06 07 08 09 10 12 13 14 18 20 21 23 24 25 27 28 29 30 31 32 33 35 36 38 42 43 44 46 48 49 50 51 52 53 58 60 61 65 66 69 70 71 73 81
- 376) **Pyrgus serratulae (Rambur,[1839])** (Hesperiidae) *serratulae Rambur,[1839]; caecus Freyer,1846; occidentalis Lucas,1910 nec Skinn.,1906; planorum Verity,1925; magnagallica Verity,1931; plurisignata Silbernagel,1946; arvernensis Picard,1948.* 01 03 04 05 06 07 08 12 13 14 17 18 23 24 25 27 28 29 30 31 32 33 34 36 37 38 42 46 47 48 49 50 51 52 53 54 58 60 61 62 65 66 69 70 71 73 74 76
- 377) **Pyrgus sidae (Esper,[1784])** (Hesperiidae) *sidae Esper,[1784]* 01 03 04 05 06 07 08 10 12 13 14 16 17 18 20 21 23 24 25 28 29 30 32 33 34 35 36 38 39 41 42 46 49 50 51 53 58 59 60 61 62 65 66 69 71 72 73 74 76 81
- 378) **Spialia (Neospialia) orbifer (Hübner,[1823])** (Hesperiidae) *orbifer Hübner,[1823]; tesselloides Herrich-Schäffer,[1845].* 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 23 24 25 27 28 29 30 31 32 33 34 35 36 37 38 39 40 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 58 59 60 61 62 63 64 65 66 68 69 70 71 72 73 74 75 76 77 80
- 379) **Spialia (s.str.) phlomidis (Herrich-Schäffer,[1845])** (Hesperiidae) *phlomidis Herrich-Schäffer,[1845]; eupator Hemming,1932; kiki Higgins,1974.* 03 04 05 06 07 08 10 12 13 14 15 16 17 19 23 24 25 26 29 30 32 34 36 38 42 44 49 50 51 58 60 62 65 66 69 70 71 75 76
- 380) **Thymelicus acteon (Rottemburg,1775)** (Hesperiidae) *acteon Rottemburg,1775; heydeni Plötz,1884; clara-obsoleta Tutt,1920; phoenix Graves,1925; aurescens Verity,1948.* 01 05 06 07 10 13 16 17 19 20 21 23 24 25 29 30 32 33 34 35 36 39 43 44 45 46 48 54 55 56 58 60 62 65 72 73 74 77 80
- 381) **Thymelicus hyrax (Lederer,1861)** (Hesperiidae) *hyrax Lederer,1861; pfeifferi Bytinski-Salz & Brandt,1937.* 01 05 06 07 08 09 13 16 18 23 24 25 29 30 31 33 35 36 42 46 48 65 73
- 382) **Thymelicus lineolus (Ochsenheimer,1808)** (Hesperiidae) *lineolus Ochsenheimer,1808; virgula Hübner,1813 nec Retz.,1783; ludoviciae Mabille,1883; pallida Tutt,1896; clara Tutt,1905; hemmingi Romei,1927; melissus Zerny,1932; fornax Hemming,1934* 01 02 03 04 05 06 07 08 10 12 13 14 15 16 18 19 20 21 22 23 24 25 26 27 29 30 31 32 33 34 36 38 39 40 42 43 44 46 47 48 49 50 51 56 58 60 62 63 65 66 69 70 71 73 74 75 76 80
- 383) **Thymelicus sylvestris (Poda,1761)** (Hesperiidae) *sylvestris Poda,1761; flava Brünlich,1763; linea Müller,1764; thaumas Hufnagel,1766; divaricatus Fourcroy,1785; venula Hübner,[1813]; obscura Verity,1905* 01 02 03 04 05 06 07 08 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 42 43 44 45 46 47 48 49 50 51 56 58 60 61 62 63 64 65 66 67 69 70 71 72 73 74 76 81
- 384) **Chondrostega osthelderi Püngeler,1925** (Lasiocampidae) *osthelderi Püngeler,1925* 06 42 71
- 385) **Chondrostega pastranum Lederer,1858** (Lasiocampidae) *pastranum Lederer,1858; hyrcanum Staudinger,1871* 01 03 05 06 46 50 63
- 386) **Dendrolimus pini (Linnaeus,1758)** (Lasiocampidae) *pini Linnaeus,1758; paulae Daniel,1959; adriatica Micheli,1959* 05 06 08 14 17 19 25 36 46 53 60 61 62
- 387) **Eriogaster rimicola (Schränk,1802)** (Lasiocampidae) *#rimicola [Denis & Schiffermüller],1775; rimicola Schränk,1802* 06 13 24 25 33 71
- 388) **Lasiocampa eversmanni (Kindermann,1843)** (Lasiocampidae) *eversmanni Kindermann,1843; eversmanni Freyer,1844; attrita Stshetkin,1960.* 01 04 06 07 13 19 23 25 30 36 46 50 56 58 62 63 65 71
- 389) **Lasiocampa grandis (Rogenhofer,1891)** (Lasiocampidae) *grandis Rogenhofer,1891* 01 06 07 11 12 13 14 19 41 42 44 46 50 56 62
- 390) **Lasiocampa trifolii ([Denis & Schiffermüller],1775)** (Lasiocampidae) *#trifolii [Denis & Schiffermüller],1775; medicaginis Borkhausen,1793; terreni Herrich-Schäffer* 01 05 06 10 12 14 19 32 33 35 42 45 46 58 59
- 391) **Malacosoma castrensis (Linnaeus,1758)** (Lasiocampidae) *castrensis Linnaeus,1758* 04 05 06 12 13 14 16 23 24 25 30 33 35 36 38 42 53 58 60 65 71
- 392) **Malacosoma neustrium (Linnaeus,1758)** (Lasiocampidae) *neustria Linnaeus,1758; annularis Fourcroy,1785; unicolor Cyrilli,1787; bilineatus Haworth,1803* 05 06 08 12 13 14 17 19 22 23 25 30 32 33 35 36 37 42 46 53 58 60 61 62 65 71
- 393) **Phyllosoma tremulifolium (Hübner,[1810])** (Lasiocampidae) *betulifolium Ochsenheimer,1810 nec Esp.,1782; tremulifolium Hübner,[1810]; #tremulifolium De Freina,1999* 01 05 06 07 10 12 13 24 25 30 32 33 36 42 46 58 60 62 64 65 71
- 394) **Poecilocampa alpina (Frey & Wulschlegel,1874)** (Lasiocampidae) *alpina Frey & Wulschlegel,1874; pontica De Freina,1999.* 04 06 24 25
- 395) **Trichiura veranae Witt,1981** (Lasiocampidae) *veranae Witt,1981* 06 08 58
- 396) **Libythea (s.str.) celtis (Laicharting,1782)** (Libytheidae) *celtis Laicharting,1782* 01 03 05 06 07 08 09 10 11 13 14 16 17 20 23 25 26 29 30 31 32 33 34 35 37 38 41 42 43 46 48 58 60 62 65 66 71 73 76
- 397) **Callophrys rubi (Linnaeus,1758)** (Lycaenidae) *rubi Linnaeus,1758* 01 03 05 06 07 08 10 12 13 14 16 17 18 21 22 24 25 26 28 29 30 31 32 33 34 35 36 37 38 39 40 42 44 45 46 48 50 51 52 55 58 60 62 65 66 69 70 71 73 75
- 398) **Celastrina argiolus (Linnaeus,1758)** (Lycaenidae) *argiolus Linnaeus,1758; cleobis Sulzer,1776; thersanon Bergsträßer,1779; argyphontes Bergsträßer,1779; argalus Bergsträßer,1779; marginatus Retzius,1783; acis Fabricius,1787 nec Dru.,[1773]; #parvipuncta Fuchs,1880; calidogenita Verity,1919; britanna Verity,1919.* 01 02 03 05 06 07 08 09 10 11 12 13 14 15 16 17 18 20 21 22 23 24 25 27 28 29 30 31 32 33 34 35 36 37 38 39 41 42 43 45 46 47 48 49 50 51 52 53 54 56 59 60 61 62 65 66 67 69 73 75 76 81
- 399) **Chilades (Freyeria) trochylus (Freyer,[1843])** (Lycaenidae) *trochylus Freyer,[1843]; #trochilus Herrich-Schäffer,[1845]; parva Murray,1874; persa Bytinski-Salz & Brandt,1937; #supraradiata Wagner,1931* 01 02 03 05 06 07 08 13 16 20 21 23 24 25 27 30 31 32 33 34 35 38 40 42 44 46 48 50 51 56 58 60 62 63 65 68 70 71 73 76
- 400) **Cupido (Everes) alcetas (Hoffmannsegg,1804)** (Lycaenidae) *tiresias Hübner,[1800] nec tiresias Rottemburg,1775; alcetas Hoffmannsegg,1804; coretas Ochsenheimer,1808.* 03 05 06 11 14 16 26 42
- 401) **Cupido (Everes) argiades (Pallas,1771)** (Lycaenidae) *argiades Pallas,1771; tiresias Rottemburg,1775; amyntas [Denis & Schiffermüller],1775 nec Poda,1761; irenae Dujardin,1974.* 03 05 06 08 11 14 16 17 25 29 34 37 41 53 60 61 75 81
- 402) **Cupido (s.str.) minimus (Fuessly,1775)** (Lycaenidae) *minimus Fuessly,1775; alsus [Denis & Schiffermüller],1775; pseudolus Bersträßer,[1779]; puer Schränk,1801.* 01 03 06 16 24 25 29 32 36 37 42 51 53 58 60 65 66 69 74 76
- 403) **Cupido (s.str.) osiris (Meigen,[1829])** (Lycaenidae) *osiris Meigen,[1829]; saportae Duponchel,1832; violacea Verity,1911; sebrus Boisduval,[1833].* 01 03 04 05 06 07 08 10 11 13 14 15 16 17 18 19 21 23 24 25 26 28 29 30 31 32 33 35 36 37 38 41 42 44 46 48 50 51 52 53 58 59 60 61 62 65 66 67 68 69 70 71 73 75 76 81
- 404) **Glauopsyche (s.str.) alexis (Poda,1761)** (Lycaenidae) *alexis Poda,1761; damaetas [Denis & Schiffermüller],1775; #sublugens Strand,1909; #insulicola Turati & Fiori,1930; mironi Coutsis,1976.* 01 02 03 04 05 06 07 08 09 11 12 13 14 15 16 17 18 19 20 21 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 41 42 43 44 45 46 47 48 49 50 51 52 58 60 61 62 65 66 68 69 70 71 73 74 76 80
- 405) **Heodes (Lowia) tityrus (Poda,1761)** (Lycaenidae) *tityrus Poda,1761; acrion [Brünnich],1763; orientalis Staudinger,1881; argentifex Balint,1990.* 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79
- 406) **Heodes (s.str.) virgaureae (Linnaeus,1758)** (Lycaenidae) *virgaureae Linnaeus,1758; armeniaca A.Bang-Haas,1906; chrysorhoas Fruhstorfer,1917; balcanicola Graves,1928.* 01 03 04 05 06 08 11 13 14 16 18 24 25 26 29 30 32 33 36 37 42 43 46 51 53 58 60 62 65 66 69 75 76

- 407) **Iolana lessei Bernardi, 1964** (Lycaenidae) *lessei Bernardi, 1964; christinae Betti, 1977; cappadocia Betti, 1977* 01 03 05 06 07 08 13 15 16 18 21 23 24 25 30 33 37 38 42 43 46 48 50 51 60 62 65 70
- 408) **Lampides boeticus (Linnaeus, 1767)** (Lycaenidae) *boeticus Linnaeus, 1767; damoetes Fabricius, 1775; coluteae Fuessly, 1775; pisorum Fourcroy, 1785; boedicus Borkhausen, 1788; #baeticus Latreille, 1809; armeniensis Gerhard, 1886; bagus Distant, 1886* 01 02 03 04 05 06 07 08 09 10 12 13 14 15 16 17 20 21 23 24 25 26 27 29 30 31 32 33 34 35 36 37 40 42 44 45 46 47 48 49 50 51 52 53 56 58 60 62 63 64 65 70 71 72 73 76
- 409) **Leptotes pirithous (Linnaeus, 1767)** (Lycaenidae) *pirithous Linnaeus, 1767; telicanus Lang, 1789 tetrica Sagarra, 1925.* 01 05 06 07 09 11 14 16 17 26 27 30 31 33 34 35 42 44 45 46 48 65 70 71 73 81
- 410) **Lycaena (s.str.) phlaeas (Linnaeus, 1761)** (Lycaenidae) *phlaeas Linnaeus, 1761; virgaureae Fourcroy, 1785 nec Linnaeus, 1758; eleus Fabricius, 1798; aestivus Zeller, 1850; schmidtii Gerhard, 1853* 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 41 42 44 45 46 47 48 49 50 51 52 53 54 55 56 58 59 60 61 62 63 65 66 68 69 71 72 73 74 76 81
- 411) **Maculinea arion (Linnaeus, 1758)** (Lycaenidae) *arion Linnaeus, 1758; telegone Bergsträßer, 1779; caucasica Jachontov, 1914 nec Led., 1870; zara Jachontov, 1935.* 03 04 05 06 08 13 14 16 24 25 29 34 36 49 62 65 69 74 76
- 412) **Palaeochrysophanus candens (Herrich-Schäffer, [1845])** (Lycaenidae) *candens Herrich-Schäffer, [1845]* 03 04 05 06 08 13 14 16 18 24 25 28 29 30 36 43 49 53 58 60 61 65 66 69 75 76
- 413) **Plebejus (Kretania) carmon (Gerhard, [1851])** (Lycaenidae) *carmon Gerhard, [1851, November]; euryphilus Freyer, [1851, December].* 01 02 03 04 05 06 07 08 12 13 14 16 18 19 21 23 24 25 26 27 28 29 30 31 32 33 35 36 38 42 44 46 47 48 49 50 51 56 58 60 62 63 64 65 66 69 70 71 72 73 74 76
- 414) **Plebejus (Lycaeides) idas (Linnaeus, 1761)** (Lycaenidae) *idas Linnaeus, 1761; leodorus Esper, 1782; acreon Fabricius, 1787; amphion Fabricius, 1793.* 01 03 04 05 06 07 08 13 14 16 18 19 24 25 26 29 30 33 36 37 38 42 44 46 49 51 52 53 58 62 65 66 67 69 70 73 74 76
- 415) **Plebejus (Plebejides) modicus Verity, 1935** (Lycaenidae) *modicus Verity, 1935; microsephyrus Verity, 1935* 01 02 03 04 05 06 07 08 12 13 14 16 17 18 19 21 23 24 25 26 27 28 29 30 32 33 34 35 36 37 38 42 44 46 47 48 49 50 51 52 53 56 58 59 60 62 65 66 68 69 70 71 72 73 75 76
- 416) **Plebejus (s.str.) argus (Linnaeus, 1758)** (Lycaenidae) *argus Linnaeus, 1758; aegon Denis & Schiffermüller, 1775; plouharnelensis Oberthür, 1926; pulchraphilonome Verity, 1931.* 01 03 04 05 06 07 08 10 13 14 16 17 18 22 24 25 26 28 29 30 32 33 34 36 37 38 39 41 42 43 46 49 50 51 52 53 54 55 58 59 60 62 65 66 67 69 70 73 75 76
- 417) **Polyommatus (Albulina (Plebejidea)) loewii (Zeller, 1847)** (Lycaenidae) *loewii Zeller, 1847; empyrea Gerhard, [1851]; gigas Staudinger, 1871; #robusta Turati & Fiori, 1930; germaniciae Pfeiffer, 1932; dzhegamati Sheljuzhko, 1934.* 01 02 03 04 05 06 07 08 12 13 14 15 18 21 24 25 26 27 29 30 32 33 36 37 38 40 42 43 44 46 47 48 49 50 51 53 56 58 60 62 63 65 66 69 70 71 72 73 75 76 80
- 418) **Polyommatus (Aricia (Eumedonia)) eumedon (Esper, [1780])** (Lycaenidae) *chiron Rottemburg, 1775 nec Fabricius, 1775; eumedon Esper, [1780]; osiris Bang-Haas, 1927 nec Hopffer, 1855; rumeliensis Eitschberger & Stein, 1975; jeanensis Eitschberger & Stein, 1975; kagizmanensis Koçak, 1980.* 01 03 05 06 08 13 14 16 18 24 25 29 32 33 36 38 42 46 51 53 58 60 61 65 66 69 74 75 76
- 419) **Polyommatus (Aricia (Ultraaricia)) anteros (Freyer, [1838])** (Lycaenidae) *anteros Freyer, [1838]; eroides Gerhard, [1851] nec Frivaldsky, 1835; orpheus Nekrutenko, 1980.* 01 03 05 06 07 10 11 14 15 16 18 19 26 29 32 33 34 37 38 41 42 43 46 51 52 53 54 55 58 60 62 66 67 70 74 77 81
- 420) **Polyommatus (Aricia (s.str.)) agestis ([Denis & Schiffermüller], 1775)** (Lycaenidae) *medon Hufnagel, 1766 nec Linn., 1763; alexis Rottemburg, 1775 nec Poda, 1761; agestis [Denis & Schiffermüller], 1775; astrarche Bergsträßer, [1779].* 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 29 30 31 32 33 34 35 36 37 38 39 40 41 42 44 45 46 47 48 49 50 51 54 55 56 58 60 61 62 63 65 66 68 69 70 71 72 73 75 76 81
- 421) **Polyommatus (Aricia (s.str.)) artaxerxes (Fabricius, 1793)** (Lycaenidae) *artaxerxes Fabricius, 1793.* 03 06 08 14 18 25 29 32 36 45 60 61 65 69 75
- 422) **Polyommatus (s.str. (Agrodiaetus (Actisia))) actis (Herrich-Schäffer, [1851])** (Lycaenidae) *atys Gerhard, [May, 1851] nec atys Hübner, 1804 non Cramer, 1780; actis Herrich-Schäffer, [December, 1851]; athis Freyer, [December, 1851].* 05 06 25 60 66
- 423) **Polyommatus (s.str. (Agrodiaetus (Admetusia))) admetus (Esper, [1783])** (Lycaenidae) *admetus Esper, [1783]* 01 02 03 05 06 07 08 09 10 11 14 15 16 17 18 20 22 24 25 26 29 32 33 35 36 38 39 40 41 42 43 44 46 50 51 55 58 59 60 62 64 66 68 69 70 71 75 76
- 424) **Polyommatus (s.str. (Agrodiaetus (Admetusia))) alcestis (Zerny, 1932)** (Lycaenidae) *alcestis Zerny, 1932; ahmadi Carbonell, 2001; karacetinae Lukhtanov & Dantchenko, 2002.* 01 04 06 13 14 21 23 24 25 26 30 32 33 36 38 42 44 46 50 51 58 62 65 66
- 425) **Polyommatus (s.str. (Agrodiaetus (Admetusia))) demavendi (Pfeiffer, 1938)** (Lycaenidae) *demavendi Pfeiffer, 1938; #demavendi de Lesse, 1960* 04 05 06 13 18 23 24 25 26 36 38 50 58 60 62 65 66 71 76
- 426) **Polyommatus (s.str. (Agrodiaetus (Admetusia))) ripartii (Freyer, [1830])** (Lycaenidae) *ripartii Freyer, [1830].* 01 03 05 06 07 08 13 14 16 18 23 24 25 26 29 30 32 33 34 36 38 40 42 44 46 50 51 58 60 62 65 66 69 70 74 76
- 427) **Polyommatus (s.str. (Agrodiaetus (Antidolus))) hopfferi (Gerhard, [1851])** (Lycaenidae) *#hopferi Herrich-Schäffer, [August, 1851] (uninominal); hopfferi Gerhard, [November, 1851]; hopfferi Herrich-Schäffer, 31. December, 1851]; hadjina Heyne, [1895]; malatiae Forster, 1961.* 01 02 03 05 06 07 08 16 21 23 24 25 30 32 42 44 46 50 51 58 60 62 65 70 71 73
- 428) **Polyommatus (s.str. (Agrodiaetus (Antidolus))) menalcas (Freyer, [1837])** (Lycaenidae) *menalcas Freyer, [1837]; epidolus Boisduval, 1840; #amasina Neuburger, 1900.* 01 03 04 05 06 07 10 11 13 15 16 20 23 24 25 26 29 32 33 34 38 40 42 43 44 46 48 50 51 55 58 60 62 65 66 68 69 70 71 74
- 429) **Polyommatus (s.str. (Agrodiaetus (Antidolus))) mithridates (Staudinger, 1878)** (Lycaenidae) *mithridates Staudinger, 1878* 02 05 06 07 08 13 19 21 23 24 25 29 32 38 40 42 44 46 50 51 58 62 65 66 68 70 71
- 430) **Polyommatus (s.str. (Agrodiaetus (Antidolus))) poseidon (Herrich-Schäffer, [1851])** (Lycaenidae) *poseidon Herrich-Schäffer, [1851]; mesopotamica Staudinger, 1892.* 01 03 04 05 06 08 23 24 25 29 33 38 42 43 44 46 50 51 58 60 62 64 66 69 70 71 76 80
- 431) **Polyommatus (s.str. (Agrodiaetus (Musa))) wagneri (Forster, 1956)** (Lycaenidae) *wagneri Forster, 1956* 01 03 04 06 07 08 13 23 24 25 29 30 32 33 36 38 42 46 50 51 58 60 62 65 66 69 70 76
- 432) **Polyommatus (s.str. (Agrodiaetus (Phyllisia))) iphigenia (Herrich-Schäffer, [1847])** (Lycaenidae) *iphigenia Herrich-Schäffer, [1847]* 01 03 04 05 06 07 08 13 14 16 24 25 29 30 32 33 36 37 38 42 46 48 51 53 58 60 62 65 66 69 70 76
- 433) **Polyommatus (s.str. (Agrodiaetus (Transcaspianus))) euryphilus (Gerhard, [1851])** (Lycaenidae) *euryphilus Gerhard, [1851]; carmon Herrich-Schäffer, [1851 December]; munzuricus Rose, 1978* 01 02 03 05 06 08 15 20 24 25 27 29 33 36 38 42 46 48 50 51 58 60 62 66 69
- 434) **Polyommatus (s.str. (Agrodiaetus (Transcaspianus))) kunchuy Koçak, 1999** (Lycaenidae) *#schuriani Rose, 1978 [conditionally proposed]; kunchuy Koçak, 1999* 01 06 07 50 66 70
- 435) **Polyommatus (s.str. (Cyaniris)) bellis (Freyer, [1842])** (Lycaenidae) *bellis Freyer, [1842]; mesopotamica Tutt, [1909].* 01 03 04 05 06 07 08 10 12 13 14 16 17 18 19 23 24 25 27 28 29 30 31 32 33 34 36 37 38 39 42 44 46 49 50 51 52 53 58 59 60 61 62 65 66 69 70 71 73 74 76 80
- 436) **Polyommatus (s.str. (Lysandra)) bellargus (Rottemburg, 1775)** (Lycaenidae) *bellargus Rottemburg, 1775; thetis Rottemburg, 1775 nec Dru., 1773; adonis Denis & Schiffermüller, [1775]; salacia Bergsträßer, 1779; venilia Bergsträßer, 1779;; hyacinthus Lewin, 1795; urania Gerhard, [1851]; persemagna Verity, 1937; arentissima Verity, 1937; arens Verity, 1937; anteaentior Verity, 1937; parabellargus Verity, 1939; shakla Higgins, 1958* 01 02 03 04 05 06 07 08 11 12 13 14 15 16 18 19 20 21 23 24 25 26 27 28 29 30 32 33 34 36 37 38 39 41 42 43 44 46 49 50 51 52 53 55 58 60 61 62 65 66 68 69 70 71 72 73 74 75 76 80
- 437) **Polyommatus (s.str. (Lysandra)) ossmar (Gerhard, [1851])** (Lycaenidae) *ossmar Gerhard, [1851]* 01 03 05 06 07 11 14 16 19 20 24 32 33 37 38 42 46 50 51 58 60 62 66 70 71

- 438) **Polyommatus (s.str. (Meleageria)) daphnis ([Denis & Schiffermüller],1775)** (Lycaenidae) *daphnis [Denis & Schiffermüller],1775; endymion [Denis & Schiffermüller],1775 nec Fabricius,1775; meleager Esper,1778; dalmatina Wagner,1909.* 01 03 04 05 06 07 08 10 11 12 13 14 15 16 17 18 20 21 23 24 25 26 29 30 31 32 33 34 35 36 38 40 42 43 44 46 48 49 50 51 53 58 60 62 65 66 68 69 70 71 73 74 76
- 439) **Polyommatus (s.str. (Neolysandra)) coelestinus (Eversmann,1843)** (Lycaenidae) *coelestinus Eversmann,1843* 01 04 05 06 07 08 12 13 23 24 25 28 29 30 36 38 42 44 49 52 58 62 65 69 73 76
- 440) **Polyommatus (s.str. (Plebicula)) amandus (Schneider,1792)** (Lycaenidae) *icarius Esper,1789 nec Rottemburg,1775; amandus Schneider,1792* 01 02 03 04 05 06 07 08 10 13 14 16 17 18 19 21 23 24 25 27 28 29 30 31 32 33 34 36 38 42 44 46 47 48 49 50 51 52 53 56 58 60 62 65 66 69 70 71 73 74 76 80
- 441) **Polyommatus (s.str. (Plebicula)) dorylas ([Denis & Schiffermüller],1775)** (Lycaenidae) *dorylas [Denis & Schiffermüller],1775; hylas Esper,[1778] nec Linnaeus,1758; argester Bergsträßer,[1779]; magna Balint,1985.* 01 03 05 06 08 14 16 18 24 25 29 32 33 36 37 38 42 46 48 50 51 62 66 69 70 75 76
- 442) **Polyommatus (s.str. (Sublysandra)) cornelius (Freyer,[1850])** (Lycaenidae) *cornelius Freyer,[1850]; cornelia Gerhard,[1851]; candalus Herrich-Schäffer,[1851]; zuleikae Pfeiffer,1932; eberti Koçak,1979; subtilis Pages & Charmeux,1992.* 01 02 03 05 06 07 11 14 15 16 18 19 20 24 25 26 27 29 30 31 32 33 37 38 42 43 44 47 50 51 55 56 58 60 62 63 64 66 70 71 73
- 443) **Polyommatus (s.str. (Sublysandra)) myrrhus (Herrich-Schäffer,[1852])** (Lycaenidae) *myrrhus Herrich-Schäffer,[1852]* 03 05 06 30 32 38 58 60 66 71 73
- 444) **Polyommatus (s.str. (Thersitesia)) thersites (Canterer,[1835])** (Lycaenidae) *thersites Canterer,[1835]; chapmani Ball,1914; meridiana Verity,1919.* 01 02 03 06 07 08 09 10 11 13 14 15 16 17 18 19 20 21 22 23 24 25 26 29 30 31 32 33 34 35 36 38 39 40 42 43 44 46 48 49 50 51 52 54 58 59 60 62 64 65 66 68 69 70 71 74 75 76 81
- 445) **Polyommatus (s.str.) eroides (Frivaldsky,1835)** (Lycaenidae) *eroides Frivaldsky,1835* 05 06 14 16 28 37 42? 60 66 67
- 446) **Polyommatus (s.str.) icarus (Rottemburg,1775)** (Lycaenidae) *argus Poda,1761 nec Linn.,1758; alexis Scopoli,1763 nec Pda,1761; thetis Esper,1777 nec Dru.,1773; icarus Rottemburg,1775; pampholyge Bergsträßer,1779; candybus Bergsträßer,1779; candiope Bergsträßer,1779; candaon Bergsträßer,1779; oceanus Bergsträßer,1779; fuscioles Fourcroy,1785; icarinus Scriba,1795; pusillus Gerhard,1851;* 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 75 76 81
- 447) **Pseudophilotes vicrama (Moore,1865)** (Lycaenidae) *vicrama Moore,1865* 01 03 04 05 06 07 08 11 12 13 14 15 16 17 18 19 21 23 24 25 26 27 28 29 30 31 32 33 34 35 36 38 42 43 44 45 46 47 48 49 50 51 58 60 62 63 64 65 66 67 68 69 70 71 73 74 76
- 448) **Quercusia quercus (Linnaeus,1758)** (Lycaenidae) *quercus Linnaeus,1758* 01 03 05 06 07 08 09 10 11 12 14 16 17 18 22 23 25 28 29 30 32 33 34 38 39 42 43 44 45 46 49 58 60 62 64 65 66 71 74
- 449) **Rubrapterus bavius (Eversmann,1832)** (Lycaenidae) *bavius Eversmann,1832* 01 05 06 07 08 09 13 14 16 17 21 23 24 27 28 30 31 32 33 34 38 41 42 44 46 47 48 51 58 60 62 63 65 69 70 71 73 80
- 450) **Satyrium (Nordmannia) abdominalis (Gerhard,[1850])** (Lycaenidae) *abdominalis Gerhard,[1850]; gerhardi Staudinger,[1895]; alboabdominalis Pfeiffer,1938; persica Riley,1939; #gerhardti Wiltshire,1943; elta Higgins,1964.* 02 05 06 07 08 12 13 17 18 19 21 23 24 25 27 29 30 31 32 33 35 36 38 42 44 46 47 49 50 51 52 58 60 62 63 65 66 69 70 71 72 73 76 80
- 451) **Satyrium (Nordmannia) acaciae (Fabricius,1787)** (Lycaenidae) *acaciae Fabricius,1787; nostras Courvoisier,1913; guichardi Higgins,1965.* 01 03 05 06 07 08 10 14 16 17 18 20 22 24 25 26 29 32 33 34 38 39 42 43 48 50 51 55 58 60 66 71 74
- 452) **Satyrium (Nordmannia) ilicis (Esper,[1779])** (Lycaenidae) *ilicis Esper,[1779]* 01 03 05 06 07 08 09 10 11 14 15 16 17 19 20 22 24 25 26 29 31 32 33 34 35 37 38 39 40 41 42 43 45 48 50 51 54 55 58 60 61 62 66 67 69 70 71 74 76 81
- 453) **Satyrium (Strymonidia) spini (Fabricius,1787)** (Lycaenidae) *#spini [Denis & Schiffermüller],1775; lynceus Esper,[1779] nec Drury,1773; spini Fabricius,1787; cerasi Herbst,1804 nec Fabricius,1787; #albosparsa Oberthür,1910; anatolicus De Lattin,1950.* 01 03 04 05 06 07 08 13 15 16 17 18 19 24 25 26 27 29 30 31 32 33 34 36 38 41 42 43 44 46 48 49 50 51 56 58 60 62 65 66 68 69 70 71 73 74 76 80
- 454) **Satyrium (Strymonidia) w-album (Knoch,1782)** (Lycaenidae) *w-album Knoch,1782; cerasi Fabricius,1787; majuscula Jachontov,1911.* 05 06 07 08 13 14 16 24 34 41 42 44 48 53 65
- 455) **Satyrium (Superflua) ledereri (Boisduval,1848)** (Lycaenidae) *ledereri Boisduval,1848* 05 06 07 08 19 24 27 29 30 32 36 42 44 46 50 51 58 62 63 65 71 73 76
- 456) **Scolitantides orion (Pallas,1771)** (Lycaenidae) *orion Pallas,1771; battus Denis & Schiffermüller,1775; telephii Esper,1779; sedi Fabricius,1781; hecateus Drapiez,1819; metioche Fruhstorfer,1910; lariana Fruhstorfer,1910; micrometioche Verity,1943.* 05 06 07 08 16 25 27 33 34
- 457) **Tarucus (s.str.) balkanicus (Freyer,[1843])** (Lycaenidae) *balkanicus Freyer,[1843]* 01 02 03 05 06 07 08 10 12 13 16 17 20 21 23 25 27 30 33 36 46 48 56 59 60 62 65 67 70 71 72 73
- 458) **Thersamolycaena (Alciphronia) alciphron (Rottemburg,1775)** (Lycaenidae) *alciphron Rottemburg,1775; lampetie [Denis & Schiffermüller],1775; hiere Fabricius,1787.* 01 02 03 04 05 06 07 08 10 11 12 13 14 15 16 17 18 19 21 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 42 43 44 46 49 50 51 53 58 60 61 62 65 66 69 71 73 74 76
- 459) **Thersamonia (s.str.) kefersteinii (Gerhard,[1850])** (Lycaenidae) *kefersteinii Gerhard,[1850]; phaeton Freyer,[1850]; #ochimus Herrich-Schäffer,[1851]; ochimus Herrich-Schäffer,[1852].* 01 02 04 05 06 07 08 11 12 13 14 21 23 24 25 29 30 32 33 35 36 38 42 43 44 46 47 50 51 58 60 62 63 65 68 69 70 71 73 76
- 460) **Thersamonia (s.str.) thersamon (Esper,[1784])** (Lycaenidae) *thersamon Esper,[1784]; omphale Klug,1834; persica Bienert,1870; #militaris Graves,1925.* 01 03 04 05 06 07 08 10 11 12 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 31 32 33 34 35 38 39 40 41 42 43 44 46 48 49 50 51 52 53 55 56 57 58 59 60 62 66 68 69 70 71 72 74 76 77 80
- 461) **Thersamonia (s.str.) thetis (Klug,1834)** (Lycaenidae) *thetis Klug,1834.* 01 03 04 05 06 07 08 12 13 16 24 25 29 30 32 33 35 36 38 42 46 48 49 51 58 60 62 65 66 69 73 76
- 462) **Tomares (nogelii) dobrogensis (Caradja,1895)** (Lycaenidae) *obscura Rühl,[1893]* 01 06 14 50
- 463) **Tomares (nogelii) nesimachus (Oberthür,1893)** (Lycaenidae) *nesimachus Oberthür,1893* 06 07 11 18 19 23 24 27 29 31 32 33 38 42 44 46 47 48 51 58 60 62 63 66 68 70
- 464) **Tomares (nogelii) nogelii (Freyer,[1851])** (Lycaenidae) *#nogelii Herrich-Schäffer,[1851]; nogelii Freyer,[1851]; nogelii Herrich-Schäffer,[1852]* 01 03 05 06 07 14 18 19 21 23 26 27 32 33 42 44 46 50 51 55 58 60 62 65 66 71
- 465) **Turanana endymion (Freyer,[1850])** (Lycaenidae) *endymion Freyer,[1850]* 01 02 03 04 05 06 07 08 13 14 15 21 23 24 25 26 29 30 31 32 33 35 36 38 42 44 46 47 50 51 52 58 60 62 65 66 69 70 71 73 76
- 466) **Euproctis chrysorrhoea (Linnaeus,1758)** (Lymantriidae) *chrysorrhoea Linnaeus,1758; phaeorrhoeus Haworth,1803* 04 05 06 08 12 13 14 16 19 24 25 36 38 42 46 50 58 60 65 66 71
- 467) **Leucoma salicis (Linnaeus,1758)** (Lymantriidae) *salicis Linnaeus,1758; apparens Retzius,1783; salicinus Haworth,1803; xanthocampa Dyar,1905; coreacola Matsumura,1933; sjoquisti Bryk,1942; variabilis Bryk,1949* 05 06 07 08 10 12 13 14 16 19 22 24 25 30 36 42 46 53 58 60 62 63 65 66
- 468) **Lymantria dispar (Linnaeus,1758)** (Lymantriidae) *dispar Linnaeus,1758; disparina Müller,1802; japonica Motschulsky,1860; disparoides Mabille,1876; bordigalensis Mabille,1876; asiatica Wnukowsky,1926* 06 07 11 12 17 19 23 25 30 33 36 46 50 62 65 71
- 469) **Orgyia dubia (Tauscher,1806)** (Lymantriidae) *dubia Tauscher,1806* 05 06 19 42 50 58 60 65 71
- 470) **Parocneria detrita (Esper,[1785])** (Lymantriidae) *detrita Esper,[1785]; orientalis Schwingsenschuss,1939; orientis Daniel,1963* 06 10 12 14 25 31 42 46 60
- 471) **Parocneria terebinthi (Freyer,[1838])** (Lymantriidae) *terebinthi Freyer,[1838]* 01 05 06 07 08 16 30 33 42 46 47 60

- 472) *Polymona lapidicola* (Herrich-Schäffer,[1852]) (Lymantriidae) *lapidicola* Herrich-Schäffer,[1852] 01 05 06 07 14 19 23 33 35 36 42 44 46 47 48 50 56 63 65 71 73
- 473) *Stigmella aceris* (Frey,1857) (Nepticulidae) *aceris* Frey,1857; *penicillata* Heinemann & Wocke,1877 06
- 474) *Stigmella cocciferae* Nieukerken & Johansson,2003 (Nepticulidae) *cocciferae* Nieukerken & Johansson,2003 06 07 32 33 35 42
- 475) *Stigmella roborella* (Johansson,1971) (Nepticulidae) *roborella* Johansson,1971 06
- 476) *Stigmella samiatella* (Zeller,1839) (Nepticulidae) *samiatella* Zeller,1839 04 05 06 16 29 30 42 51
- 477) *Abrostola agnorista* Dufay,1956 (Noctuidae) *agnorista* Dufay,1956 06 08 25
- 478) *Abrostola clarissa* (Staudinger,1900) (Noctuidae) *clarissa* Staudinger,1900 04 05 06 08 18 24 25 30 31 33 36 47 50 58 62 65 66
- 479) *Abrostola tripartita* (Hufnagel,1766) (Noctuidae) *tripartita* Hufnagel,1766; *trigemina* Werneburg,1864. 06 08 24 25 28 34 50 61 75
- 480) *Acantholipes regularis* (Hübner,[1813]) (Noctuidae) *regularis* Hübner,[1813] 01 05 06 13 14 23 30 33 35 36 46 50 62 65
- 481) *Acontia lucida* (Hufnagel,1766) (Noctuidae) *lucida* Hufnagel,1766; *solaris* [Denis & Schiffermüller],1775; *albicollis* Fabricius,1781; *rupicola* Borkhausen,1792; *insolatrix* Hübner,[1822]; *lugens* Alpheraky,1889. 01 05 06 16 18 23 24 30 33 34 35 41 42 50 51 58 65 71
- 482) *Acronicta* (Subacronicta) *megacephala* (Fabricius,1787) (Noctuidae) *megacephala* Fabricius,1787; *ankarensis* Hering,1933. 04 06 08 18 16 24 25 30 31 33 34 36 37 42 44 46 50 51 58 60 62 65 66 75 76
- 483) *Acronicta* (Triaena) *aceris* (Linnaeus,1758) (Noctuidae) *aceris* Linnaeus,1758 01 05 06 07 13 16 17 24 25 30 33 35 36 37 39 42 46 47 50 58 62 73
- 484) *Acronicta* (Triaena) *psi* (Linnaeus,1758) (Noctuidae) *psi* Linnaeus,1758 05 06 08 18 23 25 28 35 33 36 37 46 50 51 58 62 65 66 75 80
- 485) *Acronicta* (Viminia) *euphorbiae* (Denis,1785) (Noctuidae) *euphorbiae* [Denis & Schiffermüller],1775; *euphorbiae* Denis,1785; *montivaga* Guenée,1852; *ottomana* Draudt,1931; *garbowskii* Wojtusik & Niesiolowski,1946. 01 05 06 14 16 17 18 24 25 36 42 45 50 58 62 65 75
- 486) *Acronicta* (Viminia) *orientalis* Mann,1862 (Noctuidae) *orientalis* Mann,1862 05 06 07 09 10 16 17 18 24 32 35 42 45
- 487) *Acronicta* (Viminia) *rumicis* (Linnaeus,1758) (Noctuidae) *rumicis* Linnaeus,1758; *litterata* Panzer,1804; *salicis* Curtis,1826; *diffusa* Walker,1857 01 03 05 06 07 08 16 25 26 30 33 42 45 46 50 51 58 62 63 65 66
- 488) *Aedophron phlebophora* Lederer,1858 (Noctuidae) *phlebophora* Lederer,1858 05 06 12 13 18 25 30 33 36 42 45 46 47 49 50 51 58 65 66 70 71
- 489) *Aedophron rhodites* (Eversmann,1851) (Noctuidae) *rhodites* Eversmann,1851; *aurorina* Herrich-Schäffer,[1852]. 05 06 18 25 36 42 50 51 58 60 62 66
- 490) *Aegle semicana* (Esper,[1798]) (Noctuidae) *semicana* Esper,[1798]; *vespertalis* Hübner,[1813]; *mimetes* Brandt,1938. 01 03 06 13 17 19 22 23 32 33 36 40 42 46 50 51 58 66
- 491) *Agrochola* (Alpichola?) *gratiosa* (Staudinger,1882) (Noctuidae) *gratiosa* Staudinger,1881. 05 06 08 12 33 45 62 70
- 492) *Agrochola* (Anchoscelis) *deleta* (Staudinger,1881) (Noctuidae) *deleta* Staudinger,1881 05 06 08 33 46 64 70
- 493) *Agrochola* (Anchoscelis) *humilis* (Fabricius,1787) (Noctuidae) *humilis* [Denis & Schiffermüller],1775; *humilis* Fabricius,1787 06 60
- 494) *Agrochola* (Anchoscelis) *kindermannii* (Fischer v. Röslerstamm,[1841]) (Noctuidae) *kindermannii* Fischer v. Röslerstamm,[1841]; *ballotae* Duponchel,[1842]; *cindermannii* Hampson,1906; *rufa* Osthelder,1933; *wolfschlaegeri* Boursin,1953. 05 06 09 13 33 34 46 64 70
- 495) *Agrochola* (Anchoscelis) *litura* (Linnaeus,1761) (Noctuidae) *litura* Linnaeus,1761 06 24 64 70
- 496) *Agrochola* (Anchoscelis) *nitida* (Fabricius,1787) (Noctuidae) *nitida* [Denis & Schiffermüller],1775; *nitida* Fabricius,1787 06 14 33
- 497) *Agrochola* (Anchoscelis) *osthelderi* Boursin,1951 (Noctuidae) *osthelderi* Boursin,1951 06 31 33 46
- 498) *Agrochola* (Anchoscelis) *rupicapra* (Staudinger,1879) (Noctuidae) *rupicapra* Staudinger,1879 06 33 38 46 50 58 62 63 64
- 499) *Agrochola* (Propenistra) *laevis* (Hübner,[1803]) (Noctuidae) *laevis* Hübner,[1803] 06 08 17 24 64
- 500) *Agrotis* (Crassagrotis) *bigramma* (Esper,[1790]) (Noctuidae) *bigramma* Esper,[1790]; *crassa* Hübner,[1803]; *lata* Treitschke,1835; *golickei* Erschoff,1872; *huguenini* Rühl,1891. 01 03 05 06 07 08 14 18 21 25 33 36 42 46 50 58 59 61 62 63 65 70
- 501) *Agrotis* (Crassagrotis) *obesa* (Boisduval,1829) (Noctuidae) *obesa* Boisduval,1840 01 06 08 18 20 25 46 50 58 62 63 65 71
- 502) *Agrotis* (Putagrotis) *puta* (Hübner,[1803]) (Noctuidae) *puta* Hübner,[1803]; *radius* Haworth,1803; *renitens* Hübner,[1824]; *lignosa* Godart,1825; *erythroxylea* Treit.,1826; *radiola* Stephens,1829; *catalaunensis* Milliere,1873; *meridionalis* Spuler,1905; *andreasii*, *minima*, *silvestrii* Turati,1924; *insula* Richardson,1958. 01 05 06 07 09 14 15 16 17 18 20 31 33 34 35 46 50 52 55 56 57 63 67 71
- 503) *Agrotis* (Putagrotis) *syricola* Berio,1936 (Noctuidae) *syricola* Corti & Draudt,1933; *syricola* Berio,1936 01 06 07 17 33 42 44 45 46 47 50 56 63
- 504) *Agrotis* (s.str.) *cinerea* ([Denis & Schiffermüller],1775) (Noctuidae) *cinerea* [Denis & Schiffermüller],1775; *obscura* Hübner,[1803]; *dentimaculatus* Haworth,1803; *fusca* Boisduval,[1837]; *murina* Eversmann,1848; *livonica* Teich,1886; *alpigena* Calberla,1888; *tephрина* Staudinger,1901; *eximia* Culot,1910. 04 05 06 08 16 18 36 46 50 51 58 69
- 505) *Agrotis* (s.str.) *desertorum* Boisduval,1840 (Noctuidae) *desertorum* Boisduval,1840 04 06 18 24 25 30 33 36 42 46 50 51 58 60 62 65 69 70 71
- 506) *Agrotis* (s.str.) *exclamationis* (Linnaeus,1758) (Noctuidae) *exclamationis* Linnaeus,1758; *clavus* Hufnagel,1766; *murina* Goeze,1781 *nec* Hufnagel,1766; *bimaculata* Geoffroy,1785; *picea* Haworth,1809; *plaga* Stephens,1835; *haruspex* Le Cerf,1924; *nigriorbis* Zerny,1934. 01 03 04 05 06 07 08 12 14 18 24 25 28 30 33 34 37 39 36 42 45 46 50 51 58 60 65 71
- 507) *Agrotis* (s.str.) *ipsilon* (Hufnagel,1766) (Noctuidae) *ipsilon* Hufnagel,1766; *suffusa* [Denis & Schiffermüller],1775; *idonea* Cramer,[1780]; *spinula* Esper,[1786]; *spinifera* Villers,1789. 01 03 05 06 07 08 11 14 16 18 20 25 27 29 32 33 35 36 37 42 46 47 50 51 58 62 63 65 69 71
- 508) *Agrotis* (s.str.) *segetum* ([Denis & Schiffermüller],1775) (Noctuidae) *segetum* [Denis & Schiffermüller],1775; *sordida* [Denis & Schiffermüller],1775; *undulatus* Goeze,1781 (*praeocc.*); *nigricornis* Villers,1789; *segetis* Fabricius,1794; *catenatus* Haworth,1803; *monileus* Haworth,1803; *pectinatus* Haworth,1803; *connexus* Haworth,1803; *subatratus* Haworth,1803; *nigricornutus* Haworth,1803; *praecox* Hübner,[1808]; *fervida* Hübner,[1824]; *affinis* Stephens,1829; *sicula* Boisduval,1840; *dimidia* Zeller,1847; *sicania* Guenée,1852; *marginalis* Walker,1857; *aversus* Walker,1857; *correctus* Walker,1857; *obliviosus* Walker,1857; *denticulosus* Wallengren,1860; *certificatus* Walker,1865; *conspurcatus* Walker,1865; *repulsus* Walker,1865; *ingratus* Butler,1878; *pallidus* Staudinger,1881; *lassa* Swinhoe,1886. 01 05 06 07 11 13 15 16 18 24 25 27 30 31 32 33 35 36 38 42 46 50 51 58 60 63 65 71
- 509) *Agrotis* (s.str.) *trux* (Hübner,[1824]) (Noctuidae) *trux* Hübner,[1824]; *lenticulosa* Duponchel,1826; *lunigera* Stephens,1829; *terranea* Freyer,1831; *amasina* Staudinger,1901; *subalba* Corti & Draudt,1933; *adolphi* Corti & Draudt,1933. 05 06 08 18 25 33 38 42 46 50 51 52 58 63
- 510) *Allophyes asiatica* (Staudinger,1892) (Noctuidae) *asiatica* Staudinger,1892 02 05 06 13 14 24 25 42 56 58 64 66
- 511) *Allophyes benedictina* (Staudinger,1892) (Noctuidae) *benedictina* Staudinger,1892 06 46
- 512) *Amephana dalmatica* (Rebel,1919) (Noctuidae) *dalmatica* Rebel,1919 01 02 05 06 07 20 33 42 50
- 513) *Ammonoconia senex* (Geyer,[1828]) (Noctuidae) *senex* Geyer,[1828]. 06 13 17 18 24 25 30 36 38 46 50 56 58 64 70
- 514) *Amphipyra berbera* Rungs,1949 (Noctuidae) *variegata* W. Warren,1911; *berbera* Rungs,1949 06 08 13 14 16 39 53
- 515) *Amphipyra micans* Lederer,1857 (Noctuidae) *micans* Lederer,1857 01 05 06 08 24 25 30 33 36 42 46 51 58 62 65 66
- 516) *Amphipyra pyramidea* (Linnaeus,1758) (Noctuidae) *pyramidea* Linnaeus,1758 01 05 06 08 14 16 30 31 33 43 59
- 517) *Amphipyra tragopoginis* (Clerck,1759) (Noctuidae) *tragopoginis* Clerck,1759; *luciola* Hufnagel,1766. 01 05 06 08 09 14 16 17 18 30 32 33 38 39 42 43 46 50 58 60 65
- 518) *Antarchaea numisma* (Hübner,[1803]) (Noctuidae) *numisma* Hübner,[1803]; *leda* Herrich-Schäffer,1851. 01 04 05 06 07 18 19 33 38 42 50 70
- 519) *Antholopha gloriosa* (Staudinger,1892) (Noctuidae) *gloriosa* Staudinger,1892; *intradeleta* Osthelder,1933; *extradeleta* Osthelder,1933; *#grisea* Osthelder,1933. 01 06 25 27 31 36 44 46 47 58 60 62 63 64

- 520) **Antitype chi** (Linnaeus,1758) (Noctuidae) *chi* Linnaeus,1758; *olivacea* Stephens,1829; *marsicana* Dannehl,1929. 06 12 36 42 46 66 70
- 521) **Apamea anceps** ([Denis & Schiffermüller],1775) (Noctuidae) *anceps* [Denis & Schiffermüller],1775 01 04 06 18 20 25 32 33 38 42 46 49 50 51 58 60 65 66
- 522) **Apamea furva** ([Denis & Schiffermüller],1775) (Noctuidae) *#furva* [Denis & Schiffermüller],1775 04 06 08 18 24 25 28 33 36 46 51 53 58 60 61 65
- 523) **Apamea illyria** Freyer,1846 (Noctuidae) *illyria* Freyer,1846 06 08 18 28 36 60 75
- 524) **Apamea leucodon** (Eversmann,1837) (Noctuidae) *leucodon* Eversmann,1837 04 06 25 33 36 42 44 46 50 51 58 60 65
- 525) **Apamea lithoxylaea** (Fabricius,1787) (Noctuidae) *#lithoxylaea* [Denis & Schiffermüller],1775; *lithoxylaea* Fabricius,1787. 01 04 05 06 07 08 16 20 25 30 36
- 526) **Apamea monoglypha** (Hufnagel,1766) (Noctuidae) *polyodon* Linnaeus,1761 *nec* Cl.,1759; *monoglypha* Hufnagel,1766. 01 03 04 05 06 08 17 18 25 28 29 30 32 33 34 35 36 37 39 42 43 45 58 60 61 66 75
- 527) **Apamea oblonga** (Haworth,[1809]) (Noctuidae) *oblonga* Haworth,[1809]; *abjecta* Hübner,[1813]. 04 06 14 40 50 58 65
- 528) **Apamea remissa** (Hübner,[1809]) (Noctuidae) *remissa* Hübner,[1809] 04 06 24 25 36 58 60 65 69 75
- 529) **Apamea sicula** (Turati,1909) (Noctuidae) *sicula* Turati,1909 06 17 31 33 46
- 530) **Apamea syriaca** (Osthelder,1933) (Noctuidae) *syriaca* Osthelder,1933; *#albida* Osthelder,1933; *tallosi* Kovacs & Varga,1969. 01 04 05 06 08 11 12 13 16 17 18 24 25 28 30 31 32 33 34 35 36 37 42 45 46 49 50 51 58 60 62 65 73 80
- 531) **Apastis rupicola** ([Denis & Schiffermüller],1775) (Noctuidae) *rupicola* [Denis & Schiffermüller],1775; *palliat* Fabricius,1787; *pallium* Borkhausen,1792; *heliophila* Hübner,[1803] 05 06 07 49 50 60 70
- 532) **Apopestes noe** Ronkay,1990 (Noctuidae) *noe* Ronkay,1990 06 16 44 46
- 533) **Apopestes spectrum** (Esper,[1787]) (Noctuidae) *spectrum* Esper,[1787] 06 08 16 17 18 33 35
- 534) **Aporophyla australis** (Boisduval,1829) (Noctuidae) *australis* Boisduval,1829 05 06 07 18 27 33 44 46 47 50 56 62 63 70
- 535) **Aporophyla nigra** (Haworth,[1809]) (Noctuidae) *lunula* Ström,1783 *nec* Hfn.,1766; *nigra* Haworth,[1809]; *nigricans* Hbn.,[1813]; *aethiops* Ochsenheimer,1816; *seileri* Fuchs,1901 01 06 33 46 56 63
- 536) **Asteroscopus syriaca** (Warren,1910) (Noctuidae) *syriaca* Warren,1910; *decipulae* Kovacs,1966. 03 06 16 31 46 58
- 537) **Atethmia ambusta** (Fabricius,1787) (Noctuidae) *#ambusta* [Denis & Schiffermüller],1775; *ambusta* Fabricius,1787 05 06 27 46
- 538) **Atethmia centruga** (Haworth,[1809]) (Noctuidae) *centruga* Haworth,[1809]. 05 06 33 46 50
- 539) **Atethmia pinkeri** (Boursin,1970) (Noctuidae) *#pinkeri* Boursin,1970 06 62 66 70
- 540) **Athetis gluteosa** (Treitschke,1835) (Noctuidae) *gluteosa* Treitschke,1835 06 52 53
- 541) **Auchmis (s.str.) detersa** (Esper,[1791]) (Noctuidae) *detersa* Esper,[1791] 01 05 06 08 18 24 25 32 33 37 40 42 50 51 58 66 75
- 542) **Autographa aemula** ([Denis & Schiffermüller],1775) (Noctuidae) *aemula* [Denis & Schiffermüller],1775 04 06 12 23 25 42 58 69 75
- 543) **Autographa gamma** (Linnaeus,1758) (Noctuidae) *gamma* Linnaeus,1758; *messmeri* Schädewald,1992; *voelkeri* Schädewald,1992. 01 03 04 05 06 07 08 14 16 17 18 24 25 26 28 31 32 33 35 37 38 39 42 43 50 51 52 58 61 62 65 66 80
- 544) **Autographa jota** (Linnaeus,1758) (Noctuidae) *jota* Linnaeus,1758 06 08 14 18 25 36 39 50 52 53 75
- 545) **Autophila (Cheirophanes) ligaminosa** (Eversmann,1851) (Noctuidae) *ligaminosa* Eversmann,1851; *caucasica* Herz,1904. 05 06 08 13 14 17 18 25 33 36 42 46 50 65 73
- 546) **Autophila (s.str.) banghaasi** Boursin,1940 (Noctuidae) *banghaasi* Boursin,1940 01 04 05 06 08 09 12 13 15 18 23 24 25 29 30 38 42 50 58 62 60 65 66 75
- 547) **Autophila (s.str.) einsleri** Amsel,1935 (Noctuidae) *#luxuriosa* Zerny,1933; *einsleri* Amsel,1935; *luxuriosa* Schwingenschuss,1939. 01 06 23 25 31 46
- 548) **Autophila (s.str.) libanotica** (Staudinger,1901) (Noctuidae) *libanotica* Staudinger,1901; *osthelderi* Boursin,1940; *libanopsis* Boursin,1962. 04 06 12 08 24 30 38 42 46 51 58 65
- 549) **Basistriga flammatra** ([Denis & Schiffermüller],1775) (Noctuidae) *flammatra* [Denis & Schiffermüller],1775; *bimaculata* Milliere,1885. 01 04 06 07 21 24 25 28 30 32 33 36 38 39 43 44 45 46 47 49 50 51 53 58 60 61 63 65 66 70
- 550) **Behounekia freyeri** (Frivaldsky,1835) (Noctuidae) *freyeri* Frivaldsky,1835; *senescens* Eversmann,1856. 01 05 06 13 18 25 30 32 35 36 38 42 46 47 50 51 62 65
- 551) **Bena bicolorana** (Fuessly,1775) (Noctuidae) *prasinana* auct. *nec* Linn.,1758; *bicolorana* Fuessly,1775; *quercana* Denis & Schiffermüller,1775; *conspersa* Warren,1913. 01 05 06 11 17 18 33 39 42 62 73
- 552) **Callopietria latreillei** (Duponchel,1827) (Noctuidae) *latreillei* Duponchel,1827; *quieta* Treitschke,1826; *roseitulum* Walker,[1858]; *rakoto* Viette,1865; *rechingeri* Koutsafikis,1973. 01 03 05 06 07 08 16 32 33 35 42 46 50 51 52
- 553) **Calocucullia celsiae** (Herrich-Schäffer,1850) (Noctuidae) *celsiae* Herrich-Schäffer,[1850] 06 14 30 31 73
- 554) **Calophasia barthae** Wagner,1929 (Noctuidae) *barthae* Wagner,1929 06 07 38 42 63
- 555) **Calophasia lunula** (Hufnagel,1766) (Noctuidae) *lunula* Hufnagel,1766; *linariae* [Denis & Schiffermüller],1775. 01 04 05 06 08 14 18 24 25 30 33 36 42 49 50 51 58 65
- 556) **Calophasia opalina** (Esper,[1796]) (Noctuidae) *casta* Borkhausen,1793 *nec* Pall.,1767; *opalina* Esper,[1796]; *biroi* Aigner,1901; *naruensis* Spuler,1910; *castior* Stauder,1923. 03 05 06 16 18 24 36 50 51 58 65
- 557) **Calymma communimacula** ([Denis & Schiffermüller],1775) (Noctuidae) *communimacula* [Denis & Schiffermüller],1775 06 17 30 32 42 46 50 51 58
- 558) **Caradrina (Boursinidrina) syriaca** (Staudinger,1892) (Noctuidae) *syriaca* Staudinger,1892 06 07 44 46 49 63 71
- 559) **Caradrina (Eremodrina) draudti** (Boursin,1936) (Noctuidae) *draudti* Boursin,1936; *pseudopertinax* Boursin,1939; *pseudopertinax* Boursin,1940 04 06 08 13 23 30 38 42 44 51 63 65
- 560) **Caradrina (Eremodrina) gilva** (Donzel,1837) (Noctuidae) *gilva* Donzel,1837; *molisana* Dannehl,1929 04 05 06 08 12 13 24 25 29 30 38 42 46 51 58
- 561) **Caradrina (Eremodrina) pertinax** (Staudinger,1879) (Noctuidae) *pertinax* Staudinger,1879; *argentea* Caradja,1930. 04 05 06 08 12 25 29 30 33 36 38 42 44 50 58 61 66 75
- 562) **Caradrina (Eremodrina) vicina** (Staudinger,1870) (Noctuidae) *vicina* Staudinger,1870; *perspicua* W.Warren,1911 01 04 06 08 25 33 36 42 46 50 51 58
- 563) **Caradrina (Paradrina) clavipalpis** (Scopoli,1763) (Noctuidae) *clavipalpis* Scopoli,1763; *grisea* Hufnagel,1766; *quadripunctata* Fabricius,1775; *cubicularis* [Denis & Schiffermüller],1775; *leucoptera* Thunberg,1791; *milleri* Schultz,1862; *avicula* Krulikovsky,1909; *teidovolvans* Pinker,1974; *pinker* Kobes,1975 01 05 06 10 13 16 20 24 25 29 30 32 33 35 42 44 46 50 51 56 58 60 62 63 64
- 564) **Caradrina (Paradrina) flavirena** (Guenée,1852) (Noctuidae) *flavirena* Guenée,1852; *minor* Staudinger,1897; *subdita* W.Warren,1911; *muricolor* Boursin,1933; *subdita* Leraut,1980 01 06 07 08 09 10 17 31 32 33 35 46 51 64
- 565) **Caradrina (Paradrina) selini** (Boisduval,1840) (Noctuidae) *selini* Boisduval,1840; *selinoides* Bellier,1862; *milleri* Schultz,1862; *jurassica* Rigenbach-Stehlin,1876; *minor* Staudinger,1897; *#puengeleri* Draudt,1934; *telekii* Dioszeghy,[1935] 06 07 16 36 64
- 566) **Caradrina (Paradrina) suscijania** Mentzer,1981 (Noctuidae) *suscijania* Mentzer,1981 01 06 07 14 17 50 51 70
- 567) **Caradrina (Paradrina) wullschlegeli** (Püngeler,1903) (Noctuidae) *wullschlegeli* Püngeler,1903 06 07 08 12 14 18 24 25 30 35 37 42 43 49 50 51 58 60 62 65 66 80
- 568) **Caradrina (Platyperigea) albina** (Eversmann,1848) (Noctuidae) *albina* Eversmann,1848; *congesta* Lederer,1853; *tenera* A.Bang-Haas,1912 01 04 06 07 17 18 24 25 30 33 36 38 42 50 51 58 62 65 66

- 569) *Caradrina (Platyperigea) aspersa* (Rambur,1834) (Noctuidae) *aspersa* Rambur,1834; *anceps* Herrich-Schäffer,1849; *culoti* Turati,1913. 03 05 06 07 08 14 17 18 22 29 32 33 39 42 46 50 51 62 66
- 570) *Caradrina (Platyperigea) terrea* (Freyer,[1840]) (Noctuidae) *terrea* Freyer,[1840]; *ustirena* Boisduval,1840 03 04 06 08 12 13 18 23 25 30 36 42 50 51 65 66
- 571) *Caradrina (s.str.) agrotina* (Staudinger,1892) (Noctuidae) *agrotina* Staudinger,1892; *jordana* Staudinger,[1895]; *syriaca* Osthelder,1933. 05 06 31 33 42 46 62
- 572) *Caradrina (s.str.) morpheus* (Hufnagel,1766) (Noctuidae) *morpheus* Hufnagel,1766; *pulla* Beckwith,1794 *nec* Esp.,[1785]; *sepii* Hübner,[1803]; *dresnaya* D.Lucas,1933; *alpina* Hartig,[1938] 06 14 25 34 50 54 58 75
- 573) *Cardepia arenbergeri* Pinker,1974 (Noctuidae) *arenbergeri* Pinker,1974 01 06 27 38 42 51 58
- 574) *Cardepia sociabilis* (Graslin,1850) (Noctuidae) *sociabilis* Graslin,1850; *ghigii* Turati,1926; *pedrosai* Monteiro,1972; *grisea* Berio,1986. 01 04 06 35 38 42 44 51 63 76
- 575) *Catephia alchymista* ([Denis & Schiffermüller],1775) (Noctuidae) *alchymista* [Denis & Schiffermüller],1775 06 07 17 18 30 33 34 39 42 62 65
- 576) *Catocala (Ephesia) nymphaea* (Esper,[1787]) (Noctuidae) *nymphaea* Esper,[1787]; *vestalis* Geyer,[1835]. 01 06 07 16 18 33 35 62
- 577) *Catocala (s.str.) conversa* (Esper,1783) (Noctuidae) *conversa* Esper,[1787] 01 06 07 08 11 16 17 22 25 27 30 33 35 42 45 51
- 578) *Catocala (s.str.) dilecta* (Hübner,[1808]) (Noctuidae) *dilecta* Hübner,[1808] 05 06 33
- 579) *Catocala (s.str.) disjuncta* (Geyer,[1828]) (Noctuidae) *disjuncta* Geyer,[1828]; *separata* Freyer,1848; *luctuosa* Staudinger,1901 *nec* Hulst,1884; *fumigata* Kuznetsov,1903. 01 05 06 07 08 16 18 31 32 33 35 42 50 62
- 580) *Catocala (s.str.) fraxini* (Linnaeus,1758) (Noctuidae) *fraxini* Linnaeus,1758 06 14 24 25 75
- 581) *Catocala (s.str.) fulminea* (Scopoli,1763) (Noctuidae) *fulminea* Scopoli,1763; *paranympha* Linnaeus,1767. 06
- 582) *Catocala (s.str.) hymenaea* ([Denis & Schiffermüller],1775) (Noctuidae) *#hymenaea* [Denis & Schiffermüller],1775 05 06 07 09 16 33 35 42 50 60 65
- 583) *Catocala (s.str.) lupina* Herrich-Schäffer,[1851] (Noctuidae) *lupina* Herrich-Schäffer,[1851] 01 06 08 18 25 50 51 58 62 65
- 584) *Catocala (s.str.) nymphagoga* (Esper,[1787]) (Noctuidae) *nymphagoga* Esper,[1787]; *tmolia* Lederer,1865 01 05 06 07 11 12 16 17 30 33 35 39 45 50 62 73
- 585) *Catocala (s.str.) promissa* ([Denis & Schiffermüller],1775) (Noctuidae) *#promissa* [Denis & Schiffermüller],1775 06 08 09 16 17 39
- 586) *Catocala (s.str.) puerpera* (Giorna,1791) (Noctuidae) *puerpera* Giorna,1791; *amasia* Esper,[1804] *nec* Sm.,1797; *pellex* Hübner,[1809]; *romana* Schultz,1909 01 05 06 08 16 18 19 25 33 42 50 51 58 65
- 587) *Catocala (s.str.) weiseri* Hacker,1999 (Noctuidae) *weiseri* Hacker,1999 03 06 50
- 588) *Cerastis rubricosa* (Fabricius,1787) (Noctuidae) *#rubricosa* [Denis & Schiffermüller],1775; *rubricosa* Fabricius,1787; *mucida* Esper,[1790]; *pilicornis* Brahm,1791; *rufa* Haworth,1809; *mista* Hübner,[1813]. 06 09 14 17 35 42 43 50 58
- 589) *Charanyca trigrammica* (Hufnagel,1766) (Noctuidae) *trigrammica* Hufnagel,1766; *asiaminorica* Pinker,1980. 06 33 34
- 590) *Chazaria incarnata* (Freyer,1838) (Noctuidae) *incarnata* Freyer,1838; *boisduvali* Boisduval,1840. 01 05 06 07 18 20 23 24 25 33 34 36 38 39 42 44 45 46 50 51 58 63 65 71
- 591) *Chersotis capnistis* (Lederer,1872) (Noctuidae) *capnistis* Lederer,1872; *neara* Püngeler,1902. 01 03 06 08 18 25 29 32 36 38 42 43 46 50 51 58 60 65 66
- 592) *Chersotis fimbriola* (Esper,[1798]) (Noctuidae) *fimbriola* Esper,[1798] 01 03 04 05 06 08 12 18 24 25 29 30 36 38 42 44 46 50 51 58 60 65 66 69 70
- 593) *Chersotis friedeli* Pinker,1974 (Noctuidae) *friedeli* Pinker,1974 06 25 42 50 58 63
- 594) *Chersotis gratissima* (Corti,1932) (Noctuidae) *gratissima* Corti,1932 01 04 06 12 23 25 30 36 42 44 46 51 60 65 69 70 75
- 595) *Chersotis juvenis* (Staudinger,1901) (Noctuidae) *caelebs* Staudinger,1900 *nec* Stgr.,1896; *juvenis* Staudinger,1901; *clarivenosa* Draudt,1936. 02 04 06 13 24 25 30 36 38 42 46 50 51 58 60 65 66 69
- 596) *Chersotis margaritacea* (Villers,1789) (Noctuidae) *margaritacea* Villers,1789; *i-intactum* Hübner,[1803]; *#abruzzensis* Corti & Draudt,1933; *espinensis* Calle,1982 01 06 08 16 18 25 36 42 46 50 61
- 597) *Chersotis rectangula* (Fabricius,1787) (Noctuidae) *rectangula* Fabricius,1787. 06 07 08 11 12 18 24 25 26 36 38 42 43 50 49 60 66 75
- 598) *Chersotis sarhada* Brandt,1941 (Noctuidae) *sarhada* Brandt,1941 06 30 58 63
- 599) *Chersotis semna* (Püngeler,1906) (Noctuidae) *semna* Püngeler,1906 04 06 08 18 25 33 42 46 50 51 58 60 62 66 69
- 600) *Chloantha hypericii* (Fabricius,1787) (Noctuidae) *#hyperici* [Denis & Schiffermüller],1775; *hypericii* Fabricius,1787 01 04 05 06 07 08 12 15 16 17 18 24 25 28 32 33 35 36 42 46 50 51 56 58 60 61 62 65 69
- 601) *Cleoceris scoriacea* (Esper,[1789]) (Noctuidae) *scoriacea* Esper,[1789]; *capreae* Hübner,[1803]. 01 05 06 12 25 33 35 36 44 49 70
- 602) *Cleonymia (Serryvania) opposita* (Lederer,1870) (Noctuidae) *opposita* Lederer,1870; *#obscurior* Osthelder,1933. 01 05 06 18 24 25 32 33 42 44 46 49 50 51 58 60 62 63 65
- 603) *Clytie (s.str.) syriaca* (Bugnion,1837) (Noctuidae) *syriaca* Bugnion,1837; *gentilitia* Freyer,1848. 01 05 06 07 08 13 16 18 21 23 24 25 30 31 33 35 42 44 62 65
- 604) *Colocasia coryli* (Linnaeus,1758) (Noctuidae) *coryli* Linnaeus,1758 06 08 24 28 34 39 43 53
- 605) *Conistra (Dasyampa) erythrocephala* (Fabricius,1787) (Noctuidae) *#erythrocephala* [Denis & Schiffermüller],1775; *erythrocephala* Fabricius,1787. 06 11 24 58 66
- 606) *Conistra (s.str.) asiatica* Pinker,1980 (Noctuidae) *asiatica* Pinker,1980 06 24 36 58 70
- 607) *Conistra (s.str.) ligula* (Esper,1791) (Noctuidae) *ligula* Esper,[1791] 06 09
- 608) *Conistra (s.str.) ragusae* (Failla-Tedaldi,1890) (Noctuidae) *ragusae* Failla-Tedaldi,1890 06 13 24 36
- 609) *Conistra (s.str.) torrida* (Lederer,1857) (Noctuidae) *torrida* Lederer,1857 06 15 23 46 50 58 70
- 610) *Conistra (s.str.) veronicae* (Hübner,[1813]) (Noctuidae) *veronicae* Hübner,[1813] 05 06 07 11 13 15 23 24 46 58
- 611) *Cornutiplusia circumflexa* (Linnaeus,1767) (Noctuidae) *circumflexa* Linnaeus,1767; *lunata* Fabricius,1787; *flexuosa* Donovan,1807; *daubii* Freyer,1838; *graphica* Herrich-Schäffer,1851; *patefacta* Walker,[1858]; *reticulata* Moore,1882; *clarescens* Pinker & Bacallado,1975; *#unata* Kononenko & Pinratana,2005 01 04 05 06 07 08 16 18 20 22 24 25 27 30 31 33 34 35 38 46 47 48 50 51 60 63 65 66 80
- 612) *Cosmia (Calymnia) trapezina* (Linnaeus,1758) (Noctuidae) *trapezina* Linnaeus,1758 05 06 08 14 16 17 18 30 34 37 43 53
- 613) *Cosmia (s.str.) diffinis* (Linnaeus,1767) (Noctuidae) *diffinis* Linnaeus,1767 05 06 17 24 26 46
- 614) *Craniophora pontica* (Staudinger,1879) (Noctuidae) *pontica* Staudinger,1879 05 06 08 13 18 24 30 46 62
- 615) *Cryphia (Bryoleuca) raptricula* ([Denis & Schiffermüller],1775) (Noctuidae) *raptricula* [Denis & Schiffermüller],1775; *divisa* Esper,[1791]; *#striata* Staudinger,1879; *#persica* Strand,1915; *cretica* Reisser,1962. 01 03 05 06 07 08 12 19 24 25 28 30 32 33 36 39 42 46 49 50 51 56 58 62 65 66 70 73
- 616) *Cryphia (Bryoleuca) seladona* (Christoph,1885) (Noctuidae) *seladona* Christoph,1885 01 06 16 25 51 58 61 66 76
- 617) *Cryphia (Bryoleuca) tephrocharis* Boursin,1954 (Noctuidae) *tephrocharis* Boursin,1954 01 06 07 12 23 25 30 32 33 42 44 46 50 51 58 60 62 63 70
- 618) *Cryphia (Bryophila) maeonis* (Lederer,1865) (Noctuidae) *maeonis* Lederer,1865; *rubellina* Staudinger,1900; *sabulicolor* De Lattin,1950. 01 04 05 06 08 16 18 24 25 27 30 35 36 42 44 45 46 50 51 58 60 61 62 65 66
- 619) *Cryphia (Bryopsis) amasina* (Draudt,1931) (Noctuidae) *amasina* Draudt,1931 01 05 06 08 12 18 25 42 62 65
- 620) *Cryphia (Bryopsis) muralis* (Forster,1771) (Noctuidae) *muralis* Forster,1771; *lichenis* Fabricius,1781; *glandifera* [Denis & Schiffermüller],1775; *par* Hübner,[1813]. 05 06 16 25 42 75

- 621) **Cryphia (Euthales) algae (Fabricius,1775)** (Noctuidae) *algae Fabricius,1775; degener [Denis & Schiffermüller],1775; calligrapha Borkhausen,1792; mendacula Hübner,[1813]*. 05 06 08 14 15 16 18 20 25 30 32 33 42 46 60 66
- 622) **Cryphia (Euthales) ochsi (Boursin,1941)** (Noctuidae) *ochsi Boursin,1941; #badiofasciata Boursin,1952* 01 05 06 07 08 16 23 28 32 33 42 50 51 55 58 59 62 63 67
- 623) **Cryphia (s.str.) recepticula (Hübner,[1803])** (Noctuidae) *strigula Borkhausen,1792 nec Thunb.,1788; recepticula Hübner,[1803]; stictica Ménétriers,1859*. 05 06 08 12 16 23 30 46 50 60 62 66
- 624) **Cucullia (Shargacucullia) barthae Boursin,1933** (Noctuidae) *barthae Boursin,1933* 04 06 08 18 25 32 33 42 46 47 50 60 65
- 625) **Cucullia (Shargacucullia) lanceolata (Villers,1789)** (Noctuidae) *lanceolata Villers,1789; thapsiphaga Treitschke,1826* 01 04 05 06 18 25 33 42 46 47 50 51 58 60 65 66
- 626) **Cucullia (Shargacucullia) lychnitis (Rambur,1833)** (Noctuidae) *lychnitis Rambur,1833* 04 05 06 14 18 24 25 35 45 58 65
- 627) **Cucullia (Shargacucullia) verbasci (Linnaeus,1758)** (Noctuidae) *verbasci Linnaeus,1758; oberthueri Rothschild,1911*. 04 05 06 07 09 15 16 17 18 20 31 33 35 45 50 65
- 628) **Cucullia (s.str.) argentina (Fabricius,1787)** (Noctuidae) *argentina Fabricius,1787; achalina Püngeler,1900; grisescens Wagner,1931 nec Leech,1900; anatoliensis Koçak,1980*. 05 06 18 25 27 30 36 38 42 50 58 65 71
- 629) **Cucullia (s.str.) mixta Freyer,1841** (Noctuidae) *mixta Freyer,1841; consors Eversmann,1846* 06
- 630) **Cucullia (s.str.) santonici (Hübner,[1813])** (Noctuidae) *santonici Hübner,[1813]* 04 06 18 25 36 42 58
- 631) **Dasytopia (s.str.) templi (Thunberg,1792)** (Noctuidae) *templi Thunberg,1792; alpina Rogenhofer,1866; caflischi Rühl,1892; banghaasi Turati,1909*. 01 06 04 08 25 42 49 58
- 632) **Deltote delicatula (Christoph,1882)** (Noctuidae) *delicatula Christoph,1882* 06 50 71
- 633) **Diarsia brunnea ([Denis & Schiffermüller],1775)** (Noctuidae) *#brunnea [Denis & Schiffermüller],1775* 06 69
- 634) **Diarsia rubi (Vieweg,1790)** (Noctuidae) *rubi Vieweg,1790; radica Esper,[1790]; bella Borkhausen,1792; quadratum Hübner,[1813]; posticata Walker,[1858]*. 06 65
- 635) **Dichagyris (Grisyigoga) candelisequa ([Denis & Schiffermüller],1775)** (Noctuidae) *candelisequa [Denis & Schiffermüller],1775; sagittifera Hübner,[1813]; piemonticola Schwingenschuss,1954; zapateri Schwingenschuss,1962*. 01 04 05 06 12 16 23 25 30 32 33 36 38 40 42 44 46 50 51 58 61 62 63 65
- 636) **Dichagyris (Yigoga) eureteocles (Boursin,1940)** (Noctuidae) *eureteocles Boursin,1940* 06 36 58
- 637) **Dichagyris (Yigoga) forcipula ([Denis & Schiffermüller],1775)** (Noctuidae) *forcipula [Denis & Schiffermüller],1775; denticulosa Esper,[1794]; bornicensis Fuchs,1884; helladica Rebel,1905; samnitica Dannehl,1933; romanoi Berio,1980*. 01 03 05 06 07 08 11 12 18 23 24 25 29 30 32 33 36 42 43 46 49 50 51 58 60 65 66 69
- 638) **Dichagyris (Yigoga) gracilis (F.Wagner,1929)** (Noctuidae) *gracilis F.Wagner,1929* 01 03 04 05 06 07 08 12 18 24 25 29 30 36 38 42 50 51 58 60 63 65 69
- 639) **Dichagyris (Yigoga) latipennis (Püngeler,1909)** (Noctuidae) *latipennis Püngeler,1909* 06 50 65
- 640) **Dichagyris (Yigoga) lutescens (Eversmann,1844)** (Noctuidae) *lutescens Eversmann,1844; dilucida Eversmann,1844; leonina Staudinger,1877*. 06 23 44 58
- 641) **Dichagyris (Yigoga) nachadira (Brandt,1941)** (Noctuidae) *nachadira Brandt,1941* 06 25 36 38 42 50 58 65
- 642) **Dichagyris (Yigoga) nigrescens (Hofner,1888)** (Noctuidae) *nigrescens Höfner,1888* 01 05 06 07 18 20 25 30 32 33 42 45 46 50 65 66
- 643) **Dichagyris (Yigoga) signifera ([Denis & Schiffermüller],1775)** (Noctuidae) *#signifera [Denis & Schiffermüller],1775* 01 03 05 06 07 08 12 14 24 25 30 32 33 36 42 43 46 49 50 51 58 66
- 644) **Dichagyris (s.str.) armeniaca Kozhantshikov,1929** (Noctuidae) *armeniaca Kozhantshikov,1929; assimilata Kozhantshikov,1929; striatus Kozhantshikov,1929*. 04 06 25 30 36 50 66
- 645) **Dichagyris (s.str.) celebrata (Alpheraky,1897)** (Noctuidae) *celebrata Alpheraky,1897* 06
- 646) **Dichagyris (s.str.) erubescens (Staudinger,1892)** (Noctuidae) *erubescens Staudinger,1892* 01 06 24 25 27 33 42 44 46 47 51 58 63
- 647) **Dichagyris (s.str.) melanura (Kollar,1846)** (Noctuidae) *melanura Kollar,1846* 01 04 05 06 08 24 25 29 30 40 42 44 46 50 51 58 62 65 66
- 648) **Dichagyris (s.str.) renigera (Hübner,[1808])** (Noctuidae) *renigera Hübner,[1808]; dumosa Donzel,1837; caucasica Staudinger,1877; funebris Staudinger,1892; nigrescens Kitt,1925 nec Höfner,1888; funestissima Bubacek,1926; argentina Caradja,1930*. 04 05 06 08 18 25 30 36 42 50 51 58 62 65 69
- 649) **Dichonia aeruginea (Hübner,[1803])** (Noctuidae) *aeruginea Hübner,[1803]; mioleuca Geyer,[1828]; chioleuca Treitschke,1835; mesembrina Schawerda,1913*. 05 06 08 13 31 38 46 56 64
- 650) **Dichonia convergens ([Denis & Schiffermüller],1775)** (Noctuidae) *#convergens [Denis & Schiffermüller],1775; spicula Esper,[1791]* 06 08 13 24 69
- 651) **Dicycla oo (Linnaeus,1758)** (Noctuidae) *oo Linnaeus,1758; ferruginago Hübner,[1803]*. 01 05 06 07 08 11 17 18 22 28 30 33 38 39 42 46 56
- 652) **Diloba caeruleocephala (Linnaeus,1758)** (Noctuidae) *caeruleocephala Linnaeus,1758* 05 06 16 22 24 25 31 46 50 63 64 70
- 653) **Drasteria cailino (Lefébvre,1827)** (Noctuidae) *cailino Lefébvre,1827* 01 03 04 05 06 08 14 18 24 25 29 30 33 44 45 46 50 51 58 60 62 65 66 69
- 654) **Drasteria herzi (Alpheraky,1895)** (Noctuidae) *herzi Alpheraky,1895* 06 36 51
- 655) **Drasteria saisani (Staudinger,1882)** (Noctuidae) *saisani Staudinger,1882; clara Staudinger,1895; #zaisani John,1910*. 01 04 06 08 12 25 30 33 36 42 44 47 50 51 58 65 66
- 656) **Dryobotodes (s.str.) carbonis (Wagner,1931)** (Noctuidae) *carbonis Wagner,1931; taurica Osthelder,1933; europaea Pinker,1976*. 06 13 33 42 46 56 64
- 657) **Dryobotodes (s.str.) eremita (Fabricius,1775)** (Noctuidae) *eremita Fabricius,1775; protea [Denis & Schiffermüller],1775; seladonia Fabricius,1794; corsica Spuler,1905; #dejecta Warren,1911; #grisea Warren,1911* 05 06 13 18 24 38 56 60 64
- 658) **Dryobotodes (s.str.) monochroma (Esper,1790)** (Noctuidae) *monochroma Esper,[1790]; distans Hübner,[1813]; suberis Duponchel,1827* 06
- 659) **Dryobotodes (s.str.) servadeii Parenzan,1982** (Noctuidae) *servadeii Parenzan,1982* 06
- 660) **Dypterygia scabriuscula (Linnaeus,1758)** (Noctuidae) *scabriuscula Linnaeus,1758; pinastri Linnaeus,1761*. 05 06 08 14 25 39 61
- 661) **Earias clorana (Linnaeus,1761)** (Noctuidae) *clorana Linnaeus,1761; viride Retzius,1783* 01 05 06 10 12 14 17 18 24 29 42 50 58 62 65 66 69
- 662) **Egira anatolica (Hering,1933)** (Noctuidae) *anatolica Hering,1933; #metaxys Boursin,1966; #leucomelas Boursin,1966* 04 06 13 31 24 50 67
- 663) **Egira tibori Hreblay,1994** (Noctuidae) *tibori Hreblay,1994* 03 06 07 17 33 34 35 36 42 43 46 58
- 664) **Elaphria venustula (Hübner,1790)** (Noctuidae) *venustula Hübner,1790* 06 14 55 58 61
- 665) **Emmellia trabealis (Scopoli,1763)** (Noctuidae) *trabealis Scopoli,1763; sulphuralis Linnaeus,1767; sulphurea [Denis & Schiffermüller],1775; lugubris Fabricius,1777; histrionella Goeze,1783; arlequinetta Fourcroy,1785; trabeata Borkhausen,1790; pardalina Walker,1865* 01 04 05 06 07 08 11 16 18 30 32 33 36 41 42 46 50 56 58 59 65 66 71
- 666) **Enargia pinkeri De Freina & Hacker,1985** (Noctuidae) *pinkeri De Freina & Hacker,1985* 01 06 07 18 33 38 42
- 667) **Epilecta linogrisea ([Denis & Schiffermüller],1775)** (Noctuidae) *linogrisea [Denis & Schiffermüller],1775; lutosa Staudinger,1901*. 01 03 05 06 08 16 17 33 42 46 50 62
- 668) **Episema amasina (Hampson,1906)** (Noctuidae) *amasina Hampson,1906* 05 06 18 42 25 36 47 49 50 58 60 65

- 669) *Episema korsakovi* (Christoph,1885) (Noctuidae) *korsakovi* Christoph,1885; *paenulata* Christoph,1885. 01 06 08 14 17 23 36 42 44 45 46 50 51 58 65
- 670) *Episema korsakovi levantina* Hacker,2001 (Noctuidae) *levantina* Hacker,2001 01 06 08 14 17 23 36 42 44 45 46 50 51 58 65
- 671) *Episema lederi* Christoph,1885 (Noctuidae) *lederi* Christoph,1885; *sareptana* Alpheraky,1897; *#lederi* Wiltshire,1937. 04 05 06 21 23 25 36 38 42 44 46 47 49 50 56 58 60 62 63 65
- 672) *Episema tersa* ([Denis & Schiffermüller],1775) (Noctuidae) *tersa* [Denis & Schiffermüller],1775; *trimacula* [Denis & Schiffermüller],1775; *swiderskii* Kostrowicki,1936. 06 14 18 42 46 49 50 51 58 62 65
- 673) *Eremobia asiatica* Draudt,1936 (Noctuidae) *asiatica* Draudt,1936 03 05 06 17 25 30 32 36 42 51 58 65
- 674) *Eublemma* (Glossodice) *polygramma* (Duponchel,[1842]) (Noctuidae) *polygramma* Duponchel,[1842]; *argillacea* Eversmann,1844; *nuda* Christoph,1862; *pudorina* Staudinger,1889; *violetta* Staudinger,1889. 01 03 04 05 06 07 14 18 23 24 25 30 33 35 42 44 46 50 51 58 60 65 66 70 75
- 675) *Eublemma* (chlorotica-gr.) *chlorotica* (Lederer,1858) (Noctuidae) *chlorotica* Lederer,1858 06 23 25 27 42 46 50 51 63
- 676) *Euchalcia* (s.str.) *taurica* (Osthelder,1933) (Noctuidae) *taurica* Osthelder,1933 04 05 06 12 18 25 30 36 42 46 50 51 58 60 65 66
- 677) *Euchalcia* (s.str.) *viridis* (Staudinger,1901) (Noctuidae) *viridis* Staudinger,1901 01 04 06 12 13 24 25 30 36 42 49 58 65 69 70 75
- 678) *Euclidia glyphica* (Linnaeus,1758) (Noctuidae) *glyphica* Linnaeus,1758; *pratensis* Müller,1764 01 05 06 11 12 14 16 19 25 30 37 39 54 58 61 65 67
- 679) *Eugnorisma* (Metagnorisma) *pontica* (Staudinger,1892) (Noctuidae) *pontica* Staudinger,1892 05 06 08 12 18 23 25 30 33 50 62 65 66
- 680) *Eugnorisma* (s.str.) *chaldaica* (Boisduval,1840) (Noctuidae) *chaldaica* Boisduval,1840 01 06 25 42 50 51 58 60 65
- 681) *Eulocastra diaphora* (Staudinger,1879) (Noctuidae) *diaphora* Staudinger,1879; *triangularis* Warren,1888; *atribasalis* Hampson,1896; *laticincta* Staudinger,1898. 05 06 08 09 18 24 25 30 33 36 42 47 50 51 58 65 69
- 682) *Eutelia adoratrix* (Staudinger,1892) (Noctuidae) *adoratrix* Staudinger,1892 05 06 08 17 18 20 30 31 60 65
- 683) *Eutelia adalatrix* (Hübner,[1813]) (Noctuidae) *adalatrix* Hübner,[1813] 01 05 06 07 08 10 14 16 17 18 24 30 31 32 33 35 42 46 50 55 58 65 80
- 684) *Euxoa* (Chorisagrotis) *adumbrata* (Eversmann,1842) (Noctuidae) *adumbrata* Eversmann,1842; *polygonides* Staudinger,1874; *variegata* Wagner,1913; *pamiricola* Kozhantshikov,1937. 06 36 58 70
- 685) *Euxoa* (Orosagrotis) *foeda* (Lederer,1855) (Noctuidae) *foeda* Lederer,1855; *enitens* Corti,1926; *marmorosa* Corti,1927; *vanensis* Draudt,1937. 04 06 08 18 23 25 30 42 46 50 51 62 63 65 70 75
- 686) *Euxoa* (Pleonectopoda) *hilaris* (Freyer,1838) (Noctuidae) *hilaris* Freyer,1838 05 06 08 16 29 34 50 51 58
- 687) *Euxoa* (s.str.) *aquilina* ([Denis & Schiffermüller],1775) (Noctuidae) *aquilina* [Denis & Schiffermüller],1775; *ficilis* Hübner,[1813]; *unicolor* Hübner,[1813]; *petrina* Mayer,1937. 04 05 06 08 12 14 18 24 25 30 32 36 40 42 46 50 51 65 66 75
- 688) *Euxoa* (s.str.) *birivia* ([Denis & Schiffermüller],1775) (Noctuidae) *birivia* [Denis & Schiffermüller],1775; *honnoratina* Donzel,1837; *cuprina* Staudinger,1900; *sudetica* Skala,1929; *caucasica* Spuler,1908; *flavisignata* Corti,1932. 04 06 08 18 24 25 28 30 36 44 46 53 58
- 689) *Euxoa* (s.str.) *conspicua* (Hübner,[1824]) (Noctuidae) *conspicua* Hübner,[1824]; *agricola* Boisduval,1829; *abdit* Joannis,1891; *#indistincta* Strand,1915; *osthelderi* Corti,1931; *complicata* Corti,1931. 01 03 04 05 06 18 23 24 25 30 33 36 38 42 44 45 46 50 51 58 60 62 65 66 70 71
- 690) *Euxoa* (s.str.) *cos* (Hübner,[1824]) (Noctuidae) *cos* Hübner,[1824]; *tephra* Boisduval,1840; *nagyagensis* Freyer,1845; *vacillans* Herrich-Schäffer,[1850]; *millierei* Staudinger,1870; *cycladum* Staudinger,1871; *aphe* Mabilie,1885; *crimaea* A.Bang-Haas,1906; *mesopotamica* A.Bang-Haas,1912; *rubra* Corti,1933. 01 05 06 08 14 18 25 27 36 42 50 51 58 62 65 66 71
- 691) *Euxoa* (s.str.) *deserta* (Staudinger,1870) (Noctuidae) *deserta* Staudinger,1870 06 42
- 692) *Euxoa* (s.str.) *distinguenta* (Lederer,1857) (Noctuidae) *distinguenta* Lederer,1857. 01 06 08 18 24 25 36 42 46 50 58 60 65 70 71
- 693) *Euxoa* (s.str.) *glabella* (Wagner,1930) (Noctuidae) *glabella* Wagner,1930 01 03 06 08 14 25 42 46 50 51 70
- 694) *Euxoa* (s.str.) *heringi* Christoph,1877 (Noctuidae) *heringi* Christoph,1877; *marcens* Staudinger,1893; *signata* Staudinger,1900; *achyricola* Corti,1931. 04 06 24 25 30 40 42 46 50 51 58 60 65 70 76
- 695) *Euxoa* (s.str.) *homicida* (Staudinger,1900) (Noctuidae) *homicida* Staudinger,1900; *#homicia* Hacker & Kautt,1999. 04 05 06 07 18 24 25 29 30 32 36 42 44 46 50 51 58 60 62 65 66 71
- 696) *Euxoa* (s.str.) *luteomixta* (Wagner,1932) (Noctuidae) *luteomixta* Wagner,1932 06 08 18 42 50 58 60 70
- 697) *Euxoa* (s.str.) *mobergi* Fibiger,1990 (Noctuidae) *mobergi* Fibiger,1990 06 42 50
- 698) *Euxoa* (s.str.) *perierga* Brandt,1938 (Noctuidae) *perierga* Brandt,1938 06 30 68
- 699) *Euxoa* (s.str.) *robiginosa* (Staudinger,[1895]) (Noctuidae) *robiginosa* Staudinger,[1895]; *terminalis* Rothschild,1921; *pseudoobelisca* Corti,1932; *intensor* Draudt,1936; *vinirufa* Draudt,1936. 01 06 14 23 42 44 46 49 50 58 63
- 700) *Euxoa* (s.str.) *segnilis* (Duponchel,1836) (Noctuidae) *segnilis* Duponchel,1836; *seliginis* Duponchel,1836; *siliginis* Guenée,1852; *#huebneroides* Boursin,1940; *adriatica* Fiori,1957. 03 06 19 23 25 29 42 50 51 58 59 62 65 68
- 701) *Euxoa* (s.str.) *temera* (Hübner,[1808]) (Noctuidae) *temera* Hübner,[1808]; *ruris* Hübner,[1808]; *villiersii* Guenée,1837; *declarans* Walker,[1857]; *hemispherica* Hampson,1903; *alphonsina* Fernald,1918; *boursini* Schawerda,1931; *perambulans* Corti,1931; *leucotera* Bytinski-Salz & Brandt,1937. 01 05 06 25 33 42 46 50 58 59 60 65 70 71
- 702) *Euxoa* (s.str.) *vitta* (Esper,[1789]) (Noctuidae) *vitta* Esper,[1789] 05 06
- 703) *Euxoa* (s.str.) *zernyi* Boursin,1944 (Noctuidae) *zernyi* Boursin,1944. 06 42 58 70
- 704) *Gonospileia triquetra* ([Denis & Schiffermüller],1775) (Noctuidae) *triquetra* [Denis & Schiffermüller],1775; *aurantiaca* Staudinger,1881. 05 06 58
- 705) *Gortyna cervago* Eversmann,1844 (Noctuidae) *cervago* Eversmann,1844; *#argillago* Draudt,1936. 04 06 25 36 44 58 62 65 69
- 706) *Gortyna moesiaca* Herrich-Schäffer,[1849] (Noctuidae) *moesiaca* Herrich-Schäffer,[1849]; *perlucida* Warren,1911. 04 06 08
- 707) *Grammodes stolidia* (Fabricius,1775) (Noctuidae) *stolidia* Fabricius,1775; *cingularis* Hübner,[1808]; *stipida* Herrich-Schäffer,1851; *curvilinea* Walker,1869. 01 05 06 07 08 16 18 33 39 62 65
- 708) *Graphantha* (Dysgraphhadena) *commoda* (Staudinger,1889) (Noctuidae) *indigna* auct. nec Chr.,1887; *commoda* Staudinger,1889; *manifesta* Christoph,1893; *idumaea* Püngeler,1902; *schlumbergeri* Püngeler,1905 06
- 709) *Griposia aprilina* (Linnaeus,1758) (Noctuidae) *aprilina* Linnaeus,1758; *runica* [Denis & Schiffermüller],1775; *obscurior* Wolfsberger,1969. 06 14
- 710) *Griposia pinkeri* (Kobes,1973) (Noctuidae) *pinkeri* Kobes,1973 06 08 13 42 56
- 711) *Griposia wegneri* Kobes & Fibiger,2003 (Noctuidae) *wegneri* Kobes & Fibiger,2003 06
- 712) *Hada plebeja* (Linnaeus,1761) (Noctuidae) *plebeja* Linnaeus,1761; *nana* Hufnagel,1766; *dentina* [Denis & Schiff.],1775; *leucostigma* Hw.,1809; *odontides* Bsd.,1829; *latenai* Pierret,1837; *hilaris* Zetterstedt,[1839]; *reducta* Rbl. & Zerny,[1932]; *littoralis*, *gredensis*, *nevadensis*, *havelkae* Schawerda,1938. 06 08 16 18 25 36 38 42 49 50 60 75
- 713) *Hadena* (Anepia) *irregularis* (Hufnagel,1766) (Noctuidae) *irregularis* Hufnagel,1766; *echii* Borkhausen,1792; *syngenesiae* Borkhausen,1793; *brecciaeformis* Esper,[1805]. 05 06
- 714) *Hadena* (Anepia) *perplexa* ([Denis & Schiffermüller],1775) (Noctuidae) *perplexa* [Denis & Schiffermüller],1775; *lepida* Esper,[1790] nec Cr.,[1779]; *carphophaga* Brahm,1791; *ochracea* Haworth,1809; *capsophila* Boisduval,1840; *nisus* Germar,[1842]; *repanda* Herrich-Schäffer,[1850]. 01 04 05 06 07 11 14 16 18 20 24 25 29 30 32 33 35 36 42 46 47 48 49 50 51 58 60 63 65 75
- 715) *Hadena* (Anepia) *silenes* (Hübner,[1822]) (Noctuidae) *silenes* Hübner,[1822]; *sejuncta* Herrich-Schäffer,[1850]. 01 02 06 18 21 25 31 33 34 38 46 47 50 63

- 716) **Hadena (Anepia) syriaca (Osthelder,1933)** (Noctuidae) *syriaca Osthelder,1933; osthelderi Draudt,1933.* 01 02 04 05 06 08 14 18 24 25 27 30 32 36 42 46 47 50 51 58 65 66
- 717) **Hadena (Enterpia) roseocandida Hacker,1996** (Noctuidae) *roseocandida Hacker,1996* 01 04 06 12 22 23 25 30 36 42 46 50 58
- 718) **Hadena (Maschukia) pumila (Staudinger,1879)** (Noctuidae) *pumila Staudinger,1879* 01 03 05 06 08 18 23 24 25 30 32 33 36 38 42 44 46 47 49 50 51 58 60 62 65
- 719) **Hadena (Pinkericola) cappadocia Hacker,1987** (Noctuidae) *cappadocia Hacker,1987* 06 12 13 25 30 40 50 51 58 62 65 66
- 720) **Hadena (Pinkericola) tephroleuca (Boisduval,1833)** (Noctuidae) *tephroleuca Boisduval,1833* 04 06 13 18 20 24 25 28 30 32 33 36 38 42 46 48 49 50 51 58 60 65 66
- 721) **Hadena (s.str.(Albimaculia)) albimacula (Borkhausen,1792)** (Noctuidae) *albimacula Borkhausen,1792; concinna Hübner,[1803]; conserta Hübner,[1820].* 05 06 08 18 24 25 28 30 33 42 50 51 58 65 66 69 75
- 722) **Hadena (s.str.(Albimaculia)) gueneei (Staudinger,1901)** (Noctuidae) *gueneei Staudinger,1901; guenei Hampson,1905* 01 03 04 06 08 12 16 18 24 25 30 31 33 36 42 46 47 50 58 65 66 71 80
- 723) **Hadena (s.str.(Albimaculia)) humilis (Christoph,1893)** (Noctuidae) *humilis Christoph,1893; stenoptera Rebel,1933.* 03 04 06 07 12 18 19 24 25 29 30 32 33 35 38 42 44 46 50 51 58 60 65 66 76
- 724) **Hadena (s.str.(Anatoliden)) staudingeri (Wagner,1931)** (Noctuidae) *staudingeri Wagner,1931* 06 08 18 24 25 30 36 40 42 50 51 58 65 66
- 725) **Hadena (s.str.(Dianthoeia)) impressa (Esper,[1790])** (Noctuidae) *#capsincola [Denis & Schiffermüller],1775; impressa Esper,[1790].* 04 05 06 08 18 19 25 28 30 33 36 46 50 51 58 60 65
- 726) **Hadena (s.str.(Filograna)) filograna (Esper,[1788])** (Noctuidae) *filograna Esper,[1788]; filigrama auct.; polymita Hübner,[1803]; xanthocyanea Hübner,[1819]; flavivibica Hübner,[1821].* 05 06 08 25 33 36 50 51 60 65
- 727) **Hadena (s.str.(Hadenobilis)) melanochoa (Staudinger,1892)** (Noctuidae) *melanochoa Staudinger,1892* 01 04 05 06 08 18 24 25 28 30 36 38 42 46 50 51 58 60 65 69 75
- 728) **Hadena (s.str.(Hadenobilis)) vulcanica (Turati,1907)** (Noctuidae) *vulcanica Turati,1907* 01 03 04 06 14 18 24 25 29 30 31 36 42 46 50 51 58 60 65 69 70
- 729) **Hadena (s.str.(Luteocincta)) persimilis Hacker,1996** (Noctuidae) *persimilis Hacker,1996* 06 12 24 25 30 37 42 44 46 50 51 58 62 65 69
- 730) **Hadena (s.str.(Magnoliadena)) magnolii (Boisduval,1828)** (Noctuidae) *magnolii Boisduval,1828; nummosa Eversmann,1844.* 01 04 05 06 09 14 18 24 25 29 32 33 36 42 46 49 50 51 58 65 66
- 731) **Hadena (s.str.(Miselia)) compta ([Denis & Schiffermüller],1775)** (Noctuidae) *compta [Denis & Schiffermüller],1775; viscariæ Guenée,1852; galactina Turati,1908.* 03 04 05 06 08 13 16 18 24 25 29 30 32 36 42 46 49 50 51 58 60 62 63 65 66
- 732) **Hadena (s.str.(Montanohadena)) virescens Hacker,1996** (Noctuidae) *virescens Hacker,1996* 04 06 24 25 30 33 36 50 58 60 65
- 733) **Hadena (s.str.(Zeteolyga)) confusa (Hufnagel,1766)** (Noctuidae) *confusa Hufnagel,1766; conspersa [Denis & Schiffermüller],1775; nana Rottemburg,1776 nec Hufnagel,1766; annulata Fabricius,1781; x-scriptum Sowerby,1806; fasciata Tutt,1902; suffusa Tutt,1902; intermedia Tutt,1902.* 04 06 07 08 09 13 18 25 28 30 33 36 37 46 49 50 60 65 75
- 734) **Hadula (Calocestra (Dianthus)) dianthi (Tauscher,1809)** (Noctuidae) *dianthi Tauscher,1809; dentigera Eversmann,1837; actinobola Eversmann,1837; furculoides Wagner,1930.* 01 04 05 06 18 25 42 49 50 51 58 66 69
- 735) **Hadula (Calocestra (Hadumendax)) mendax (Staudinger,1879)** (Noctuidae) *mendax Staudinger,1879* 01 05 06 07 13 16 18 20 24 25 27 29 30 33 36 37 38 42 46 49 50 51 58 60 65 66 70
- 736) **Hadula (Calocestra (Hadupugnax)) odontites (Boisduval,1829)** (Noctuidae) *odontites Boisduval,1829; microdon Guenée,1852; dalmatina Schwingenschuss,1926; asturica Agenjo,1941.* 06 36 58 66
- 737) **Hadula (Calocestra (Hadupugnax)) pugnax (Hübner,[1824])** (Noctuidae) *pugnax Hübner,[1824]; treitschkii Boisduval,1827; petricolor Turati,1923; italica Berio,1942* 03 04 06 18 24 25 30 32 42 51 58
- 738) **Hadula (Calocestra (Hadutrifolium)) trifolii (Hufnagel,1766)** (Noctuidae) *trifolii Hufnagel,1766; chenopodii [Denis & Schiffermüller],1775; verna Esper,[1787]; saucia Esper,[1790]; infraina Haworth,1809; contribulis Duponchel,1827; farkasii Treitschke,1835; inquieta Walker,1857; albifusa Walker,1857; cinnamomina Rothschild,1913; taylori Rothschild,1921* 04 05 06 07 08 16 17 18 23 25 31 32 36 39 37 39 42 45 46 49 50 51 53 57 58 60 62 63 65
- 739) **Hadula (Calocestra (Stigmosea)) stigmosea (Christoph,1887)** (Noctuidae) *stigmosea Christoph,1887.* 06 33 35 36 38 50 58 66
- 740) **Haemerodia renalis (Hübner,[1813])** (Noctuidae) *renalis Hübner,[1813]* 05 06 12 15 16 25 30 32 33 36 40 42 47 50 62 65 66
- 741) **Hecatera bicolorata (Hufnagel,1766)** (Noctuidae) *bicolorata Hufnagel,1766; serena [Denis & Schiffermüller],1775; placida Esper,[1791]; hieracii Bkh.,1793; par Donovan,1801; monticola Dup.,1826; leuconota Eversmann,1837; intermedia Walker,[1858]; obscura Staudinger,1861.* 01 04 05 06 07 08 14 18 24 25 28 29 30 33 36 46 49 50 51 58 60 63 65 66 75
- 742) **Hecatera cappa (Hübner,[1809])** (Noctuidae) *cappa Hübner,[1809]* 05 06 16 17 18 25 36 40 42 51 58 62 65
- 743) **Hecatera spinaciae (Vieweg,1790)** (Noctuidae) *#dysodea [Denis & Schiffermüller],1775; spinaciae Vieweg,1790; ornata De Villers,1789; chrysozona Borkhausen,1792; ranunculina Haworth,1809; caduca Herrich-Schaffer,[1851]; innocens Staudinger,1871; subflava Warren,1910.* 01 04 05 06 07 14 16 18 20 24 25 32 33 36 46 50 51 58 60 62 63 65 66
- 744) **Helicoverpa armigera (Hübner,[1808])** (Noctuidae) *barbara Fabricius,1794 [rejected]; armigera Hübner,[1808]; pulverosa Walker,[1857]; uniformis Wallengren,1860; rama Bhattacharjee & Gupta,1972.* 01 04 05 06 08 16 20 25 28 33 36 46 47 50 51 53 58 61 65 71
- 745) **Heliophobus reticulata (Goeze,1781)** (Noctuidae) *calcatrappae Vieweg,1790; saponariae Borkhausen,1792; marginosa Haworth,1809; hibernica Cockayne,1944.* 06 50 58
- 746) **Heliophobus unicolor (Alpheraky,1889)** (Noctuidae) *unicolor Alpheraky,1889* 06 07 08 14 18 24 25 28 33 36 38 42 46 49 50 51 58 60 65 75
- 747) **Heliopsis maritima Graslin,1855** (Noctuidae) *maritima Graslin,1855* 06 25 36 50
- 748) **Heliopsis peltigera ([Denis & Schiffermüller],1775)** (Noctuidae) *peltigera [Denis & Schiffermüller],1775; alpea Cramer,1780; florentina Esper,[1788]; charmione Stoll,1790; straminea Donovan,1793; insulata Navas,1924.* 01 05 06 07 08 16 18 20 24 25 27 31 33 36 38 42 45 46 50 51 56 58 65 66 73 80
- 749) **Heliopsis viriplaca (Hufnagel,1766)** (Noctuidae) *viriplaca Hufnagel,1766; dipsacea Linnaeus,1767; spargulariae Lederer,1857; #dispaceus Alpheraky,1882; salamantina Fernald,1928.* 01 03 04 05 06 10 16 17 18 19 25 31 32 33 42 45 46 50 51 58 60 62 63 65
- 750) **Heterophya dumetorum (Geyer,1834)** (Noctuidae) *dumetorum Geyer,1834* 01 04 06 08 24 25 30 36 42 46 51 58 60 62 65 66 69
- 751) **Hoplodrina ambigua ([Denis & Schiffermüller],1775)** (Noctuidae) *ambigua [Denis & Schiffermüller],1775; plantaginis Hübner,[1813]; uniformis Swinhoe,1885* 01 05 06 08 09 10 17 18 20 23 24 25 27 31 32 33 34 35 36 37 38 39 42 45 46 48 50 51 56 58 64 65 69 80
- 752) **Hoplodrina levis (Staudinger,1888)** (Noctuidae) *levis Staudinger,1888* 01 06 25 30 36 51 58 65
- 753) **Hoplodrina octogenaria (Goeze,1781)** (Noctuidae) *octogenaria Goeze,1781; alsines Brahm,1791; sordida Haworth,1809 nec Hübner,[1803]* 06 14 16 19 37 38 39 58 61 66 75
- 754) **Hoplodrina respersa ([Denis & Schiffermüller],1775)** (Noctuidae) *respersa [Denis & Schiffermüller],1775; margaritacea Borkhausen,1792 nec Vill.,1789* 06 16
- 755) **Hoplodrina superstes (Ochsenheimer,1816)** (Noctuidae) *superstes Ochsenheimer,1816* 01 04 05 06 08 12 14 25 30 33 36 37 50 53 66 75
- 756) **Hypena munitalis Mann,1861** (Noctuidae) *munitalis Mann,1861.* 01 05 06 07 08 12 24 25 32 33 42 49 50 51 56 58 65 69
- 757) **Hypena obesalis Treitschke,1829** (Noctuidae) *obesalis Treitschke,1829* 06 25 30 36 37 75
- 758) **Hypena proboscidalis (Linnaeus,1758)** (Noctuidae) *proboscidalis Linnaeus,1758* 06 08 14 16 25 34 52 53 61
- 759) **Hypenodes anatica Schwingenschuss,1938** (Noctuidae) *anatica Schwingenschuss,1938; nigrilis Ronkay,1984.* 06 42

- 760) **Janthinea friwaldskii** (Duponchel,1835) (Noctuidae) *friwaldskii* Duponchel,1835; *viola* Freyer,1836; *#violacea* Staudinger,1879; *frivaldszci* Hampson,1910. 05 06 16 26 35 42 45 50
- 761) **Jodia croceago** (Fabricius,1787) (Noctuidae) *#croceago* [Denis & Schiffermüller],1775; *croceago* Fabricius,1787; *aurantiagio* Donovan,1796; *corsica* Mabilie,1868 05 06 08 11 24 31 42 46 56 58
- 762) **Lacanobia (Dianobia) dissimilis** (Knoch,1781) (Noctuidae) *#suasa* [Denis & Schiffermüller],1775; *dissimilis* Knoch,1781; *leucographa* Esper,[1790]; *denscanis* Haworth,1809; *permixta* Geyer,[1833]; *pavida* Boisduval,1840; *confluens* Eversmann,1844; *laeta* Reuter,1893. 06 24
- 763) **Lacanobia (Dianobia) thalassina** (Hufnagel,1766) (Noctuidae) *thalassina* Hufnagel,1766; *humeralis* Haworth,1809; *achates* Hübner,[1813]. 01 05 06 08 18 25 32 36 39 50 65 66 75
- 764) **Lacanobia (Diataraxia) blenna** (Hübner,[1824]) (Noctuidae) *blenna* Hübner,[1824]; *peregrina* Treitschke,1825; *trimenda* Geyer,[1832]; *guenei* Bruand,1850. 05 06 16 18 42
- 765) **Lacanobia (Diataraxia) oleracea** (Linnaeus,1758) (Noctuidae) *oleracea* Linnaeus,1758; *spinaciae* Borkhausen,1792; *variegata* Austaut,1885; *essoni* Hampson,1909; *albolineata* Matsumura,1926; *#pallida* Bytinski-Salz & Brandt,1937 05 06 07 16 18 25 28 38 39 43 44 50 58 61 65 75
- 766) **Lacanobia (s.str.) w-latinum** (Hufnagel,1766) (Noctuidae) *w-latinum* Hufnagel,1766; *genistae* Borkhausen,1792; *dives* Donovan,1801; *umbrosa* Bytinski-Salz & Brandt,1937; *diniensis* Heinrich,1938; *caerulescens* Schwingenschuss,1962. 04 05 06 11 18 24 25 28 33 34 37 39 42 49 50 58 60 65
- 767) **Lampra fimbriata** (Schreber,1759) (Noctuidae) *fimbriata* Schreber,1759; *domiduca* Hufnagel,1766; *fimbria* Linnaeus,1767; *solani* Fabricius,1787. 03 05 06 07 08 12 13 14 16 18 25 29 30 39 42 43 46 49 51 60 62 65 80
- 768) **Lampra tirrenica** (Biebing, Speidel & Hanigk,1983) (Noctuidae) *tirrenica* Biebing, Speidel & Hanigk,1983 05 06 14 30 33 43 50 57
- 769) **Lamprocticta culta** ([Denis & Schiffermüller],1775) (Noctuidae) *#culta* [Denis & Schiffermüller],1775 06 07 13 14 18 24 25 32 37 42 50 58 62 65 66
- 770) **Lasionycta proxima** (Hübner,[1809]) (Noctuidae) *proxima* Hübner,[1809]; *cana* Eversmann,1841; *ochrostigma* Eversmann,1842; *extensa* Eversmann,1844; *nevadensis* Reisser,1926; *noguera* De Laever,1976. 01 06 08 25 36 60
- 771) **Ledereragrotis multifida** (Lederer,1870) (Noctuidae) *multifida* Lederer,1870; *sanctimoritzii* A.Bang-Haas,1906 04 06 38 42 51 65
- 772) **Leucania comma** (Linnaeus,1761) (Noctuidae) *comma* Linnaeus,1761; *turbida* Hübner,[1803]; *congener* Hübner,[1817]; *rhodocomma* Püngeler,1900; *engadinensis* Wagner,1909. 06 08 18 25 28 36 60 75
- 773) **Leucania loreyi** (Duponchel,1827) (Noctuidae) *loreyi* Duponchel,1827; *caricis* Walker,1856; *collecta* Walker,1856; *curcula* Walker,1856; *denotata* Walker,1856; *designata* Walker,1856; *exterior* Walker,1856; *thoracica* Walker,1856. 06 07 08 14 17 24 25 28 33 36 42 46 50 58 62 65 80
- 774) **Leucania zaeae** (Duponchel,1827) (Noctuidae) *zaeae* Duponchel,1827; *indistincta* Christoph,1887; *putrida* Staudinger,1889; *cinerea* Lucas,1948 06 50
- 775) **Leucochlaena hoerhammeri** (Wagner,1931) (Noctuidae) *hoerhammeri* Wagner,1931 06 32 42 50 63
- 776) **Leucochlaena muscosa** (Staudinger,1892) (Noctuidae) *muscosa* Staudinger,1892; *hirsutus* Staudinger,1892 05 06 23 44 45 46 47 50 63
- 777) **Lithophane ornitopus** (Hufnagel,1766) (Noctuidae) *ornitopus* Hufnagel,1766; *rhizolitha* [Denis & Schiffermüller],1775; *pitzalisi* Hartig,1976 05 06 08 16 24 62
- 778) **Luperina diversa** (Staudinger,1892) (Noctuidae) *diversa* Staudinger,1892; *indistincta* Rebel,1933 01 04 05 06 12 13 18 21 55 56 58 60 62 65 66 73
- 779) **Luperina rjabovi** (Kljutschko,1967) (Noctuidae) *rjabovi* Kljutschko,1967 06 46 63 65
- 780) **Lycophorus ankarensis** (Rebel,1931) (Noctuidae) *ankarensis* Rebel,1931; *wichgrafi* Corti & Draudt,1933; *#ankariensis* Hacker,2001 06 23 38 42 44 46 50 58 60
- 781) **Lygephila cracca** (Fabricius,1787) (Noctuidae) *#cracca* [Denis & Schiffermüller],1775; *riata* Rungs,1952; *cracca* Fabricius,1787; *#cracca* Hacker & Kautt,1999. 01 05 06 07 08 12 13 14 16 17 18 22 24 25 29 30 33 36 42 48 50 58 60 62 63 65 75
- 782) **Lygephila lusoria** (Linnaeus,1758) (Noctuidae) *lusoria* Linnaeus,1758 01 03 04 05 06 07 08 11 18 24 25 32 33 36 42 49 50 51 58 62 66 70
- 783) **Lygephila lusoria amasina** (Staudinger,1879) (Noctuidae) *amasina* Staudinger,1879; *sublutea* Warren,1913. 01 03 04 05 06 07 08 11 18 24 25 32 33 36 42 49 50 51 58 62 66 70
- 784) **Lygephila pastinum** (Treitschke,1826) (Noctuidae) *pastinum* Treitschke,1826; *dilutior* Staudinger,1892. 04 06 25 29 36
- 785) **Lygephila procax** (Hübner,[1813]) (Noctuidae) *procax* Hübner,[1813]; *limosa* Treitschke,1826. 06 07 11 14 58
- 786) **Mamestra brassicae** (Linnaeus,1758) (Noctuidae) *brassicae* Linnaeus,1758; *omicron* Geoffroy,1785; *albidilinea* Haworth,1809; *andalusica* Staudinger,1871; *decolorata* Staudinger,1889. 05 06 16 61 66
- 787) **Meganephria bimaculosa** (Linnaeus,1767) (Noctuidae) *bimaculosa* Linnaeus,1767; *italica* Esper,[1791]; *binubeculosa* Esper,[1804]. 05 06 42 46 56
- 788) **Meganola albula** ([Denis & Schiffermüller],1775) (Noctuidae) *#albula* [Denis & Schiffermüller],1775 06 34
- 789) **Meganola gigantula** (Staudinger,1879) (Noctuidae) *gigantula* Staudinger,1879 05 06 33 46
- 790) **Meganola strigula** ([Denis & Schiffermüller],1775) (Noctuidae) *#strigula* [Denis & Schiffermüller],1775 06 10 64
- 791) **Melanchra persicariae** (Linnaeus,1761) (Noctuidae) *persicariae* Linnaeus,1761; *sambuci* Hufnagel,1766; *graphica* Geoffroy,1785; *accipitrina* Esper,[1788]. 06 08 14 28 53 61 67
- 792) **Mesapamea (s.str.) secalis** (Linnaeus,1758) (Noctuidae) *secalis* Linnaeus,1758 04 06 07 17 30 37 39 46 50
- 793) **Mesogona acetosellae** (Goeze,1781) (Noctuidae) *#acetosellae* [Denis & Schiffermüller],1775; *acetosellae* Goeze,1781; *vorbodti* Wehrli,1917; *grisea* Dannehl,1929; *pallida* Dannehl,1929; *segoviensis* Calle,1982; *#clarescens* Calle,1982 05 06 14 18 24 25 38 58 65
- 794) **Mesoligia literosa** (Haworth,[1809]) (Noctuidae) *literosa* Haworth,[1809]; *erraticula* Hübner,[1813]; *faroulti* Rothschild,1914; *powelli* Oberthür,1918 03 06 07 08 24 25 36 38 42 50 51 58 62 65 66 69 75
- 795) **Metachrostis dardouini** (Boisduval,1840) (Noctuidae) *dardouini* Boisduval,1840 06 10 13 16 23 30 32 33 50 56 58
- 796) **Metaegle pallida** (Staudinger,1892) (Noctuidae) *pallida* Staudinger,1892 06 07 23 30 32 46 47
- 797) **Micranthia decorata** (Frivaldsky,1845) (Noctuidae) *decorata* Frivaldsky,1845 06 16 46
- 798) **Mniotype adusta** (Esper,[1790]) (Noctuidae) *adusta* Esper,[1790]; *duplex* Haworth,1809; *valida* Hübner,[1813]; *vultarina* Freyer,1832; *chardinyi* Duponchel,[1838]; *pavida* Boisduval,1840; *baltica* Hering,1846; *vulturinea* Herrich-Schäffer,[1850]; *vicina* Alpheraky,1882; *grisescens* Standfuss,1893; *aterrima* Costantin.,1916; *carpathica* Kaucki 04 06 08 18 24 25 28 50 53 75
- 799) **Mormo maura** (Linnaeus,1758) (Noctuidae) *maura* Linnaeus,1758; *lemur* Meinecke,1775; *usta* Fourcroy,1785; *deusta* Geoffroy,1799; *cypriaca* Hacker,1996 06 08 30 33 46
- 800) **Mythimna (Aletia) l-album** (Linnaeus,1767) (Noctuidae) *l-album* Linnaeus,1767; *penicillata* Moore,1881 05 06 07 08 10 12 16 17 18 25 30 32 33 34 38 39 42 45 46 50 51 56 58 63 65 69 80
- 801) **Mythimna (Aletia) pallens** (Linnaeus,1758) (Noctuidae) *pallens* Linnaeus,1758; *ectypa* Hübner,[1803]; *rufescens* Haworth,1803; *arcuata* Stephens,1829; *ochracea* Stephens,1829; *suffusa* Stephens,1829. 06 34 35 42 50
- 802) **Mythimna (Aletia) sassanidica** (Hacker,1986) (Noctuidae) *sassanidica* Hacker,1986 04 06 08 24 25 30 36 46 58 60 65
- 803) **Mythimna (Aletia) scirpi** (Duponchel,1836) (Noctuidae) *scirpi* Duponchel,1836; *dactylidis* Boisduval,1840; *montium* Boisduval,1840; *cypri* Boisduval,1840; *fusculinea* Graslin,1852; *syriaca* Osthelder,1933. 06 07 46 47
- 804) **Mythimna (Aletia) vitellina** (Hübner,[1808]) (Noctuidae) *vitellina* Hübner,[1808]; *decolorata* Dannehl,1929; *saturatior* Dannehl,1929; *grisescens* Dannehl,1929. 01 03 05 06 07 08 09 16 17 18 22 23 24 25 27 28 29 31 33 34 35 36 37 39 42 44 45 46 50 51 52 56 58 62 63 65 80

- 805) **Mythimna (Hyphilare) ferrago (Fabricius,1787)** (Noctuidae) *ferrago Fabricius,1787; lythargyria Esper,[1788]; grisea Stephens,1829; anargyria Boisduval,1840; argyristis Rambur,1858; meridionalis Dannehl,1926* 01 04 06 12 08 24 28 33 36 39 42 45 46 50 58 61 62 65 66
- 806) **Naenia typica (Linnaeus,1758)** (Noctuidae) *typica Linnaeus,1758; filicis Goeze,1781; venosa Hübner,[1803]; excusa Esper,[1805]; clari-color Schawerda,1928.* 06 16
- 807) **Noctua (Divaena) haywardi (Tams,1926)** (Noctuidae) *haywardi Tams,1926; balcanica Slivov,1985* 01 05 06 07 14 17 18 22 33 42 43 51 65 66
- 808) **Noctua (Euschesis) janthina (Denis & Schiffermüller,1775)** (Noctuidae) *janthina [Denis & Schiffermüller],1775; latimarginata Röber,1900.* 01 05 06 07 16 17 18 30 33 38 39 42 46 60
- 809) **Noctua (Latanotua) orbona (Hufnagel,1766)** (Noctuidae) *orbona Hufnagel,1766; subsequa [Denis & Schiffermüller],1775; caroni Lempke,1964.* 01 03 04 05 06 07 08 16 17 18 23 25 27 28 30 31 38 39 42 43 46 50 51 58 60 62 63 65 66
- 810) **Noctua (Paranoctua) comes (Hübner,[1813])** (Noctuidae) *orbona Fabricius,1787 nec Hufn.,1767; comes Hübner,[1813]; adsequa Treitschke,1825; prosequa Treitschke,1825; bergensis Sp.-Schn.,1901.* 01 05 06 07 08 09 10 16 22 30 31 33 39 42 43 45 46 56
- 811) **Noctua (s.str.) pronuba (Linnaeus,1758)** (Noctuidae) *pronuba Linnaeus,1758; connuba Hübner,[1822]; innuba Treitschke,1825; hoegei Herrich-Schäffer,1861; nigra Krausse,1912 nec Piesz.,1908; decolorata Turati,1923.* 01 04 05 06 07 08 14 16 18 24 27 28 33 34 35 39 42 43 44 45 46 50 51 58 60 61 62 65 71
- 812) **Nola cicatricalis (Treitschke,1835)** (Noctuidae) *cicatricalis Treitschke,1835* 06 07 11 17 30 31 33 34 43 46
- 813) **Nola subchlamydula Staudinger,1870** (Noctuidae) *subchlamydula Staudinger,1870* 05 06 07
- 814) **Nycteola asiatica (Krulikovsky,1904)** (Noctuidae) *asiatica Krulikovsky,1904; populana Patočka,1953; hungarica Kovacs,1954.* 01 05 06 07 08 11 18 19 23 24 25 42 44 50 51 56 58 63 65 66 69 75
- 815) **Odice arcuinna (Hübner,1790)** (Noctuidae) *arcuinna Hübner,1790; inamoena Hübner,[1803].* 05 06 10 14 16 17 20 25 32 33 35 36 38 42 51 58 66 80
- 816) **Odice suava (Hübner,[1813])** (Noctuidae) *suava Hübner,[1813].* 03 06 08 11 14 17 18 19 25 39 42 50 51 65 66
- 817) **Oligia latruncula (Denis & Schiffermüller,1775)** (Noctuidae) *latruncula [Denis & Schiffermüller],1775* 06 17 25 32 33 35 39 41 42 46 50 66
- 818) **Oligia strigilis (Linnaeus,1758)** (Noctuidae) *strigilis Linnaeus,1758; praeduncula [Denis & Schiffermüller],1775.* 05 06 08 16 31 34 45 75
- 819) **Oligia turcia Rezbanyai-Reser,1997** (Noctuidae) *turcia Rezbanyai-Reser,1997* 06 11 18 22 24 32 42 49 50 51 60 65 75
- 820) **Omphalophana antirrhinii (Hübner,[1803])** (Noctuidae) *antirrhinii Hübner,[1803]* 05 06 16 17 18 24 25 33 35 42 45 46 50 51 58 60 63 65
- 821) **Ophiusa lunaris (Goeze,1781)** (Noctuidae) *#lunaris [Denis & Schiffermüller],1775; lunaris Goeze,1781; ventrilabris Fabricius,1787; tarsiplumalis Hübner,1796; chosensis Bryk,1949.* 01 05 06 07 10 16 18 25 32 33 35 39 42 50 56 62 65
- 822) **Ophiusa tirhaca (Cramer,[1777])** (Noctuidae) *tirhaca Cramer,[1777]; #tirrhaea Fabricius,1781; vesta Esper,1789; olivacea Villers,1789; auricularis Hübner,[1803]; separans Walker,1858; hottentota Guenée,1852; clementi Swinhoe,1918; #demarginata Heydemann et al.,1963; obscura Pinker & Bacallado,1978* 01 05 06 07 16 33
- 823) **Oria musculosa (Hübner,[1808])** (Noctuidae) *musculosa Hübner,[1808]; laeta Alpheraky,1889.* 05 06 07 15 18 19 22 25 32 33 38 42 45 46 50 51 58 66
- 824) **Orthosia (Dioszeghyana) schmidtii (Díószeghy,1935)** (Noctuidae) *schmidtii Díószeghy,1935* 02 06 07 16 33
- 825) **Orthosia (Monima) pulverulenta (Esper,[1786])** (Noctuidae) *#cruda [Denis & Schiffermüller],1775; pulverulenta Esper,[1786]; corticina Villers,1789; nanus Haworth,[1803].* 01 05 06 07 09 13 17 20 23 30 35 46 58 59 63
- 826) **Orthosia (Semiophora) gothica (Linnaeus,1758)** (Noctuidae) *gothica Linnaeus,1758; nunatrum [Denis & Schiffermüller],1775; gothicina Herrich-Schäffer,[1849].* 06 07 09 13 22 34 43
- 827) **Orthosia (s.str.) incerta (Hufnagel,1766)** (Noctuidae) *incerta Hufnagel,1766; instabilis [Denis & Schiffermüller],1775; collinita Esper,[1790]; contracta Esper,[1790]; trigutta Esper,[1790]; nebulosus Haworth,1803; subsetaceus Haworth,1803; angustus Haworth,1803; fuscatus Haworth,1803; pallida Lampy,1885 nec Hw.,1809; pallidior Staudinger,1901 nec Stgr.,1888* 03 04 06 09 15 31 32 34 43 46 50 58
- 828) **Orthosia gracilis (Fabricius,1787)** (Noctuidae) *#gracilis [Denis & Schiffermüller],1775; gracilis Fabricius,1787; lepida Brahm,1791; sparsus Haworth,1803; pallidior Staudinger,1888.* 03 06 17 26 50 58
- 829) **Orthosia rubricosa (Esper,[1786])** (Noctuidae) *#miniosa [Denis & Schiffermüller],1775; rubricosa Esper, [1786].* 05 06 07 09 11 13 17 30 33 43 46 56 58 62 63
- 830) **Osthelderia gracilis (Osthelder,1933)** (Noctuidae) *gracilis Osthelder,1933* 06 23 44 46
- 831) **Pamparama acuta (Freyer,[1837])** (Noctuidae) *acuta Freyer,[1837]; producta Lederer,1857; pygmaea Staudinger,1871.* 02 06 07 09 16 23 30 32 34 35 38 42 46 50 51 63
- 832) **Panolis flammea (Denis & Schiffermüller,1775)** (Noctuidae) *flammea [Denis & Schiffermüller],1775* 06 42 43
- 833) **Parascotia robiginosa (Staudinger,1892)** (Noctuidae) *robiginosa Staudinger,1892* 01 05 06 07 33 42 46 62
- 834) **Parastichtis corticea (Esper,[1800])** (Noctuidae) *#ypsillon [Denis & Schiffermüller],1775; ipsilon Goeze,1781 nec Hufn.,1766; corticea Esper,[1800]; fissipuncta Haworth,1809; upsilon Curtis,1828.* 01 06 10 17 25 30 35 36 49 50 51 58 60 62 66 75
- 835) **Pechipogo strigilata (Linnaeus,1758)** (Noctuidae) *strigilata Linnaeus,1758; #barbalis Clerck,1759; palpalis Fabricius,1775; pectitalis Hübner,1796; barbatus Fabricius,1798; palpata Haworth,1809.* 06 16 25
- 836) **Pericyma albidentaria (Freyer,1842)** (Noctuidae) *albidentaria Freyer,1842* 06 09 19 23 33 35 36 42 44 50 56 58 66
- 837) **Pericyma squalens Lederer,1855** (Noctuidae) *squalens Lederer,1855* 01 06 23 33 63
- 838) **Peridroma saucia (Hübner,[1808])** (Noctuidae) *saucia Hübner,[1808]; majuscula Haworth,1809; margaritosa Haworth,1809; aequa Hübner,[1813]; orophila Geyer,1837; inermis Harrison,1841; infuscata Blanchard,1852; stictica Blanchard,1852; ambrosioides Walker,[1857]; impacta Walker,[1857]; intacta Walker,[1857]; angulifera Wallengren,1860; ortonii Packard,1869; phillipsi Caspari,1899; ochronota Hampson,1903; cynnaea Spuler,1908; tenebricosa Schawerda,1929.* 01 05 06 08 16 17 18 22 29 31 33 34 38 42 46 50 51 58 70 80
- 839) **Perigrapha (Opacographa) (Turcographa) rorida (Frivaldsky,1835)** (Noctuidae) *rorida Frivaldsky,1835; ganimetiae Kornosor & Lödl,1990* 01 05 06 07 09 15 16 17 31 32 33 35 43 45 46 56 62
- 840) **Perigrapha (s.str.) i-cinctum (Denis & Schiffermüller,1775)** (Noctuidae) *i-cinctum [Denis & Schiffermüller],1775; cincta Fabricius,1787; slovenica Michieli,1966.* 02 06 07 15 22 25 30 32 46 51 58 62 73
- 841) **Periphanes delphinii (Linnaeus,1758)** (Noctuidae) *delphinii Linnaeus,1758; darollesi Oberthür,1876; delphini Hampson,1903.* 01 04 05 06 07 18 22 23 24 25 32 42 44 46 50 51 58 60 65 66
- 842) **Periphanes victorina (Sodoffsky,1849)** (Noctuidae) *victorina Sodoffsky,1849* 05 06 08 14 15 16 18 23 24 25 30 32 33 46 50 51 55 58 65 69 70
- 843) **Phleboeis sureyae (Rebel,1931)** (Noctuidae) *sureyae Rebel,1931.* 04 06 23 44 46 58 62 75
- 844) **Phlogophora meticulosa (Linnaeus,1758)** (Noctuidae) *meticulosa Linnaeus,1758; lamii Schadewald,1993* 05 06 07 14 16 18 24 25 33 34 38 46 50 51 56 58 65
- 845) **Phyllophila oblitterata (Rambur,1833)** (Noctuidae) *oblitterata Rambur,1833; wimmerii Treitschke,1835; recta Eversmann,1844; cretacea Butler,1879; venerica Bryk,1949.* 06 07
- 846) **Plusia festucae (Linnaeus,1758)** (Noctuidae) *festucae Linnaeus,1758* 05 06 13 33 42 49 65
- 847) **Polia sagittigera (Hufnagel,1766)** (Noctuidae) *sagittigera Hufnagel,1766; leucophaea [Denis & Schiffermüller],1775; fulminea Fabricius,1781; vestigialis Esper,[1785]; ravida Esper,[1789]; pyrenaica Oberthür,1884; incana Millièrre,1885.* 01 06 16 18 25 33 42 46 49 50 51 60 61 65

- 848) **Polymixis (Myxinia) rufocincta (Geyer,1828)** (Noctuidae) *rufocincta* Geyer,[1828]; *farinosa* Freyer,1848; *mucida* Guenée,1852. 01 05 06 08 13 31 44 46 56 58 62
- 849) **Polymixis (Parabrachionycha) trisignata (Ménétriés,1847)** (Noctuidae) *trisignata* Ménétriés,1847; *leuconota* Herrich-Schäffer,[1850]; *nasamonius* Turati,1924 05 06 19 36 45 46 50 56 58 63 64 65 70
- 850) **Polymixis (s.str.) manisadjiani (Staudinger,1881)** (Noctuidae) *manisadjiani* Staudinger,1881 05 06 08 33 42 44 46 50 51 58 62
- 851) **Polymixis (s.str.) paravarga Ronkay,1990** (Noctuidae) *paravarga* Ronkay,1990 06
- 852) **Polymixis (s.str.) polymita (Linnaeus,1761)** (Noctuidae) *Phalaena viridiobscura* Gz.,1781; *Noctua ridens* Hbn.,[1803]; *Polia polymita aithalodes* Dannehl,1929. 06 14
- 853) **Polyphaenis viridis (De Villers,1789)** (Noctuidae) *sericata* Esper,[1787] *nec* ; *viridis* De Villers,1789. 05 06 17 33 48
- 854) **Powellinia carthalina (Christoph,1893)** (Noctuidae) *carthalina* Christoph,1893 04 06 18 25 28 36 51 60 65
- 855) **Praestilbia armeniaca Staudinger,1892** (Noctuidae) *armeniaca* Staudinger,1892; *#designata* Bytinski-Salz,1936 05 06
- 856) **Pseudenargia regina (Staudinger,1892)** (Noctuidae) *regina* Staudinger,1892 01 03 05 06 08 13 18 31 33 36 42 46 50 51 58 62 65
- 857) **Pseudeustrotia candidula ([Denis & Schiffermüller],1775)** (Noctuidae) *candidula* [Denis & Schiffermüller],1775 06 16 33 58
- 858) **Pseudeustrotia deceptor (Scopoli,1763)** (Noctuidae) *deceptor* Scopoli,1763 06
- 859) **Pseudoips prasinana (Linnaeus,1758)** (Noctuidae) *prasinana* Linnaeus,1758; *fagana* Fabricius,1781; *sylvana* Fabricius,1794; *britannica* Warren,1913. 01 06 14 28 34 37 39 42 43 53 61 66
- 860) **Pyrois cinnamomea (Goeze,1781)** (Noctuidae) *cinnamomea* Goeze,1781 06 42 56
- 861) **Pyrrhia treitschkii (Frivaldszky,1835)** (Noctuidae) *treitschkii* Frivaldszky,1835. 04 05 06 07 08 13 25 30 33 36 44 46 63 65
- 862) **Pyrrhia umbra (Hufnagel,1766)** (Noctuidae) *umbra* Hufnagel,1766; *marginata* Fabricius,1775; *rutilago* [Denis & Schiffermüller],1775; *conspicua* Borkhausen,1792; *umbrago* Esper,[1796]; *marginago* Haworth,1809; *aconiti* Hölzermann,1902. 05 06 13 14 24 25 30 33 36 52 61 69
- 863) **Recophora beata (Staudinger,1892)** (Noctuidae) *beata* Staudinger,1892 01 06 13 23 24 30 42 63 65 73
- 864) **Rhyacia (s.str.) arenacea (Hampson,1907)** (Noctuidae) *arenacea* Hampson,1907; *pseudosimulans* Kozhantschikov,1929. 06 18 25 32 33 38 50 51 58 66
- 865) **Rhyacia (s.str.) lucipeta ([Denis & Schiffermüller],1775)** (Noctuidae) *lucipeta* [Denis & Schiffermüller],1775. 06 08 25 36 38 46 49 50 58 60 64 65 66
- 866) **Rhyagla lacernaria (Hübner,[1813])** (Noctuidae) *lacernaria* Hübner,[1813]; *glarea* Treitschke,1826; *cretula* Freyer,1842 03 05 06 20 27 42 45 46 50 51 65
- 867) **Rileyana fovea (Treitschke,1825)** (Noctuidae) *fovea* Treitschke,1825 06 24
- 868) **Saragossa siccanorum (Staudinger,1870)** (Noctuidae) *siccanorum* Staudinger,1870. 06
- 869) **Saragossa siccanorum poecilographa Varga & Ronkay,1991** (Noctuidae) *poecilographa* Varga & Ronkay,1991 06
- 870) **Schinia cardui (Hübner,1790)** (Noctuidae) *cardui* Hübner,1790; *purpurata* Staudinger,1901; *majellana* Dannehl,1933. 06 08 21 36 58 62
- 871) **Scotochrosta pulla ([Denis & Schiffermüller],1775)** (Noctuidae) *#pulla* [Denis & Schiffermüller],1775 06 13 24 42 56
- 872) **Scythrocentropus misella (Püngeler,1907)** (Noctuidae) *misella* Püngeler,1907 06 36 50
- 873) **Sideridis (Luteohadena) literata (Fischer v. Waldheim,1840)** (Noctuidae) *literata* Fischer v. Waldheim,1840; *suffusa* De Freina,1983. 06 69
- 874) **Sideridis (Luteohadena) luteago ([Denis & Schiffermüller],1775)** (Noctuidae) *luteago* [Denis & Schiffermüller],1775; *brunneago* Esper,[1804]; *nigrescens* Wagner,1926 (*praeocc.*); *ottomana* Koçak,1990. 04 05 06 07 08 11 18 21 24 25 29 30 33 36 42 49 50 58 60 61 65
- 875) **Sideridis (s.str.) implexa (Hübner,[1809])** (Noctuidae) *implexa* Hübner,[1809] 06 10 18 46 50 60
- 876) **Simyra dentinosa Freyer,1839** (Noctuidae) *dentinosa* Freyer,1839; *leucaspis* Fischer v. Waldheim,1840; *zeliha* Kornosor & Lödl,1990 05 06 20 25 26 30 33 34 42 46 50 56 58 60 62 65
- 877) **Spaelotis ravida ([Denis & Schiffermüller],1775)** (Noctuidae) *ravida* [Denis & Schiffermüller],1775; *austera* Esper,[1789]; *obducta* Esper,[1789]; *bigramma* Esper,[1790]; *obscura* Brahm,1791 *nec* Cramer,1780; *salva* Corti & Draudt,1933. 04 05 06 14 18 25 36 42 50 58 62 65 66 73
- 878) **Spaelotis senna (Freyer,1829)** (Noctuidae) *senna* Freyer,1829; *senna* Geyer,[1832] *nec* Frr.,1829; *germanica* Spuler,1905; *violetta* Schawerda,1934 04 06 18 19 24 25 30 33 42 50 51 58 66
- 879) **Spudaea castanea Osthelder,1933** (Noctuidae) *#castanea* Warren,1911; *castanea* Osthelder,1933; *pontica* Kljutschko,1968 05 06 07 09 11 15 31 33 46 58 62
- 880) **Standfussiana lucerneae (Linnaeus,1758)** (Noctuidae) *lucernea* Linnaeus,1758 06 18 25 30 44 46 58
- 881) **Teinoptera olivina (Herrich-Schäffer,[1852])** (Noctuidae) *olivina* Herrich-Schäffer,[1852] 01 05 06 08 18 21 24 25 32 33 36 42 50 51 58 60
- 882) **Tholera cespitis (Goeze,1781)** (Noctuidae) *#cespitis* [Denis & Schiffermüller],1775; *cespitis* Goeze,1781; *hordei* Schrank,1801; *autumnalis* Curtis,1827; *confinis* Stephens,1829; *desylessi* Boisduval,1840; *chloris* Milliere,1883; *decolor* Sohn,1896. 06 25 65 66
- 883) **Tholera decimalis (Poda,1761)** (Noctuidae) *decimalis* Poda,1761; *popularis* Fabricius,1775; *lolii* Esper,[1785]; *typicoides* Donovan,1811; *nervosa* Zerny,1927. 06 14 25 49 65
- 884) **Tholera hilaris (Staudinger,1901)** (Noctuidae) *hilaris* Staudinger,1901; *gracilis* Kostrowicki,1963 06 36 50
- 885) **Trachea atriplicis (Linnaeus,1758)** (Noctuidae) *atriplicis* Linnaeus,1758 06 07 14 16 28 33 34
- 886) **Trichoplusia ni (Hübner,[1803])** (Noctuidae) *ni* Hübner,[1803]; *humilis* Walker,1858; *extrahens* Walker,1858; *brassicae* Riley,1870; *echinocystidis* Strecker,1874. 01 05 06 07 08 11 16 17 18 33 46 48 50 51 56 58 65
- 887) **Tyta luctuosa ([Denis & Schiffermüller],1775)** (Noctuidae) *luctuosa* [Denis & Schiffermüller],1775; *italica* Fabricius,1781; *atra* Goeze,1781 *nec* Linn.,1767; *astroites* Fourcroy,1785; *maculosa* Villers,1789 01 04 05 06 07 08 11 14 16 17 18 22 23 25 30 32 33 34 35 36 38 42 44 50 51 58 61 62 65 66 67 69 70 71
- 888) **Ulochaena hirta (Hübner,[1813])** (Noctuidae) *hirta* Hübner,[1813] 05 06 07 13 32 30 36 38 46 49 58 62 65 70
- 889) **Valeria oleagina (Esper,[1786])** (Noctuidae) *#oleagina* [Denis & Schiffermüller],1775; *oleagina* Esper,[1786]. 06 09 15 30 42 43 46 56 58
- 890) **Valerietta niphopasta (Hampson,1906)** (Noctuidae) *niphopasta* Hampson,1906 01 06 07 31 42 62
- 891) **Victrix (Rasihia) boursini (Draudt,1936)** (Noctuidae) *boursini* Draudt,1936 06 13 23 36 65 71
- 892) **Victrix (Rasihia) hackeri Varga & Ronkay,1991** (Noctuidae) *hackeri* Varga & Ronkay,1991 06 13 23 50 58 62 65 71
- 893) **Victrix (s.str.) gracilis (Wagner,1931)** (Noctuidae) *gracilis* Wagner,1931 06 42 58
- 894) **Victrix (s.str.) karsiana Staudinger,1879** (Noctuidae) *karsiana* Staudinger,1879 04 06 08 25 36 44 75
- 895) **Xanthia (Cirrha) ocellaris (Borkhausen,1792)** (Noctuidae) *ocellaris* Borkhausen,1792; *palleago* Hübner,[1803]. 06 50 58
- 896) **Xanthia icteritia (Hufnagel,1766)** (Noctuidae) *icteritia* Hufnagel,1766; *cerago* [Denis & Schiffermüller],1775; *flavescens* Esper,[1788]. 06 14 25 36 62 66 75
- 897) **Xestia (s.str.) trifida (Fischer v. Waldheim,1820)** (Noctuidae) *trifida* Fischer v. Waldheim,1820. 06 42
- 898) **Xylena exsoleta (Linnaeus,1758)** (Noctuidae) *exsoleta* Linnaeus,1758; *exoleta* Fabricius,1787 01 05 06 09 15 26 33 36 45 46 66
- 899) **Xylena lunifera Warren,1910** (Noctuidae) *lunifera* Warren,1910 05 06 08 24 62 65 75
- 900) **Xylena vetusta (Hübner,[1813])** (Noctuidae) *vetusta* Hübner,[1813] 06 12 25 42 50 66
- 901) **Xylocampa mustapha (Oberthür,1920)** (Noctuidae) *mustapha* Oberthür,1920 06 07 09 15 16 32 33 35 46

- 902) **Zekelita (Ravalita) ravalis (Herrich-Schäffer, [1852])** (Noctuidae) *ravalis* Herrich-Schäffer, [1852]; *revolutalis* Zeller, 1852; *eremialis* Swinhoe, 1889 nec Walk., 1859; *centralis* Staudinger, 1892; *syriacalis* Staudinger, 1892; *extorris* Warren, 1913; *#pallida* Schawerda, 1929; *#transcaspica* Brandt, 1941. 01 05 06 07 08 18 24 25 33 42 46 50 58 62 69 70
- 903) **Zekelita (Rhynchodontodes) antiques (Hübner, [1809])** (Noctuidae) *antiques* Hübner, [1809]; *anatolica* Wagner, 1931; *#antiquilis* Zukowsky, 1941. 01 03 05 06 07 08 12 16 17 18 24 30 32 33 35 36 37 42 45 46 48 50 51 58 62 65 67
- 904) **Cerura (s.str.) vinula (Linnaeus, 1758)** (Notodontidae) *vinula* Linnaeus, 1758; *minax* Hübner, [1803]; *teberdina* Kornejev, 1939. 03 06 07 12 15 16 24 25 30 31 32 33 34 35 36 42 43 45 46 58 60 62 64 65
- 905) **Clostera curtula (Linnaeus, 1758)** (Notodontidae) *curtula* Linnaeus, 1758; *albicaudalba* Retzius, 1783. 06 16 26 34 36 42 43 60 65 71
- 906) **Clostera pigra (Hufnagel, 1766)** (Notodontidae) *pigra* Hufnagel, 1766; *reclusa* [Denis & Schiffermüller], 1775; *alticaudafurcata* Retzius, 1783; *suffusa* Stephens, 1835; *superior* Rangnow, 1935; *#flavidior* Bytinski-Salz, 1936. 04 06 08 12 14 24 30 31 36 42 44 46 58 60 62 65
- 907) **Dicranura ulmi ([Denis & Schiffermüller], 1775)** (Notodontidae) *#ulmi* [Denis & Schiffermüller], 1775; *discors* Fabricius, 1798; *modica* Dannehl, 1929; *istriaca* Bytinski-Salz, 1939. 05 06 16 17 21 32 33 42 43 71
- 908) **Drymonia dodonaea ([Denis & Schiffermüller], 1775)** (Notodontidae) *#dodonaea* [Denis & Schiffermüller], 1775; *trimacula* Esper, [1785]; *lunata* Villers, 1789; *poltawskii* Schintlmeister, 1981; *wagneri* De Freina, 1981. 06 33 46
- 909) **Drymonia querna (Fabricius, 1787)** (Notodontidae) *#querna* [Denis & Schiffermüller], 1775; *querna* Fabricius, 1787; *sausalica* Daniel, 1968; *meridioitalica* Hartig, 1970; *danieli* Hartig, 1970. 02 06 07 14 17 24 32 33 37 46 73
- 910) **Drymonia ruficornis (Hufnagel, 1766)** (Notodontidae) *ruficornis* Hufnagel, 1766; *confusa* Hufnagel, 1767; *chaonia* [Denis & Schiffermüller], 1775; *roboris* Fabricius, 1777; *ilicis* Fabricius, 1793; *roboreus* Haworth, 1803; *querneus* Haworth, 1803; *concolor* Daniel, 1939; *anadolua* De Freina, 1983. 05 06 07 10 32 33 34 42 46 71
- 911) **Furcula bifida (Brahm, 1787)** (Notodontidae) *hermelina* Goeze, 1781 nec Gz., 1781; *bifida* Brahm, 1787; *latifascia* Curtis, 1827; *arcuata* Stephens, 1828; *mucronata* Meigen, 1830; *urocera* Boisduval, 1840; *lype* Seifers, 1933. 06 10 13 14 16 22 25 29 36 43 53 60
- 912) **Furcula furcula (Linnaeus, 1761)** (Notodontidae) *#furcula* Clerck, 1759; *furcula* Linnaeus, 1761; *salicis* Lamarck, 1816; *nordlandica* Daniel, 1965; *atlantica* Daniel, 1965. 06 14 16 19 30 32 36 37 48 60 67 71
- 913) **Furcula interrupta Christoph, 1867** (Notodontidae) *interrupta* Christoph, 1867; *sureyae* Rebel, 1933; *hoeferi* Bytinski-Salz, 1936; *leucotera* Lenek, 1969; *#syreyae* Schintlmeister, 1989. 01 05 06 07 12 15 19 26 30 31 33 42 44 46 60 62 71
- 914) **Harpyia milhauseri (Fabricius, 1775)** (Notodontidae) *milhauseri* Fabricius, 1775; *terrifica* [Denis & Schiffermüller], 1775; *vidua* Knoch, 1781; *albida* Daniel, 1932. 05 06 07 10 12 13 14 24 30 33 37 42 46 53 56 60 62 64 65 71 73
- 915) **Notodonta tritophus ([Denis & Schiffermüller], 1775)** (Notodontidae) *#tritophus* [Denis & Schiffermüller], 1775; *phoebe* Siebert, 1790; *perfuscus* Haworth, 1803; *irfana* De Freina, 1983. 06 14 17 24 29 36 43 60 65
- 916) **Peridea anceps (Goeze, 1781)** (Notodontidae) *anceps* Goeze, 1781; *trepidia* Esper, 1786; *serrata* Thunberg, 1792; *tremula* Hübner, [1800]; *baetica* Zerny, 1927; *agenjoi* Schawerda, 1938; *mesatlantica* Rungs, 1940; *albertiana* Witt, 1974. 06 07 42 46
- 917) **Peridea korbi (Rebel, 1918)** (Notodontidae) *korbi* Rebel, 1918. 06 07 17 30 32 33 46 56 60 62 64 65
- 918) **Phalera bucephaloides (Ochsenheimer, 1810)** (Notodontidae) *bucephaloides* Ochsenheimer, 1810. 06 07 12 14 24 37 42
- 919) **Pheosia tremula (Linnaeus, 1761)** (Notodontidae) *#tremula* Clerck, 1759; *tremula* Linnaeus, 1761; *dictaea* Linnaeus, 1767; *turcica* De Freina, 1979; *#turica* Schintlmeister, 1989. 06 14 16 24 29 33 36 43 52 60 64
- 920) **Pterostoma palpinum (Linnaeus, 1761)** (Notodontidae) *palpina* Linnaeus, 1761; *caudapiscina* Goeze, 1783; *salicis* Germar, 1812. 06 12 13 16 19 24 25 30 32 36 37 42 46 50 60 65
- 921) **Rhegmaphila alpina (Bellier, 1881)** (Notodontidae) *alpina* Bellier, 1881; *burgensis* Fernandez, 1934. 06 12 17 24 37 46 58 60 77
- 922) **Spatalia argentina ([Denis & Schiffermüller], 1775)** (Notodontidae) *argentina* [Denis & Schiffermüller], 1775. 05 06 07 08 10 12 13 14 16 17 20 24 30 31 32 33 35 42 46 62 64 65 66 71 73
- 923) **Agonopterix pallorella (Zeller, 1839)** (Oecophoridae) *pallorella* Zeller, 1839. 06
- 924) **Depressaria cervicella Herrich-Schäffer, 1854** (Oecophoridae) *cervicella* Herrich-Schäffer, 1854. 06
- 925) **Depressaria hirtipalpis Zeller, 1854** (Oecophoridae) *hirtipalpis* Zeller, 1854. 06 16 38 46
- 926) **Epicallima formosella ([Denis & Schiffermüller], 1775)** (Oecophoridae) *formosella* [Denis & Schiffermüller], 1775. 05 06 16 33 46 71 76
- 927) **Esperia imitatrix (Zeller, 1847)** (Oecophoridae) *imitatrix* Zeller, 1847. 06 38 45 46 48
- 928) **Exaeretia lutosella (Herrich-Schäffer, [1854])** (Oecophoridae) *lutosella* Herrich-Schäffer, [1854]. 05 06
- 929) **Hypercallia citrinalis (Scopoli, 1763)** (Oecophoridae) *citrinalis* Scopoli, 1763; *christiannana* Linnaeus, 1767; *thoracella* Goeze, 1783; *thoracica* Fourcroy, 1785; *christiannella* Hübner, [1824]; *christiannella* Hübner, [1825]; *christiannini* Zeller, 1839. 05 06 16
- 930) **Pleurota eximia Lederer, 1861** (Oecophoridae) *eximia* Lederer, 1861; *galaticella* Staudinger, 1880. 05 06 33 42 76
- 931) **Pleurota issicella Staudinger, 1880** (Oecophoridae) *issicella* Staudinger, 1880. 06 33 65
- 932) **Pleurota metricella (Zeller, 1847)** (Oecophoridae) *metricella* Zeller, 1847. 05 06 17 38 42 46 71 76
- 933) **Pleurota pungitiella Herrich-Schäffer, [1854]** (Oecophoridae) *pungitiella* Herrich-Schäffer, [1854]. 05 06 42 71 76
- 934) **Pleurota pyropella ([Denis & Schiffermüller], 1775)** (Oecophoridae) *pyropella* [Denis & Schiffermüller], 1775. 05 06 16 36 42 44 46 51
- 935) **Pleurota subpyropella Staudinger, 1880** (Oecophoridae) *subpyropella* Staudinger, 1880. 05 06 42 65 76
- 936) **Pleurota tristatella Staudinger, 1871** (Oecophoridae) *tristatella* Staudinger, 1871. 05 06
- 937) **Schiffermuelleria schaefferella (Linnaeus, 1758)** (Oecophoridae) *schaefferella* Linnaeus, 1758; *hermannella* Fabricius, 1781; *lucidula* Fourcroy, 1785. 06 33 42 46
- 938) **Archon apollinus (Herbst, 1798)** (Papilionidae) *apollinus* Herbst, 1798; *pythius* Esper, 1805; *thia* Hübner, 1806; *annii* Ondrias, Kouts. & Douma-Petridou, 1979. 01 02 03 05 06 07 09 10 14 15 16 17 18 19 20 22 23 24 25 26 27 28 29 31 32 33 34 35 37 38 42 43 44 45 46 48 51 58 60 63 64 66 68 71 77
- 939) **Iphiclides podalirius (Linnaeus, 1758)** (Papilionidae) *podalirius* Linnaeus, 1758; *sinon* Poda, 1761; *flammeus* Fourcroy, 1785; *inalpinus* Verity, 1911; *valesiaca* Verity, 1911; *zanclaeides* Verity, 1911; *pseudopersica* Rocci, 1926. 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 48 49 50 51 52 54 56 58 59 60 62 64 65 66 67 68 69 70 71 73 76 77 78 81
- 940) **Papilio (s.str.) alexanor Esper, [1800]** (Papilionidae) *polidamas* De Prunner, 1787 nec Linnaeus, 1758; *alexanor* Esper, [1800]; *polychaon* Loche, 1801; *destelensis* Nel & Chauliac, 1983. 01 02 03 05 06 07 08 10 16 17 25 30 31 33 35 36 42 43 44 45 46 47 48 52 58 60 62 65 69 70 71 73 74 76
- 941) **Papilio (s.str.) machaon Linnaeus, 1758** (Papilionidae) *machaon* Linnaeus, 1758; *reginae* Retzius, 1783; *umbellatarum* Fabricius, 1807; *aurantiaca* Speyer, 1858. 01 02 03 05 06 07 08 09 10 11 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 29 30 31 32 33 34 35 36 37 38 40 42 43 44 45 46 47 48 50 51 56 58 59 60 62 63 65 66 68 69 70 71 73 74 76 77 80
- 942) **Parnassius (Driopa) mnemosyne (Linnaeus, 1758)** (Papilionidae) *mnemosyne* Linnaeus, 1758. 01 03 05 06 07 08 12 13 14 16 18 24 25 26 27 29 30 31 32 33 35 36 37 39 42 46 48 49 51 52 53 58 60 62 65 66 67 69 73 74 76 80
- 943) **Parnassius (s.str.) apollo (Linnaeus, 1758)** (Papilionidae) *apollo* Linnaeus, 1758. 01 03 04 05 06 07 13 14 16 18 24 25 27 29 30 32 33 35 36 37 38 42 44 46 51 57 58 60 62 65 67 69 74 76 78
- 944) **Zerynthia (Allancastris) cerisyi (Godart, 1822)** (Papilionidae) *cerisyi* Godart, 1822; *cerisy* Godart, [1824]; *martini* Fruhst., 1906; *speciosa* cypria Stichel, 1907; *#destrigata* Schultz, 1908; *#caeca* Shelj., 1927; *mysiniensis* Eissn. & Wag., 1974; *kocaki*, goeksui Kuhna, 1977; *koroneii* Katt. & Kouts., 1978; *sami* Schmidt, 1989. 01 06 07 09 10 11 14 15 16 17 22 26 31 32 33 34 35 37 39 41 42 43 45 46 48 51 52 59 60 80
- 945) **Zerynthia (Allancastris) deyrollei (Oberthür, 1869)** (Papilionidae) *deyrollei* Oberthür, 1869; *eisneri* Bernardi, 1970; *lycaoniae* Eisner & Wagners, 1974; *#flavomaculata* Verity, 1905; *#ochracea* Verity, 1905; *#obscurior* Verity, 1905; *#subflava* Schultz, 1908; *#deflexa* Schultz, 1908;

- #charis Schultz, 1908; #separata Shelfjuzhko, 1927. 01 02 03 05 06 07 12 13 14 15 18 19 21 23 24 25 26 27 28 29 30 31 32 33 37 38 42 43 44 46 47 49 50 51 58 60 62 63 64 65 66 68 70 71 73
- 946) *Anthocharis cardamines* (Linnaeus, 1758) (Pieridae) *cardamines* Linnaeus, 1758; *hesperides* Newman, 1894; *britannica* Verity, 1908; *meridionalis* Verity, 1908 *nec* Lederer, 1852; *montivaga* Turati & Verity, 1911. 01 03 04 05 06 07 08 09 10 13 14 15 16 17 18 20 21 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 41 42 43 44 45 46 47 48 51 52 53 55 56 58 60 61 62 65 66 70 71 73 74 75 76 78
- 947) *Anthocharis gruneri* Herrich-Schäffer, [1851] (Pieridae) *gruneri* Herrich-Schäffer, [1851]; #*diluta* Röber, 1907; *eros* Röber, 1907. 01 02 03 04 05 06 07 12 13 21 24 25 27 29 30 31 32 33 35 36 38 42 43 44 45 46 47 50 51 58 60 62 65 66 70 71 73 76
- 948) *Aporia* (s.str.) *crataegi* (Linnaeus, 1758) (Pieridae) *crataegi* Linnaeus, 1758; *nigronervosus* Retzius, 1783; *minor* Verity, 1907; *basanius* Fruhstorfer, 1910; *crataegiaugusta* Verity, 1937. 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 46 47 48 49 50 51 53 54 55 56 58 60 61 62 63 65 66 69 70 71 72 73 74 76 78 80 81
- 949) *Colias* (Eriocolias) *crocea* (Fourcroy, 1785) (Pieridae) *crocea* Fourcroy, 1785; *pyrenaica* Groum-Grshimailo, 1893. 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 65 66 68 69 70 71 72 73 74 76 77 78 79 80 81
- 950) *Colias* (Neocolias) *aurorina* Herrich-Schäffer, [1850] (Pieridae) *aurorina* Herrich-Schäffer, [1850]. 01 03 04 05 06 07 08 13 14 19 21 23 24 25 29 30 32 33 36 37 38 42 46 48 49 50 51 53 58 60 61 62 65 66 69 70 75 76 80
- 951) *Colias* (s.str.) *sareptensis* Staudinger, 1881 (Pieridae) #*sareptensis* Staudinger, 1871; *sareptensis* Staudinger, 1881. 01 03 04 05 06 07 08 09 11 13 14 15 16 18 19 20 24 25 26 29 32 33 34 35 36 37 38 41 42 43 44 46 48 49 50 51 52 53 58 60 61 62 65 66 67 69 70 71 73 74 76 78 80
- 952) *Euchloe* (Elphinstonia) *penia* (Freyer, [1852]) (Pieridae) *penia* Freyer, [1852]; *mesopotamica* Baker, 1889. 01 02 03 06 07 15 17 24 25 26 31 32 33 38 40 42 43 44 46 51 58 59 62 65 69 70 71
- 953) *Euchloe* (s.str.) *ausonia* (Hübner, [1804]) (Pieridae) *ausonia* Hübner, [1804]; *marchandae* Geyer, [1832]. 01 02 03 04 05 06 07 09 10 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 40 41 42 43 44 45 46 48 50 51 54 58 60 62 63 65 66 68 70 71 74 76 77 78 80
- 954) *Gonepteryx* (s.str.) *farinosa* (Zeller, 1847) (Pieridae) *farinosa* Zeller, 1847. 01 02 03 05 06 07 08 10 11 13 14 16 17 19 20 21 24 25 26 27 29 30 31 32 33 34 35 36 38 41 42 43 44 46 47 48 50 51 56 58 60 62 65 66 67 68 69 70 71 73 76 80
- 955) *Gonepteryx* (s.str.) *rhamni* (Linnaeus, 1758) (Pieridae) *rhamni* Linnaeus, 1758; *gravesi* Huggins, 1956. 01 03 04 05 06 07 08 10 11 13 14 15 16 17 18 19 24 25 26 30 31 32 33 34 35 36 38 39 42 43 44 46 47 48 49 50 51 52 55 60 62 65 66 67 69 71 73 75 76 81
- 956) *Leptidea duponcheli* (Staudinger, 1871) (Pieridae) *duponcheli* Staudinger, 1871; #*dupncheli* Nazari, 2003. 01 03 04 05 06 07 08 10 11 13 14 15 16 17 18 19 20 21 22 23 24 25 26 29 30 31 32 33 34 35 36 37 38 40 41 42 43 44 45 46 48 49 50 51 53 58 59 60 62 64 65 66 67 69 70 71 73 74 76 78
- 957) *Leptidea sinapis* (Linnaeus, 1758) (Pieridae) *sinapis* Linnaeus, 1758; *candidus* Retzius, 1783; *erysimi* Borkhausen, 1788; *lathyri* Hübner, [1819]; *loti* Rennie, 1832; *umbratica* Trimoulet, 1858; *sartha* Rühl, 1893; *stabiarum* Stauder, 1914; *nigrescens* Verity, 1919; *patunae* Stauder, 1922; *lathyricana* Verity, 1952. 01 03 04 05 06 07 08 09 10 11 13 14 15 16 17 18 19 20 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 41 42 45 46 48 49 50 52 53 54 55 58 60 61 62 65 66 67 69 70 74 76 77 78 79 80 81
- 958) *Pieris* (Artogeia) *ergane* (Geyer, [1828]) (Pieridae) *ergane* Geyer, [1828]; *narcaeae* Freyer, [1828]. 01 02 03 04 05 06 07 08 12 13 14 15 16 18 21 23 24 25 26 28 29 30 31 32 33 36 38 42 43 44 46 47 49 50 51 52 56 58 60 62 63 65 66 69 71 73 74 76
- 959) *Pieris* (Artogeia) *mannii* (Mayer, 1851) (Pieridae) *mannii* Mayer, 1851; *manni* Verity, 1908; *alpigena* Verity, 1911; *roberti* Eitschberger & Steiniger, 1973. 01 02 03 06 07 08 10 11 14 17 18 21 23 24 25 26 28 29 30 31 32 33 34 35 36 37 38 39 42 43 45 46 47 48 49 50 51 53 61 62 65 67 69 74 76 78 80
- 960) *Pieris* (Artogeia) *pseudorapae* Verity, 1908 (Pieridae) *pseudorapae* Verity, 1908. 01 03 04 05 06 07 08 10 11 12 13 14 16 17 18 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 41 42 43 44 45 46 47 48 49 50 51 52 53 54 56 58 59 60 61 62 63 65 66 67 68 71 73 74 75 76 77 78 80 81
- 961) *Pieris* (Artogeia) *rapae* (Linnaeus, 1758) (Pieridae) *rapae* Linnaeus, 1758; *nelo* Bergsträßer, 1780; *metra* Stephens, 1827; *alpica* Rossi, 1929. 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 58 59 60 61 62 63 64 65 66 68 69 70 71 73 74 76 77 78 79 80
- 962) *Pieris* (s.str.) *brassicae* (Linnaeus, 1758) (Pieridae) *brassicae* Linnaeus, 1758; *chariclea* Stephens, 1827; #*venata* Verity, 1908; *cyniphia* Turati, 1924. 01 02 03 04 05 06 07 08 09 10 12 13 14 15 16 17 20 21 22 23 24 25 26 27 29 30 31 32 33 34 35 36 37 38 39 41 42 43 44 45 46 48 49 50 51 52 53 54 55 58 60 61 63 65 66 70 71 73 74 75 76 77 80 81
- 963) *Pontia callidice* (Hübner, [1800]) (Pieridae) *callidice* Hübner, [1800]; *callidice* Esper, [1803]. 01 03 04 05 06 07 08 13 16 24 25 29 30 32 38 42 44 46 48 51 53 58 60 62 65 69 73 76
- 964) *Pontia chloridice* (Hübner, [1813]) (Pieridae) *rossiae* Esper, [1784] *nec* *rossiae* Esper, [1783]; *chloridice* Hübner, [1813]; #*aestuosa* Staudinger, 1901; *albidge* Staudinger, 1901 *nec* Oberthür, 1881. 03 05 06 07 08 10 12 13 16 18 21 23 24 25 29 30 33 34 35 36 42 44 45 46 48 50 56 60 62 63 65 69 71 73 76
- 965) *Pontia edusa* (Fabricius, 1777) (Pieridae) *edusa* Fabricius, 1777; *bellidice* Ochsenheimer, 1808; *persica* Bienert, 1869; #*nitida* Verity, [1908]. 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 38 39 40 41 42 43 44 46 47 48 49 50 51 52 53 54 55 56 58 59 60 61 62 63 65 66 67 68 69 70 71 73 74 76 77 79 80 81
- 966) *Zegris eupheme* (Esper, [1804]) (Pieridae) *eupheme* Esper, [1804]; *erithoe* Eversmann, 1832; *tschudica* Herrich-Schäffer, [1851]. 01 05 06 07 11 18 24 25 30 31 32 33 36 38 42 44 46 50 51 58 60 65 71 73 76
- 967) *Apteron helioidella* (Vallot, 1827) (Psychidae) *helioidella* Vallot, 1827; *resedella* Vallot, 1843; *helix* Siebold, [1851]. 05 06 50 65?
- 968) *Canephora hirsuta* (Poda, 1761) (Psychidae) *hirsuta* Poda, 1761; *dubia* Scopoli, 1763; *unicolor* Hufnagel, 1766; *xylophthorum* Pallas, 1767; *vestita* Fabricius, 1775; *fasciculifera* Fourcroy, 1785; *quercus* Schrank, 1802; *vestitella* Hübner, [1825]; *asiatica* Staudinger, 1887. 06 36 60
- 969) *Megalophanes viciella* ([Denis & Schiffermüller], 1775) (Psychidae) *viciella* [Denis & Schiffermüller], 1775; *orientalis* Dierl, 1977. 01 06 14 22 25 33 34 36 42 45
- 970) *Psyche crassiorella* (Bruand, [1851]) (Psychidae) *crassiorella* Bruand, [1851]; *intermediella* Bruand, 1853; *affinis* Reutti, 1853; *subflavella* Milliere, 1876; *ciliella* Chapman, 1900; *danieli* Siedler, 1958. 06
- 971) *Ptilocephala* (Deuterohyalina) *albida* (Esper, [1786]) (Psychidae) *albida* Esper, [1786]. 06
- 972) *Rebelia surientella* (Bruand, 1858) (Psychidae) *surientella* Bruand, 1858; *suriens* Bruand, 1859. 06 11 34 42
- 973) *Agdistis* (Frankistis) *frankeniae* (Zeller, 1847) (Pterophoridae) *frankeniae* Zeller, 1847; *lerinsis* Millière, 1876; *bahrlutia* Amsel, 1955; *tondeuri* Bigot, 1963; *rupestris* Bigot, 1974; *rjabovi* Zagulyaev & Filippova, 1976; *kulunda* Ustjuzhanin, 1991. 06 09 16 35 42 68 71
- 974) *Agdistis* (s.str.) *adactyla* (Hübner, [1819]) (Pterophoridae) *adactyla* Hübner, [1819]; *huebneri* Curtis, 1834; *delphinensella* Bruand, 1858; *shaanxisis* Qin & Zheng, 1997. 06
- 975) *Agdistis* (s.str.) *heydeni* (Zeller, 1852) (Pterophoridae) *heydeni* Zeller, 1852; *canariensis* Rebel, 1896; *excurata* Meyrick, 1920. 06 33
- 976) *Agdistis* (s.str.) *satanas* Millière, 1876 (Pterophoridae) *satanas* Millière, 1876; *nanus* Turati, 1924; *pseudosatanas* Amsel, 1952. 06 09
- 977) *Capperia celeusi* (Frey, 1886) (Pterophoridae) *celeusi* Frey, 1886; *interciscus* Meyrick, 1930; *belutschistanella* Amsel, 1959; *karakalensis* Gibeaux, 1997. 05 06 08 28 42 60 71
- 978) *Capperia fusca* (Hofmann, 1898) (Pterophoridae) *fusca* Hofmann, 1898; *marrubii* Adamczewski, 1951. 05 06 42 46 71
- 979) *Capperia washbourni* Adamczewski, 1951 (Pterophoridae) *washbourni* Adamczewski, 1951. 05 06 23 24 25 29 32 33 42 51
- 980) *Cnaemidophorus rhododactylus* (Fabricius, 1787) (Pterophoridae) #*rhododactyla* [Denis & Schiffermüller], 1775; *rhododactylus* Fabricius, 1787; *koreana* Matsumura, 1931. 05 06 16 42 46

- 981) **Crombruggia distans** (Zeller,1847) (Pterophoridae) *distans* Zeller,1847; *distantidactyla* Bruand,1858; *geodactylus* Fuchs,1903; *lactucae* Fletcher,1920; *clarisignis* Myerick,1924; *buvati* Bigot & Picard,1988; *pravieli* Bigot & Picard,1989; *gibeauxi* Bigot et al.,1990; *supplementum* Gibeaux,1997. 05 06 07 16 22 23 30 33 34 42 44 45 46 48 50 58 61
- 982) **Crombruggia laeta** (Zeller,1847) (Pterophoridae) *laetus* Zeller,1847; *loetidactyla* Bruand,1858; *andryalae* Millière,1863; *andryaladactylus* Millière,1863; *insularis* Bigot,1961; *livadiensis* Zagulyaev & Filippova,1976; *transdanubinus* Fazekas,1986; *garrigae* Bigot & Picard,1989; *moulinieri* Nel,1991; *inopinata* Bigot, Nel & Picard,1993. 05 06 16 42 44 46 76
- 983) **Emmelina monodactyla** (Linnaeus,1758) (Pterophoridae) *monodactyla* Linnaeus,1758; *sibiricus* Caradja,1920. 05 06 07 09 14 16 23 29 31 33 34 36 38 46 50 59 61
- 984) **Marasmarcha ehrenbergiana** Zeller,1841 (Pterophoridae) *ehrenbergiana* Zeller,1841; *decolorum* Caradja,1920. 06 42 46 47
- 985) **Merrifieldia baliodactyla** (Zeller,1841) (Pterophoridae) *baliodactyla* Zeller,1841; *tridactylus* Stephens,1834; *dalioidactylus* Bruand,1850; *meridionalis* Staudinger,1880. 05 06 16 46 48
- 986) **Merrifieldia malacodactyla** (Zeller,1847) (Pterophoridae) *malacodactyla* Zeller,1847; *meridionalis* Staudinger,1880; *indocta* Meyrick,1913; *subtilis* Caradja,1920; *parca* Meyrick,1921; *subcretosa* Meyrick,1922; *phaeoschista* Meyrick,1923; *luteodactyla* Turati,1926; *rayatella* Amsel,1959; *insularis* Bigot,1961; *livadiensis* Zagulyaev & Filippova,1976; *transdanubinus* Fazekas,1986; *garrigae* Bigot & Picard,1989; *moulinieri* Nel,1991; *inopinata* Bigot, Nel & Picard,1993. 05 06 07 09 14 16 23 29 33 42 46 55 76 77
- 987) **Oxyptilus parvidactylus** (Haworth,[1811]) (Pterophoridae) *parvidactylus* Haworth,[1811]; *microdactylus* Samouelle,1819; *obscurus* Zeller,1841; *hemididactylus* Selys-Longchamps,1845; *dentellus* Zeller,1852; *obscuridactyla* Bruand,1859; *hofmannseggii* Möschler,1866; *maroacanensis* Amsel,1956. 05 06 07 14 16 29 34 35 42 44 46 71 76
- 988) **Paraplatytilia metzneri** (Zeller,1841) (Pterophoridae) *metzneri* Zeller,1841; *bolli* Frey,1856. 06
- 989) **Platyptilia tetradactyla** (Linnaeus,1758) (Pterophoridae) *tetradactyla* Linnaeus,1758. 05 06 16 31 46
- 990) **Procapperia maculata** (Constant,1865) (Pterophoridae) *maculata* Constant,1865; *croatica* Adamczewski,1951. 05 06 24 33 36 42 58 71
- 991) **Pterophorus pentadactylus** (Linnaeus,1758) (Pterophoridae) *pentadactylus* Linnaeus,1758; *tridactyla* Scopoli,1763; *sulphurea* Staudinger,1880. 04 05 06 08 14 16 24 31 34 42 44 46 50 58 61 76
- 992) **Stenoptilia arida** (Zeller,1847) (Pterophoridae) *arida* Zeller,1847; *oxyactis* Meyrick,1921; *elkefi* Arenberger,1984. 05 06 16
- 993) **Tabulaephorus parthicus** (Lederer,1870) (Pterophoridae) *parthicus* Lederer,1870. 05 06 23 33 42 46 51 71 76
- 994) **Wheeleria elbursi** (Arenberger,1981) (Pterophoridae) *elbursi* Arenberger,1981. 06
- 995) **Wheeleria ivae** (Kasy,1960) (Pterophoridae) *ivae* Kasy,1960. 03 05 06 07 14 20 42 71
- 996) **Wheeleria obsoleta** (Zeller,1841) (Pterophoridae) *obsoleta* Zeller,1841; *confusa* Herrich-Schäffer,1855; *marrubii* Wasserthal,1970. 05 06 14 16 29 36 38 42 44 46 47 50 51 55 58 71 76
- 997) **Wheeleria phlomidis** (Staudinger,1871) (Pterophoridae) *phlomidis* Staudinger,1871. 05 06 12 42 46 50 51 71 76
- 998) **Wheeleria spilodactyla** (Curtis,1827) (Pterophoridae) *spilodactyla* Curtis,1827; *marrubii* Heydenreich,1851. 05 06 38 42 46 76
- 999) **Acrobasis consociella** (Hübner,[1813]) (Pylalidae) *consociella* Hübner,[1813]; *consocialis* Hübner,[1825]; *tumidella* Duponchel,1836; *oberthueri* Lucas,1914. 05 06
- 1000) **Acrobasis glauccella** Staudinger,1859 (Pylalidae) *glauccella* Staudinger,1859; *fallouella* Ragonot,1871; *anatolica* Caradja,1910. 01 05 06 31 35 42 46 65 71
- 1001) **Acrobasis obtusella** (Hübner,1796) (Pylalidae) *obtusella* Hübner,1796; *obtusa* Haworth,1811; *obtusalis* Hübner,[1825]. 01 06 33 42 46
- 1002) **Aglossa asiatica** Erschoff,1871 (Pylalidae) *asiatica* Erschoff,1871. 06 46
- 1003) **Aglossa pinguinalis** (Linnaeus,1758) (Pylalidae) *pinguinalis* Linnaeus,1758; *marmorella* Geoffroy,1785; *marmoratella* Villers,1789; *pinguiculatus* Haworth,1809; *pinguinatus* Haworth,1809; *guicciardii* Constantino,1922. 05 06 16 34 42 45
- 1004) **Agriphila beieri** Bleszynski,1955 (Pylalidae) *beieri* Bleszynski,1955. 06 42
- 1005) **Agriphila deliella** (Hübner,[1813]) (Pylalidae) *deliella* Hübner,[1813]. 06 42 33 58 70
- 1006) **Agriphila inquinatella** (Denis & Schiffermüller,[1775]) (Pylalidae) *inquinatella* [Denis & Schiffermüller],1775; ? *arbustella* Schrank,1802; *nevadensis* Caradja,1910. 01 03 05 06 16 35 42 46 76
- 1007) **Agriphila paleatella** (Zeller,1847) (Pylalidae) *paleatellus* Zeller,1847. 06 31 35 42 46 51
- 1008) **Agriphila tersella** (Lederer,1855) (Pylalidae) *tersellus* Lederer,1855; *graphellus* Constant,1884; *hungaricus* Schmidt,1909; *austellus* Chrétien,1913; *uniformellus* Caradja,1918; *chneouri* Lucas,1942. 05 06 33
- 1009) **Agriphila tolli** (Bleszynski,1952) (Pylalidae) *tollii* Bleszynski,1952. 05 06 22 59
- 1010) **Alisa amseli** Ganév & Hacker,1984 (Pylalidae) *amseli* Ganév & Hacker,1984. 06 51 71
- 1011) **Aliphia combustella** (Herrich-Schäffer,[1855]) (Pylalidae) *combustella* Herrich-Schäffer,[1855]; *incinerella* Caradja,1910. 05 06 31 46
- 1012) **Amaurophanes stigmatosalis** (Herrich-Schäffer,[1848]) (Pylalidae) *stigmatosalis* Herrich-Schäffer,[1848]. 05 06 16 35 46
- 1013) **Ancylolomia palpella** (Denis & Schiffermüller,[1775]) (Pylalidae) *palpella* [Denis & Schiffermüller],1775; *sovinskyi* Krulikovsky,1909; *syriaca* Rebel,1911; *gracilella* Caradja,1916; *mesopotamica* Rebel,1918; *affinis* Rothschild,1921. 05 06 10 16 31 33 36 42 46 58 65 71
- 1014) **Ancylolomia pectinatella** (Zeller,1847) (Pylalidae) *pectinatellus* Zeller,1847. 05 06 16 31 34 35 42 46
- 1015) **Ancylolomia tentaculella** (Hübner,1796) (Pylalidae) *tentaculella* Hübner,1796; *irakella* Amsel,1949. 03 05 06 16 22 31 35 46 50 71
- 1016) **Ancylolomia (Cabotia) oblitella** (Zeller,1848) (Pylalidae) *oblitella* Zeller,1848; *homographis* Hampson,1930; *ischnopsis* Meyrick,1937; *major* Lucas,1948; *ochraeella* Lucas,1948; *boitella* Lucas,1950; *calaritalella* Amsel,1951; *indistinctella* Lucas,1955. 01 06 09 21 34 42 46 65 71
- 1017) **Ancylolomia (Heterographis) candidatella** (Lederer,1858) (Pylalidae) *candidatella* Lederer,1858; *fathmella* Oberthür,1888; *tenuigranella* Ragonot,1890. 03 06 16 21 42 46
- 1018) **Ancylolomia (Heterographis) convexella** (Lederer,1855) (Pylalidae) *convexella* Lederer,1855; *albiciella* Staudinger,1859; *favorinella* Zeller,1867. 01 03 06 07 16 21 31 42 46 63
- 1019) **Ancylolomia (Heterographis) faustinella** (Zeller,1867) (Pylalidae) *faustinella* Zeller,1867; *staudingeri* Christoph,1877; *rubripictella* Hampson,1896; *thalerella* Mabilie,1908; *variabilis* Rothschild,1915; *airensis* Rothschild,1921; *bilineella* Amsel,1935; *damascenella* Amsel,1952. 01 03 06 13 16 35 42 46 65
- 1020) **Ancylolomia (Heterographis) geminella** (Amsel,1961) (Pylalidae) *geminella* Amsel,1961. 06
- 1021) **Ancylolomia (Heterographis) gracilella** Ragonot,1887 (Pylalidae) *gracilella* Ragonot,1887; *subcandidatella* Ragonot,1887; *monostictella* Ragonot,1887; *casella* Chrétien,1910; *lybistinella* Turati,1924; *dowsoniella* Richards & Thomson,1932. 06 16 21 38 42 46 71 76
- 1022) **Ancylolomia (Heterographis) harmoniella** (Ragonot,1887) (Pylalidae) *harmoniella* Ragonot,1887; *ochrotaeniella* Ragonot,1887; *fulminantella* Turati,1922; *rosalbella* Turati,1930; *diffusella* Turati,1930; *incanella* Turati,1930. 06 21 46
- 1023) **Ancylolomia (Heterographis) hellenica** (Staudinger,1870) (Pylalidae) *hellenica* Staudinger,1870; *deliciosella* Caradja,1910. 03 06 07 09 16 21 34 35 41 42 46 58 65 76
- 1024) **Ancylolomia (Heterographis) rhodochrella** (Herrich-Schäffer,1855) (Pylalidae) *rhodochrella* Herrich-Schäffer,1855; *delicatella* Möschler,1860; *ciliatella* Zeller,1872; *lucida* Warren,1888; *microstictella* Hampson,1903; *ciliella* Amsel,1961. 01 03 05 06 07 16 21 31 42 46 58 71 76

- 1025) **Ancylosis (Heterographis) roscidella (Eversmann,1844)** (Pyralidae) *roscidella* Eversmann,1844; *cinerella* Stainton,1859; *ephedrella* Herrich-Schäffer,1860; *neglectella* Heinemann,1864; *blandella* Ragonot,1887; *zobrella* Oberthür,1888; *carnea* Warren,1888; *bartellella* Caradja,1910; *benderella* Amsel,1961. 01 03 06 09 13 16 21 42 46 65 76
- 1026) **Ancylosis (Heterographis) samaritanella (Zeller,1867)** (Pyralidae) *samaritanella* Zeller,1867; *urbicella* Erschoff,1874; *biligulella* Ragonot,1887; *flavescentella* Chrétien,1910; *diminutella* Chrétien,1910; *cinnamomeifascia* Rothschild,1915; *lacroixella* Lucas,1939; *brevipalpella* Amsel,1954. 01 03 06 07 16 21 42 46
- 1027) **Ancylosis (Heterographis) xylinaella (Staudinger,1870)** (Pyralidae) *xylinaella* Staudinger,1870; *sablonella* Rothschild,1915; *molochinella* Zerny,1929. 03 06 13 16 42 46 65
- 1028) **Ancylosis (s.str.) cinnamomella (Duponchel,1836)** (Pyralidae) *dilutella* Tr.,1832 [n.o.]; *cinnamomella* Dup.,1836; *labeomella* Staudinger,1859; *lafauryella* Rag.,1887; *byzacaeniella* Rag.,1887; *roseopennella* Rag.,1901; *tunesella* Caradja,1910; *fuliginosa* Rothschild,1913; *pictella* Tur.,1922; *ferrugineolineella* Tur.,1924. 01 03 05 06 09 13 14 16 21 26 31 34 42 46 47 65 71 76
- 1029) **Ancylosis (s.str.) iranella Ragonot,1887** (Pyralidae) *iranella* Ragonot,1887; *turaniella* Ragonot,1887. 06 21 42 45 46 76
- 1030) **Ancylosis (s.str.) maculifera Staudinger,1870** (Pyralidae) *maculifera* Staudinger,1870; *ifraneella* Lucas,1954. 01 03 05 06 13 16 21 35 42 46 58 65 71 76
- 1031) **Ancylosis (s.str.) ochricostella Ragonot,1887** (Pyralidae) *ochricostella* Ragonot,1887 06
- 1032) **Ancylosis (s.str.) sareptella (Herrich-Schäffer,1860)** (Pyralidae) *sareptella* Herrich-Schäffer,1860; *barbella* Lederer,1863. 03 06 07 21 38 42 46 47 58
- 1033) **Anthophilopsis baphialis (Staudinger,1870)** (Pyralidae) *baphialis* Staudinger,1870; *#baphiale* Caradja,1917. 06 31 35 42 46 65 76
- 1034) **Aphomia sociella (Linnaeus,1758)** (Pyralidae) *sociella* Linnaeus,1758; *colonella* Linnaeus,1758; *tribunella* [Denis & Schiffermüller],1775; *viridella* Goeze,1783; *inaequalis* Villers,1789; *socia* Fabricius,1798; *bipunctana* Curtis,1828; *asiatica* Caradja,1916; *pedemontana*, *eritrella* Della Beffa,1941. 05 06 34 46
- 1035) **Aporodes floralis (Hübner,[1809])** (Pyralidae) *floralis* Hübner,[1809]; *grisealis* Caradja,1917. 01 05 06 16 23 42 44 46 58 61 65 76
- 1036) **Aporodes nepticulalis Hofmann,[1898]** (Pyralidae) *nepticulalis* Hofmann,[1898] 06 46 65 71
- 1037) **Arsissa ramosella (Herrich-Schäffer,[1855])** (Pyralidae) *ramosella* Herrich-Schäffer,[1855]; *albiramosella* Caradja,1916; *caradjaella* Zerny,1939. 05 06 42 45 46 47 58 65
- 1038) **Asalebria (Exophora) exasperata (Staudinger,1879)** (Pyralidae) *exasperata* Staudinger,1879 01 05 06 08 21 25 30 32 38 42 46 47 58 65 76
- 1039) **Asalebria (Exophora) florella (Mann,1862)** (Pyralidae) *florella* Mann,1862 06 09 16 42 46 65
- 1040) **Bazaria turensis Ragonot,1887** (Pyralidae) *turensis* Ragonot,1887 06
- 1041) **Bradyrrhoa cantenerella (Duponchel,1837)** (Pyralidae) *cantenerella* Duponchel,1837; *ravella* Heydenreich,1851; *subflavella* Ragonot,1887; *sardicolella* Schawerda,1936; *variegatella* Lucas,1948; *brunneella* Lucas,1955 05 06 16 31 46 65
- 1042) **Bradyrrhoa gilveolella (Treitschke,1833)** (Pyralidae) *gilveolella* Treitschke,1833 01 05 06 13 16 22 23 29 51 38 42 44 46 51 58 65 71 77
- 1043) **Cadra calidella (Guenée,1845)** (Pyralidae) *calidella* Guenée,1845; *#ficella* Douglas,1851; *xanthotricha* Staudinger,1859. 06 46 61
- 1044) **Cadra cautella (Walker,1863)** (Pyralidae) *cautella* Walker,1863; *defectella* Walker,1864; *desuetella* Walker,1866; *passulella* Barrett,1875; *formosella* Wileman & South,1918; *rotundatella* Turati,1930; *pelopis* Turner,1947; *irakella* Amsel,1959 03 06 21 38 42 46
- 1045) **Cadra delattinella Roesler,1965** (Pyralidae) *delattinella* Roesler,1965 06 16 38 42 65
- 1046) **Cadra furcatella (Herrich-Schäffer,[1849])** (Pyralidae) *furcatella* Herrich-Schäffer,[1849] 03 05 06 09 16 21 42 65 71
- 1047) **Catoptria confusella (Staudinger,1881)** (Pyralidae) *confusellus* Staudinger,1881 03 05 06 42
- 1048) **Catoptria dimorphella (Staudinger,1881)** (Pyralidae) *dimorphellus* Staudinger,1881; *haywardi* Rebel,1939; *wolff* Ganey & Hacker,1984 01 05 06 31 42 46
- 1049) **Catoptria falsella ([Denis & Schiffermüller],1775)** (Pyralidae) *falsella* [Denis & Schiffermüller],1775; *abruptella* Thunberg,1794; *persephone* Bleszynski,1956. 05 06 14
- 1050) **Catoptria incertella (Herrich-Schäffer,[1852])** (Pyralidae) *incertellus* Herrich-Schäffer,[1852] 01 05 06 53 61
- 1051) **Chilo luteellus (Motschulsky,1866)** (Pyralidae) *lutellus* Motschulsky,1860 nec [Denis & Schiff.],1775; *luteellus* Motschulsky,1866; *concolorellus* Christoph,1885; *gensamellus* Leech,1889; *dubia* Bethune-Baker,1894; *boxanus* Hering,1903; *plumbosellus* Chrétien,1910; *molydellus* Zerny,1935; *molybdellus* Zerny,1941. 01 05 06 16 25 36 42 46 58 76
- 1052) **Chrysocrambus craterellus (Scopoli,1763)** (Pyralidae) *craterellus* Scopoli,1763; *rorella* Linnaeus,1767; *klimeschi* Toll,1938; *alpinus* Bleszynski,1958; *abruzellus* Bleszynski,1958. 01 05 06 14 16 22 36 37 38 39 40 46 48 50 58 69 71 76
- 1053) **Chrysocrambus linetellus (Fabricius,1781)** (Pyralidae) *linetellus* Fabricius,1781; *cassentiniellus* Herrich-Schäffer,[1848]; *distinctus* Müller-Rutz,1920; *chrysocrossis* Meyrick,1936; *#marioni* Dufrane,1960. 04 06 42 50 53 58 65
- 1054) **Chrysocrambus syriellus (Zerny,1934)** (Pyralidae) *syriellus* Zerny,1934 05 06 46 65
- 1055) **Conobathra repandana (Fabricius,1798)** (Pyralidae) *repandana* Fabricius,1798; *tumidella* Zincken,1818; *zelleri* Ragonot,1888. 06 65
- 1056) **Cynaeda dentalis ([Denis & Schiffermüller],1775)** (Pyralidae) *dentalis* [Denis & Schiffermüller],1775; *ramalis* Fabricius,1787; *radiata* Esper,1788; *fulminans* Fabricius,1794; *dilutalis* De Lattin,1959 01 05 06 16 17 31 42 50 71
- 1057) **Cynaeda gigantea (Wocke,1871)** (Pyralidae) *gigantea* Wocke,1871 05 06 14 23 42 44 46 58 65
- 1058) **Diasemia reticularis (Linnaeus,1761)** (Pyralidae) *reticularis* Linnaeus,1761; *litterata* Scopoli,1763 06 16 52 53
- 1059) **Dioryctria simplicella Heinemann,1863** (Pyralidae) *simplicella* Heinemann,1863; *mutatella* Fuchs,1903. 06 53
- 1060) **Dolicharthria bruguieralis (Duponchel,1833)** (Pyralidae) *bruguieralis* Duponchel,1833; *coniotalis* Hampson,1903; *similalis* Rothschild,1915 01 05 06 07 16 32 46 65
- 1061) **Dolicharthria punctalis ([Denis & Schiffermüller],1775)** (Pyralidae) *punctalis* [Denis & Schiffermüller],1775 01 05 06 14 16 39 42 46 65 71
- 1062) **Ecpyrrhorhoe diffusalis (Guenée,1854)** (Pyralidae) *diffusalis* Guenée,1854; *tenuialis* Mann,1862. 01 05 06 16 38 42 47 60 65 71
- 1063) **Elegia fallax (Staudinger,1881)** (Pyralidae) *fallax* Staudinger,1881; *atrifasciella* Ragonot,1887; *nigribasella* Ragonot,1895; *iozona* Meyrick,1937; *elegiella* Amsel,1953. 01 05 06 27 31 46 65 71
- 1064) **Ematheudes punctellus (Treitschke,1833)** (Pyralidae) *punctella* Treitschke,1833 01 05 06 16 27 31 33 34 35 38 42 46 71
- 1065) **Endotricha flammealis ([Denis & Schiffermüller],1775)** (Pyralidae) *flammealis* [Denis & Schiffermüller],1775; *carnealis* De Lattin,1951. 01 05 06 07 16 31 34 42 46 58 65 71
- 1066) **Epascestria pustulalis (Hübner,[1823])** (Pyralidae) *pustulalis* Hübner,[1823]; *orientalis* Caradja,1917. 01 05 06 31 35 42 46 65
- 1067) **Ephelis cruentalis (Geyer,[1832])** (Pyralidae) *cruentalis* Geyer,[1832] 01 05 06 13 16 25 31 33 34 35 38 44 46 58 63 65 76
- 1068) **Ephestia (Anagasta) cypriusella Roesler,1965** (Pyralidae) *cypriusella* Roesler,1965 06 09
- 1069) **Ephestia (Anagasta) kuehniella Zeller,1879** (Pyralidae) *kuehniella* Zeller,1879; *fuscofasciella* Ragonot,1887; *gitoniella* Druce,1896; *lunella* Noel,1904; *ischnomorpha* Meyrick,1931; *#kueeniella* Hutacharern & Tubtim,1995 06

- 1070) **Ephestia (Anagasta) welseriella (Zeller,1848)** (Pyrilidae) *welseriella* Zeller,1848; *modestella* Lederer,1863; *tephrinella* Lederer,1870; *rhenanella* Fuchs,1877; *suffusella* Ragonot,1901; *immodestella* Rebel,1916; *superbella* Lucas,1954; *capricola* Hampson,1927. 05 06 16 42 45 46 65 71
- 1071) **Ephestia (s.str.) disparella Hampson,1901** (Pyrilidae) *disparella* Hampson,1901; *rectifasciella* Turati,1913; *semicostella* Turati,1934. 01 03 05 06 07 09 16 21 34 35 42 46 76
- 1072) **Ephestia (s.str.) elutella (Hübner,1796)** (Pyrilidae) *elutella* Hübner,1796; *semirufa* Haworth,1811; *rufa* Haworth,1811; *angusta* Haworth,1811; *sericarium* Scott,1859; *roxburghii* Gregson,1873; *infumatella* Ragonot,1887; *affusella* Ragonot,1888; *icosiella* Ragonot,1888; *amarella* Dyar,1904; *pterogrisella* Roesler,1965 05 06 16 34 46 76
- 1073) **Ephestia (s.str.) parasitella Staudinger,1859** (Pyrilidae) *parasitella* Staudinger,1859; *bimaculella* Lucas,1955. 03 05 06 13 33 34 42 44 46
- 1074) **Epiepischnia pseudolydella Amsel,1953** (Pyrilidae) *pseudolydella* Amsel,1953 06 46 65 71
- 1075) **Epischnia christophori Ragonot,1887** (Pyrilidae) *christophori* Ragonot,1887; *#chrystophori* Noack,1960. 06 21 46 76
- 1076) **Epischnia prodromella (Hübner,[1799])** (Pyrilidae) *prodromella* Hübner,[1799] 01 05 06 16 32 34 42 46 58 65
- 1077) **Etiella zinckenella (Treitschke,1832)** (Pyrilidae) *marginella* Fabricius,1781 nec Den. & Schiff.,1775; *zinckenella* Treitschke,1832; *etiella* Treitschke,1835; *majorellus* Costa,1836; *colonnellus* Costa,1836; *dymnusalis* Walker,1859; *heraldella* Guenée,1862; *anticalis* Walker,1863; *indicatalis* Walker,1863; *hastiferella* Walker,1866; *decipiens* Staudinger,1870; *spartiella* Rondani,1876; *sabulinus* Butler,1879; *madagascariensis* Saalmüller,1880; *schisticolor* Zeller,1881; *villosella* Hulst,1887; *rubribasella* Hulst,1890; *#tiella* Pinhey,1975. 01 05 06 09 16 17 31 39 46 58 65 71
- 1078) **Eucampyla dealbatella (Erschoff,1874)** (Pyrilidae) *dealbatella* Erschoff,1874; *staminella* Christoph,1877; *nervulatella* Turati,1926; *kerbelella* Amsel,1949; *gigantella* Roesler,1965. 06 42
- 1079) **Euchromius bellus (Hübner,1796)** (Pyrilidae) *bella* Hübner,1796; *bellalis* Hübner,[1825]. 05 06 16 26 31 33 35 39 42 46 65 71 76
- 1080) **Euchromius bleszynskiellus Popescu-Gorj,1964** (Pyrilidae) *bleszynskiellus* Popescu-Gorj,1964 06
- 1081) **Euchromius gratosellus (Caradja,1910)** (Pyrilidae) *gratosella* Caradja,1910 06 33 42 70 71 76
- 1082) **Euchromius pulverosus (Christoph,1887)** (Pyrilidae) *pulverosa* Christoph,1887 01 06 42 46
- 1083) **Euchromius ramburiellus (Duponchel,1836)** (Pyrilidae) *ramburiellus* Duponchel,1836; *zonellus* Zeller,1847; *luteella* Caradja,1910; *#ramburellus* Rothschild,1924; *islamella* Amsel,1949. 05 06 42 76
- 1084) **Euchromius siuxellus Ganév & Hacker,1986** (Pyrilidae) *siuxellus* Ganév & Hacker,1986 06
- 1085) **Euchromius superbullus (Zeller,1849)** (Pyrilidae) *superbellus* Zeller,1849; *wockeella* Zeller,1863; *cypriusella* Amsel,1958. 06 16 31 39 46 65 71 76
- 1086) **Eurhodope (s.str.) monogrammos (Zeller,1867)** (Pyrilidae) *monogrammos* Zeller,1867; *buxtoni* Rothschild,1921; *homochromella* Amsel,1961; *melanella* Roesler,1969 01 05 06 16 31 33 42 46 50 71
- 1087) **Eurrhysis cacuminalis (Eversmann,1843)** (Pyrilidae) *cacuminalis* Eversmann,1843 06
- 1088) **Eurrhysis gutturalis (Herrich-Schäffer,1848)** (Pyrilidae) *gutturalis* Herrich-Schäffer,1848 06
- 1089) **Eurrhysis pollinalis ([Denis & Schiffermüller],1775)** (Pyrilidae) *pollinalis* [Denis & Schiffermüller],1775; *bigutta* Esper,[1791]; *melissalis* Walker,1859; *flavinotalis* Grote,1881; *#obcaecatalis* Leraut & Luquet,1985 05 06 14 16 32 39 42 46
- 1090) **Euzophera (s.str.) bigella (Zeller,1848)** (Pyrilidae) *bigella* Zeller,1848; *stenoptycha* Herrich-Schäffer,1855; *bisinuella* Ragonot,1887; *punicaeella* Moore,1891; *immundella* Ragonot,1901; *angulella* Chrétien,1922; *renulella* Constantini,1922 01 05 06 07 09 16 21 33 34 46 47 65 76
- 1091) **Euzophera (s.str.) cinerosella (Zeller,1839)** (Pyrilidae) *cinerosella* Zeller,1839; *incanella* Eversmann,1844; *artemisiella* Stainton,1859; *pimeleella* Zerny,1934. 06 16 46
- 1092) **Euzophera (s.str.) pinguis (Haworth,[1811])** (Pyrilidae) *pinguis* Haworth,[1811]; *fischeri* Zeller,1846; *splendidella* Herrich-Schäffer,1848. 06 07 21 46
- 1093) **Euzophera (s.str.) pulchella Ragonot,1887** (Pyrilidae) *pulchella* Ragonot,1887; *xylomorpha* Meyrick,1937 06 46 47
- 1094) **Evergestis desertalis (Hübner,[1813])** (Pyrilidae) *desertalis* Hübner,[1813]; *avicennae* Tams,1925. 05 06 26 42 76
- 1095) **Evergestis extimalis (Scopoli,1763)** (Pyrilidae) *extimalis* Scopoli,1763; *margaritalis* [Denis & Schiffermüller],1775; *flavofusca* Retzius,1783; *mediella* Goetz,1783; *intermediata* Fourcroy,1785; *erucalis* Hübner,1796 06 45 58
- 1096) **Evergestis frumentalis (Linnaeus,1761)** (Pyrilidae) *frumentalis* Linnaeus,1761 05 06 08 16 17 32 38 42 65 71 76
- 1097) **Evergestis politalis ([Denis & Schiffermüller],1775)** (Pyrilidae) *politalis* [Denis & Schiffermüller],1775; *pictoralis* Fabricius,1794; *bicoloralis* La Harpe,1861; *maroccana* Lucas,1955 05 06 16 38
- 1098) **Evergestis serratalis (Staudinger,1870)** (Pyrilidae) *serratalis* Staudinger,1870 01 06 71
- 1099) **Evergestis umbrosalis (Fischer v. Röslerstamm,[1842])** (Pyrilidae) *umbrosalis* Fischer v. Röslerstamm,[1842] 05 06 14 16 31 34 46 51 65
- 1100) **Galleria mellonella (Linnaeus,1758)** (Pyrilidae) *mellonella* Linnaeus,1758; *cereana* Blom,1764; *cerella* Fabricius,1775; *cerea* Haworth,1811; *cereal*is Hübner,[1825]; *obliquella* Walker,1866; *austrina* R.Felder & Rogenhofer,1875; *#crombrugheella* Dufrane,1930. 05 06 07 16 34 38 42 46 51
- 1101) **Gymnancyla (Spermatophthora) hornigii (Lederer,1852)** (Pyrilidae) *hornigii* Lederer,1852; *#hornigi* Hannemann,1964. 06
- 1102) **Gymnancyla (s.str.) canella ([Denis & Schiffermüller],1775)** (Pyrilidae) *canella* [Denis & Schiffermüller],1775; *depositella* Zincken,1818; *canellaris* Hübner,[1825]. 05 06 33 42
- 1103) **Homoeosoma (Anhomoeosoma) nimbellum (Duponchel,1837)** (Pyrilidae) *nimbella* Duponchel,1837; *homoeosomella* Zerny,1926; *snellenella* Bentick,1930. 01 05 06 12 16 38 46
- 1104) **Homoeosoma (s.str.) calcellum Ragonot,1887** (Pyrilidae) *calcella* Ragonot,1887 06 35 44
- 1105) **Homoeosoma (s.str.) sinuellum (Fabricius,1794)** (Pyrilidae) *sinuella* Fabricius,1794; *sinuatus* Fabricius,1794; *elongella* Hübner,[1813]; *gemina* Haworth,1811; *flavella* Duponchel,1836; *gioferella* Turati,1934. 01 05 06 07 13 16 21 39 44 46 58 65 70 71 76
- 1106) **Homoeosoma (s.str.) subalbatellum (Mann,1864)** (Pyrilidae) *subalbatella* Mann,1864 03 06 07 16 31 35 38 39 42 46
- 1107) **Hyperlais dulcinalis (Treitschke,1835)** (Pyrilidae) *dulcinalis* Treitschke,1835 05 06 46 65 71
- 1108) **Hypochalcia ahenella ([Denis & Schiffermüller],1775)** (Pyrilidae) *ahenella* [Denis & Schiffermüller],1775; *aeneella* Hübner,1796; *obscuratus* Haworth,1811; *ahenalis* Hübner,[1825]; *rubiginella* Treitschke,1833; *bistrigella* Duponchel,1836; *luridella* Schläger,1845; *caucasica* Ragonot,1893; *lugubrella* Hering,1924 05 06 16 65 76
- 1109) **Hypsopygia costalis (Fabricius,1775)** (Pyrilidae) *costalis* Fabricius,1775; *#lugens* Rebel,1903; *syriaca* Zerny,1914; *lugens* Caradja,1917. 06 16 31 38 39 46 65 76
- 1110) **Isauria dilucidella (Duponchel,1836)** (Pyrilidae) *dilucidella* Duponchel,1836; *ilignella* Zeller,1839; *laternella* Eversmann,1844; *crepusculella* Lederer,1870; *incredibilis* Staudinger,1879; *subsortitella* Ragonot,1887; *satanella* Ragonot,1887; *odontella* Ragonot,1893; *ledereri* Ragonot,1893; *cuencella* Caradja,1916; *gabaltella* Chrétien,1931; *grisescens* Lucas,1950; *parvella* Amsel,1951; *shahidanella* Amsel,1970 05 06 13 16 25 32 38 42 46 47 50 53 58 65 71
- 1111) **Lamoria anella ([Denis & Schiffermüller],1775)** (Pyrilidae) *anella* [Denis & Schiffermüller],1775 05 06 17 34 35 38 42 46 58
- 1112) **Lamoria ruficostella Ragonot,1888** (Pyrilidae) *ruficostella* Ragonot,1888 06 31 46 71
- 1113) **Loxostege clathralis (Hübner,[1813])** (Pyrilidae) *clathralis* (Hübner,[1813]; *comptalis* Lederer,1855 nec Frr.,[1848]; *#nivalis* Caradja,1916 05 06 38 42 58 76

- 1114) **Loxostege mucosalis** (Herrich-Schäffer,[1848]) (Pyralidae) *mucosalis* Herrich-Schäffer,[1848] 05 06 30 34 65 71
 1115) **Loxostege wagneri** Zerny,1929 (Pyralidae) *wagneri* Zerny,1929 06 42
 1116) **Mecyna amasialis** (Staudinger,1879) (Pyralidae) *amasialis* Staudinger,1879 05 06 46 58 71
 1117) **Mecyna flavalis** ([Denis & Schiffermüller],1775) (Pyralidae) *flavalis* [Denis & Schiffermüller],1775. 05 06 16 42 45
 1118) **Mecyna lutealis** (Duponchel,1833) (Pyralidae) *lutealis* Duponchel,1833 05 06
 1119) **Mecyna lutulentalis** (Lederer,1858) (Pyralidae) *lutulentalis* Lederer,1858 01 06 24 29 42 65 69 71
 1120) **Mecyna subsequalis** (Herrich-Schäffer,1851) (Pyralidae) *subsequalis* Herrich-Schäffer,1851; *consequens* Meyrick,1932. 01 05
 06 33 42 46 58 65 76
 1121) **Mecyna trinalis** ([Denis & Schiffermüller],1775) (Pyralidae) *trinalis* [Denis & Schiffermüller],1775 05 06 23 29 30 44 46 61 65
 76
 1122) **Megasis mimeticella** (Staudinger,1879) (Pyralidae) *mimeticella* Staudinger,1879; *tolli* Amsel,1953. 05 06 36 42 44 46 58
 1123) **Megasis rippertella** (Zeller,1839) (Pyralidae) *rippertella* Zeller,1839 05 06 13 32 38 42 71
 1124) **Metallosticha argyrogrammos** (Zeller,1847) (Pyralidae) *argyrogrammos* Zeller,1847 05 06 16 38 42 45 46 48 65
 1125) **Metasia (s.str.) carnealis** (Treitschke,1829) (Pyralidae) *carnealis* Treitschke,1829 05 06 16 06 31 42 65 71
 1126) **Metasia (s.str.) subtilialis** Caradja,1917 (Pyralidae) *subtilialis* Caradja,1917 05 06 71
 1127) **Metasia (s.str.) supbandalis** (Hübner,[1823]) (Pyralidae) *supbandalis* Hübner,[1823] 05 06 16 17 34 35 42 45 58 71 76
 1128) **Mimodea institalis** (Hübner,[1819]) (Pyralidae) ? *focorum* Fourcroy,1785; *institalis* Hübner,[1819]; *rutana* Vallot,1829; *ferreralis* Duponchel,1833 05 06 16 23 65
 1129) **Myelois (s.str.) circumvoluta** (Fourcroy,1785) (Pyralidae) *circumvoluta* Fourcroy,1785; *circumvolutella* Villers,1789; *cribrella* Hübner,1796; *carhudi* Haworth,1811; *medullalis* Hübner,[1825]; *pallium* Vallot,1829; *gilvescentella* Fuchs,1903; *britannicella* Amsel,1951; *impunctata* Hartig,1952; *nigrapeza* Hartig,1952 06 17 65 71
 1130) **Myelois (s.str.) cribratella** Zeller,1847 (Pyralidae) *cribratella* Zeller,1847; *pallipedella* Ragonot,1893 06
 1131) **Myelois (s.str.) fuscicostella** Mann,1861 (Pyralidae) *fuscicostella* Mann,1861 05 06 71
 1132) **Myrtilaea albistrigata** (Staudinger,1881) (Pyralidae) *albistrigata* Staudinger,1881 05 06 42 46 65 71 76
 1133) **Noctuella escherichi** Hofmann,[1898] (Pyralidae) *escherichi* Hofmann,[1898] 06
 1134) **Noctuella superba** (Freyer,[1844]) (Pyralidae) *superba* Freyer,[1844] 05 06 21 38 42 44 46 58 71
 1135) **Nomophila noctuella** ([Denis & Schiffermüller],1775) (Pyralidae) *noctuella* [Denis & Schiffermüller],1775 01 05 06 11 14 16
 17 31 32 34 37 38 39 46 58 65 71
 1136) **Nyctegretis lineana** (Scopoli,1786) (Pyralidae) *lineana* Scopoli,1786; *achatinella* Hübner,[1824]. 06 07 16 21 33 34 46 71 76
 1137) **Oncocera semirubella** (Scopoli,1763) (Pyralidae) *semirubella* Scopoli,1763; *rosella* Goetz,1783 *nec* Sc.,1763; *purpurella* Thunberg,1788; *sanguinella* Hübner,1796; *sanguinea* Haworth,1811; *nigrella* Caradja,1916 05 06 09 14 16 17 46 65 71 81
 1138) **Palmitia massialis** (Duponchel,1832) (Pyralidae) *massialis* Duponchel,1832; *taurica* Rebel,1910. 06 46
 1139) **Panstegia limbopunctalis** (Herrich-Schäffer,[1849]) (Pyralidae) *limbopunctalis* Herrich-Schäffer,[1849] 05 06 16 33 38 42 46
 58 65
 1140) **Paracorsia repandalis** ([Denis & Schiffermüller],1775) (Pyralidae) *repandalis* [Denis & Schiffermüller],1775 05 06 16 38 42 45
 46 65 76
 1141) **Pediasia aridella** (Thunberg,1788) (Pyralidae) *aridella* Thunberg,1788; *salinellus* Tutt,1887. 06 42
 1142) **Pediasia contaminella** (Hübner,1796) (Pyralidae) *contaminella* Hübner,1796; *squalidalis* Hübner,[1825]; *cantiellus* Tutt,1886.
 06 16 39 42 46 59 76
 1143) **Pediasia luteella** ([Denis & Schiffermüller],1775) (Pyralidae) *luteella* [Denis & Schiffermüller],1775; *exoletella* [Denis & Schiffermüller],1775; *exsoletella* Hübner,1796; *ochrella* Hübner,1796; *kindermannii* Zeller,1863; *uhryki* Rothschild,1911. 05 06 16 42
 1144) **Pediasia matricella** (Treitschke,1832) (Pyralidae) *matricella* Treitschke,1832; *obscura* Caradja,1931 01 05 06 33 42 46 50 58 71
 1145) **Pediasia persella** (Toll,1947) (Pyralidae) *persella* Toll,1947 04 06 42 58 60
 1146) **Pempelia alpigenella** (Duponchel,1836) (Pyralidae) *alpigenella* Duponchel,1836; *wagnerella* Freyer,1845 05 06 42 65 76
 1147) **Pempelia ambustiella** Ragonot,1887 (Pyralidae) *ambustiella* Ragonot,1887 06 38 42 46 76
 1148) **Pempelia diffusa** Staudinger,1881 (Pyralidae) *diffusa* Staudinger,1881 05 06 46
 1149) **Pempelia palumbella** ([Denis & Schiffermüller],1775) (Pyralidae) *palumbella* [Denis & Schiffermüller],1775 05 06 42 46
 1150) **Pempeliella dilutella** ([Denis & Schiffermüller],1775) (Pyralidae) *dilutella* [Denis & Schiffermüller],1775; *magna* Amsel,1953
 06 16 34
 1151) **Pempeliella ornatella** ([Denis & Schiffermüller],1775) (Pyralidae) *ornatella* [Denis & Schiffermüller],1775; *gigantella* Amsel,1932;
aixella Lucas,1938. 06 46 58 76
 1152) **Pempeliella sororiella** (Zeller,1839) (Pyralidae) *sororiella* Zeller,1839 06 16 34 42 46
 1153) **Phycita coronatella** (Guenée,1845) (Pyralidae) *coronatella* Guenée,1845 06 51
 1154) **Phycita poteriella** (Zeller,1846) (Pyralidae) *poteriella* Zeller,1846 06 35 46
 1155) **Phycita roborella** ([Denis & Schiffermüller],1775) (Pyralidae) *#roborella* [Denis & Schiffermüller],1775; *spissicella* Fabricius,1777; *spissicornis* Fabricius,1798; *roborella* Hübner,[1825]. 06
 1156) **Phycitodes albatella** (Ragonot,1887) (Pyralidae) *albatella* Ragonot,1887 01 03 06 16 21 38 42 44 46 65 71
 1157) **Phycitodes binaevella** (Hübner,[1813]) (Pyralidae) *binaevella* Hübner,[1813]. 01 05 06 13 31 34 42 46 65
 1158) **Phycitodes inquinatella** (Ragonot,1887) (Pyralidae) *inquinatella* Ragonot,1887 03 05 06 09 16 38 46
 1159) **Phycitodes lacteella** (Rothschild,1915) (Pyralidae) *lacteella* Rothschild,1915; *vieltella* Roesler,1965. 03 06 09 13 16 31 34 38 42
 46 65 71
 1160) **Phycitodes nigrilimbella** (Ragonot,1887) (Pyralidae) *nigrilimbella* Ragonot,1887 06 16 31 42 46 50 65 71
 1161) **Phycitodes saxicola** (Vaughan,1870) (Pyralidae) *saxicola* Vaughan,1870 01 06 07 09 13 35 42 44 65
 1162) **Pima boisduvaliella** (Guenée,1845) (Pyralidae) *boisduvaliella* Guenée,1845 06 14 17 42 46 50 65 71 76
 1163) **Plodia interpunctella** (Hübner,[1813]) (Pyralidae) *interpunctella* Hübner,[1813]; *interpunctalis* Hübner,[1825]; *zeae* Fitch,1856;
castaneella Reutti,1898; *latercula* Hampson,1901; *glycinivora* Matsumura,1917; *glycinivorella* Matsumura,1932. 05 06 16 35 65
 1164) **Praeepischia lydella** (Lederer,1865) (Pyralidae) *lydella* Lederer,1865; *gypsocrates* Meyrick,1937 06 42 45 46 58
 1165) **Prorophora (Epischidia) albunculella** (Staudinger,1879) (Pyralidae) *albunculella* Staudinger,1879; *rhetogramma* Meyrick,1937.
 05 06 38 42 65
 1166) **Psammotis pulveralis** (Hübner,1796) (Pyralidae) *pulveralis* Hübner,1796 05 06 16 42 45 65 71
 1167) **Pterothrixidia ancyrensis** Amsel,1953 (Pyralidae) *ancyrensis* Amsel,1953 06
 1168) **Pterothrixidia caucasiella** (Ragonot,1888) (Pyralidae) *caucasiella* Ragonot,1888 05 06 32
 1169) **Pterothrixidia contectella** (Zeller,1848) (Pyralidae) *contectella* Zeller,1848 05 06 38 42 65 71
 1170) **Pterothrixidia impurella** (Duponchel,1836) (Pyralidae) *impurella* Duponchel,1836 06 46 65
 1171) **Pterothrixidia rufella** (Duponchel,1836) (Pyralidae) *rufella* Duponchel,1836; *squalidella* Eversmann,1842; *luridatella* Zeller,1848;
infuscatella Herrich-Schäffer,1849; *tauricella* Wocke,1871; *corsicella* Ragonot,1893. 05 06 45 46 47 38 58
 1172) **Pyralis farinalis** (Linnaeus,1758) (Pyralidae) *farinalis* Linnaeus,1758; *erecta* Fourcroy,1785; *farinatus* Haworth,1810; *domesticalis* Zeller,1847; *fraterna* Butler,1879; *meridionalis* Schmidt,1934; *orientalis* Amsel,1961 *nec* Fabr.,1794. 05 06 16 17 31 34 38 39 46 65
 1173) **Pyralis regalis** [Denis & Schiffermüller],1775 (Pyralidae) *regalis* [Denis & Schiffermüller],1775 06 16 31 33 34 46 65

- 1174) **Pyrausta (Haematia) castalis Treitschke, 1829** (Pyralidae) *castalis Treitschke, 1829* 05 06 16 30 37 42 71
- 1175) **Pyrausta (Haematia) cingulata (Linnaeus, 1758)** (Pyralidae) *cingulata Linnaeus, 1758; aethiopata Scopoli, 1763; cingulalis [Denis & Schiffermüller], 1775; eremitica Fourcroy, 1785; vittalis La Harpe, 1864; apenninalis Costantini, 1923* 05 06 16 17 34
- 1176) **Pyrausta (Haematia) despicata (Scopoli, 1763)** (Pyralidae) *despicata Scopoli, 1763; cespitalis [Denis & Schiffermüller], 1775.* 05 06 11 13 14 16 17 24 25 32 33 34 42 46 51 65 71
- 1177) **Pyrausta (Haematia) sanguinalis (Linnaeus, 1767)** (Pyralidae) *sanguinalis Linnaeus, 1767; crentalis Scriba, 1770; haematalis Hübner, [1819]* 05 06 07 16 17 30 31 33 34 39 54 69 71
- 1178) **Pyrausta (Haematia) virginalis (Duponchel, 1832)** (Pyralidae) *virginalis Duponchel, 1832; auroralis Zeller, 1847; neglectalis Caradja, 1916* 01 05 06 16 31 32 38 42 58 65 71 76
- 1179) **Pyrausta (s.str.) aurata (Scopoli, 1763)** (Pyralidae) *aurata Scopoli, 1763; punicealis [Denis & Schiffermüller], 1775; niepoldalis Lederer, 1863* 01 05 06 14 16 23 71
- 1180) **Pyraustimorpha inexpectata Koçak & Seven, 1995** (Pyralidae) *inexpectata Koçak & Seven, 1995* 06
- 1181) **Raphimetopus ablutellus (Zeller, 1839)** (Pyralidae) *ablutellus Zeller, 1839; stigmatellus Ragonot, 1888; buxtoni Rothschild, 1921* 01 05 06 23 35 42 45 46
- 1182) **Sciota (s.str.) insignella (Mann, 1862)** (Pyralidae) *insignella Mann, 1862* 05 06 16 46 65
- 1183) **Scirpophaga praelata (Scopoli, 1763)** (Pyralidae) *praelata Scopoli, 1763; dubia Rossi, 1790; latidactyla Hübner, 1790; phantasmatalis Hübner, [1825]; alba Hübner, [1828]; #grisea Guenée, 1845; #cinerea Zeller, 1863; limnochares Common, 1960.* 01 05 06 09 17 31 32 46 52
- 1184) **Selagia spadicella (Hübner, 1796)** (Pyralidae) *spadicella Hübner, 1796* 06 42 46
- 1185) **Selagia subochrella (Herrich-Schäffer, 1849)** (Pyralidae) *subochrella Herrich-Schäffer, 1849* 05 06 16
- 1186) **Sitochroa palealis ([Denis & Schiffermüller], 1775)** (Pyralidae) *? flaveolata Hufnagel, 1767; palealis [Denis & Schiffermüller], 1775; stigmatalis Villers, 1789; selenalis Hübner, [1819]* 06 14 16 37 42 46 58 65
- 1187) **Sitochroa verticalis (Linnaeus, 1758)** (Pyralidae) *verticalis Linnaeus, 1758; inversa Fourcroy, 1785; cinctalis Treitschke, 1829* 01 05 06 16 25 32 42 46 65 71
- 1188) **Staudingeria (s.str.) morbosella (Staudinger, 1879)** (Pyralidae) *morbosella Staudinger, 1879; anderskyella Caradja, 1910; cinnamomella Rothschild, 1915.* 05 06 12 42 46 58 76
- 1189) **Stemmatophora combustalis (Fischer v. Röslerstamm, [1842])** (Pyralidae) *combustalis Fischer v. Röslerstamm, [1842].* 06 16 46
- 1190) **Synaphe berytalis Ragonot, 1888** (Pyralidae) *berytalis Ragonot, 1888* 05 06
- 1191) **Synaphe bombycalis ([Denis & Schiffermüller], 1775)** (Pyralidae) *bombycalis [Denis & Schiffermüller], 1775; almanica Rebel, 1917.* 04 06 25 27 31 38 44 50 58 65 71 76
- 1192) **Synaphe consecratalis (Lederer, 1855)** (Pyralidae) *consecratalis Lederer, 1855* 01 06 21 27 31 33 46 58 65 76
- 1193) **Synaphe moldavica (Esper, [1789])** (Pyralidae) *moldavica Esper, [1789]; schmidt Hartig, 1941.* 05 06 07 16 17 22 25 31 32 34 35 38 42 45 46 48 58 71
- 1194) **Talis quercella ([Denis & Schiffermüller], 1775)** (Pyralidae) *#quercella [Denis & Schiffermüller], 1775; noctuella Hübner, 1796; neglectella Hübner, [1824].* 06 16 17 26 42
- 1195) **Talis renatae Ganev & Hacker, 1984** (Pyralidae) *renatae Ganev & Hacker, 1984* 06
- 1196) **Tegostoma perlepidalis (Guenée, 1854)** (Pyralidae) *#lepidalis Herrich-Schäffer, [1851]; perlepidalis Guenée, 1854; lepidalis Herrich-Schäffer, [1855]; #lepidale Caradja, 1917.* 05 06 42 71
- 1197) **Thisanotia chrysonuchella (Scopoli, 1763)** (Pyralidae) *chrysonuchella Scopoli, 1763; gramella Fabricius, 1781; campella Hübner, 1793; dilutior Alpheraky, 1877.* 06 16 17
- 1198) **Titanio normalis (Hübner, 1796)** (Pyralidae) *normalis Hübner, 1796; ancyrensis Hofmann, [1898].* 05 06 16 32 42 45 46 58 65 71 76
- 1199) **Tretopteryx pertusalis (Geyer, [1832])** (Pyralidae) *pertusalis Geyer, [1832]* 05 06 25 31 32 33 35 46 65
- 1200) **Udea ferrugalis (Hübner, 1796)** (Pyralidae) *ferruginalis Rossi, 1794; ferrugalis Hübner, 1796; #ferugalis Hübner, 1796; martialis Guenée, 1854; hypatialis Walker, 1859; testacea Butler, 1879* 03 05 06 07 14 16 17 31 32 33 34 35 38 42 44 46 58 65 71
- 1201) **Udea fimbriatralis (Duponchel, 1834)** (Pyralidae) *fimbriatralis Duponchel, 1834* 01 05 06 16 31 38 42 46 76
- 1202) **Ulotricha egregialis (Herrich-Schäffer, 1838)** (Pyralidae) *egregialis Herrich-Schäffer, 1838* 06 35
- 1203) **Xanthocrambus saxonellus (Zincken, 1821)** (Pyralidae) *saxonellus Zincken, 1821; chrysellus Treitschke, 1832; carentellus Christoph, 1888* 05 06 16 42 65 76
- 1204) **Saturnia (Perisomena) caecigena (Kupido, 1825)** (Saturniidae) *caecigena Kupido, 1825; unicolor Schultz, 1910; wiskotti Niepelt, 1914; derosata Schawerda, 1914; transcaucasica O. Bang-Haas, 1927; parviocellata Friedel, 1968* 04 05 06 07 12 16 22 25 33 35 42 60 71
- 1205) **Saturnia (s.str.) pyri ([Denis & Schiffermüller], 1775)** (Saturniidae) *pyri [Denis & Schiffermüller], 1775; teherana Lenek, 1970; pinkerae Kobes, 1980.* 05 06 07 10 13 15 16 17 19 22 26 28 30 32 33 38 42 44 46 47 50 53 58 64 65 76
- 1206) **Arethusana arethusa ([Denis & Schiffermüller], 1775)** (Satyridae) *arethusa [Denis & Schiffermüller], 1775; erythia Hübner, 1805; pontica Heyne, [1895]; sultana Wagner, 1929; hakkarica Koçak, 1975 (sensu Hesselbarth et al., 1995: 917).* 03 04 05 06 07 08 10 11 13 14 16 19 20 22 24 25 26 29 30 32 33 35 36 38 39 42 50 51 53 58 60 65 66 69 70 71 76
- 1207) **Brintesia circe (Fabricius, 1775)** (Satyridae) *circe Fabricius, 1775; proserpina Denis & Schiffermüller, 1775; maga Fruhstorfer, 1909; venefica Fruhstorfer, 1909; gabalae Gaillard, 1959; maladettæ Varin, 1962.* 01 03 05 06 07 08 10 11 13 15 16 17 18 20 21 22 24 25 27 29 30 31 32 33 34 35 36 37 39 42 43 45 46 47 48 51 53 56 58 60 62 64 67 70 71 72 73 76
- 1208) **Chazara (Neochazara) anthe (Hoffmannsegg, 1804)** (Satyridae) *anthe Hoffmannsegg, 1804; persephone Hübner, 1805; anthe Ochsenheimer, 1807.* 01 02 03 04 05 06 07 13 14 16 19 21 23 24 25 26 29 30 33 36 37 38 40 42 43 44 46 47 50 51 58 60 62 65 66 68 70 71 74 75 76 81
- 1209) **Chazara (s.str.) bischoffi (Herrich-Schäffer, [1846])** (Satyridae) *bischoffi Herrich-Schäffer, [1846]* 01 04 06 07 08 13 21 23 24 25 29 30 36 38 40 42 44 46 49 50 51 53 58 60 62 65 66 68 69 76
- 1210) **Chazara (s.str.) briseis (Linnaeus, 1764)** (Satyridae) *briseis Linnaeus, 1764; daedale Bergsträßer, 1780; bataia Fruhstorfer, 1909; interjecta Verity, 1916; variabilis Varin, 1958; pictonica Varin, 1958.* 01 02 03 04 05 06 07 08 10 11 12 13 14 15 16 17 18 19 20 21 23 24 25 26 27 29 30 31 32 33 34 35 36 37 38 40 42 43 44 46 47 48 49 50 51 53 55 56 58 60 62 63 64 65 66 68 69 70 71 73 74 76 80
- 1211) **Coenonympha arcania (Linnaeus, 1761)** (Satyridae) *arcania Linnaeus, 1761; amyntas Poda, 1761; cephalus Fourcroy, 1785; naidion Borkhausen, 1788; huebneri Oberthür, 1910; saleviana Fruhstorfer, 1910; triumphans Fruhstorfer, 1910; caucasica Jachontov, 1914; fulvosatura Verity, 1935.* 03 05 06 08 10 14 16 17 18 25 26 29 34 36 37 39 42 43 52 55 57 58 60 66 67 75 76 81
- 1212) **Coenonympha leander (Fabricius, 1787)** (Satyridae) *#leander Esper, [1784]; leander Fabricius, 1787* 03 04 05 06 07 08 16 24 25 29 30 36 42 51 60 65 69 76
- 1213) **Coenonympha pamphilus (Linnaeus, 1758)** (Satyridae) *pamphilus Linnaeus, 1758; menalcas Poda, 1761; nephele Hufnagel, 1766; marginata Heyne, 1894; orantia Fruhstorfer, 1908; scota Verity, 1911; infrarasa Verity, 1926; julidusica Verity, 1926; asiaemontium Verity, 1926; euxina Verity, 1926; posteuxina Verity, 1926; londonii Verity, 1926; neolyllus De Lattin, 1950* 01 03 04 05 06 07 08 09 10 11 12 13 14 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 65 66 67 68 69 70 71 72 73 74 75 76 77 81

- 1214) **Erebia medusa** ([Denis & Schiffermüller],1775) (Satyridae) *medusa* [Denis & Schiffermüller],1775 06 08 14 18 25 29 34 36 37 60 61 67 69 74 75 76
- 1215) **Esperarge (s.str.) clymene** (Fabricius,1787) (Satyridae) *#climene* Esper,[1783]; *clymene* Fabricius,1787; *boroeas* Latreille,1803; *synclimene* Hübner,[1819]. 04 05 06 07 08 12 13 16 19 23 24 25 29 30 36 38 40 42 44 46 49 56 58 60 62 65 66 69 71 73 75 76
- 1216) **Hipparchia (Neohipparchia) fatua** (Freyer,1844) (Satyridae) *fatua* Freyer,1844; *sichaea* Lederer,1857; *insularis* Turati,1929; *elineata* Verity,1937; *infracastanea* Verity,1938; *kosswigi* De Lattin,1950. 01 02 03 04 05 06 07 08 09 10 11 16 17 20 21 23 24 25 27 30 31 32 33 34 35 36 39 42 43 44 45 46 48 50 51 57 58 60 62 65 70 71 74 75 77 80
- 1217) **Hipparchia (Neohipparchia) statilinus** (Hufnagel,1766) (Satyridae) *statilinus* Hufnagel,1766; *fauna* Sulzer,1776 *nec* Drury,1773; *allionia* Fabricius,1781; *actaea* sensu Villers,1789; *arachne* Esper,1789 *nec* Denis & Schiff.,1775; *allionii* Hübner,1826, etc. 01 03 05 06 07 08 10 11 13 14 16 17 19 20 22 23 25 26 29 30 33 34 35 36 38 39 41 42 43 46 50 58 60 65 66 67 70 71 76 81
- 1218) **Hipparchia (Parahipparchia) aristaeus** (Bonelli,1826) (Satyridae) *aristaeus* Bonelli,1826; *sardoa* Spuler,1908; *rautheri* Krause,1912; *ichnusa* Hemming,1931; *algorica* auct. 01 03 05 06 07 09 11 14 16 17 18 20 22 26 27 31 32 33 34 35 37 39 40 42 43 45 46 48 51 58 60 66 67 70 71 75 80
- 1219) **Hipparchia (s.str.) syriaca** (Staudinger,1871) (Satyridae) *syriaca* Staudinger,1871; *attikana* Fruhstorfer,1907; *meschetica* Jachontov,1915; *tokatensis* Gross,1959. 01 03 05 06 07 08 09 10 11 12 13 14 15 16 17 19 20 21 22 23 24 25 26 27 29 30 31 32 33 34 35 36 37 38 39 42 43 44 46 47 48 51 55 58 60 62 64 65 66 68 71 72 73 74 75 76 77 80
- 1220) **Hyponephele (s.str.) lupina** (Costa,[1836]) (Satyridae) *lupina* Costa,[1836] 01 02 03 04 05 06 07 08 09 10 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 29 30 31 32 33 34 35 36 37 38 39 40 42 43 44 45 46 47 48 49 50 51 52 55 56 58 60 62 63 64 65 66 67 69 70 71 72 73 76 80
- 1221) **Hyponephele (s.str.) zuvandica** Samodurov & Koroljev,1996 (Satyridae) *zuvandica* Samodurov & Koroljev,1996; *#zuvandi* Korb,2000 04 05 06 08 12 13 18 24 25 29 36 37 40 53 58 60 62 65 66 67 69 75 76
- 1222) **Kirinia (Melike) roxelana** (Cramer,[1777]) (Satyridae) *roxelana* Cramer,[1777] 01 02 03 05 06 07 08 09 10 11 13 14 15 16 17 19 20 21 22 23 25 26 27 29 30 31 32 33 34 35 38 39 42 43 44 45 46 47 48 49 51 55 56 59 60 62 65 66 71 72 73
- 1223) **Lasiommata maera** (Linnaeus,1758) (Satyridae) *maera* Linnaeus,1758; *pandion* Poda,1761; *hiera* Fab.,1777; *maja* Fuchs,1873; *monotonia* Schilde,1885; *crimea* Bang-Haas,1907; *atabryris* Fruhstorfer,1909. 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 20 21 22 23 24 25 27 28 29 30 31 32 33 34 35 36 37 38 39 41 42 43 44 46 47 48 50 51 53 56 57 58 60 61 62 65 66 67 68 71 73 74 76 80
- 1224) **Lasiommata megera** (Linnaeus,1767) (Satyridae) *megera* Linnaeus,1767; *caledonia* Verity,1911; *alticola* Verity,1911; *pseudoadrasta* Stauder,1922; *infrapallens* Verity,1922; *ocellator* Verity,1923; *pallidedepulverata* Verity,1923. 01 02 05 06 07 08 09 10 11 12 13 14 15 16 17 20 21 22 23 24 25 26 27 28 30 31 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 55 56 57 58 59 60 62 63 65 66 67 70 71 72 73 74 76 77 80
- 1225) **Lasiommata petropolitana** (Fabricius,1787) (Satyridae) *petropolitana* Fabricius,1787; *ominata* Krulikovsky,1903; *calidia* Fruhstorfer,1908; *parvalpestris* Verity,1929. 05 06 08 14 18 24 25 29 37 60 75 81
- 1226) **Maniola (s.str.) jurtina** (Linnaeus,1758) (Satyridae) *jurtina* Linnaeus,1758; *janira* Linnaeus,1758; *lemur* Schrank,1801. 01 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 65 66 67 68 69 70 71 72 74 75 76 77 80 81
- 1227) **Melanargia (Turcargia) larissa** (Geyer,[1828]) (Satyridae) *larissa* Geyer,[1828]. 03 04 05 06 08 13 14 18 19 22 24 25 28 29 36 37 38 40 42 43 44 51 58 60 64 66 68 69 71 74 75 76
- 1228) **Melanargia (s.str.) galathea** (Linnaeus,1758) (Satyridae) *galathea* Linnaeus,1758; *leucomelas* Esper,1783; *leucomelanos* Fourcroy,1785; *galene* Ochsenheimer,1807; *bitorensis* Guillemot,1858; *pygmaea* Fruhstorfer,1916; *malmmediensis* Derenne,1926; *xanthonica* Varin,1948. 05 06 08 10 11 14 16 17 18 19 24 25 26 28 34 36 37 39 43 54 55 58 59 60 61 64 66 67 75 76 81
- 1229) **Pararge aegeria** (Linnaeus,1758) (Satyridae) *aegeria* Linnaeus,1758; *meone* Cramer,1782; *egeria* Ochsenheimer,1807; *sardoa* Verity,1908. 01 05 06 07 08 09 11 13 14 15 16 17 18 20 21 25 27 28 29 30 31 32 33 34 35 38 41 42 44 46 47 48 52 53 55 60 61 67 73 74 77 81
- 1230) **Proterebia afra** (Fabricius,1787) (Satyridae) *afra* Fabricius,1787 02 06 13 23 24 25 32 33 36 38 51 58 66 68 70 71
- 1231) **Pseudochazara (Achazara) anthelea** (Hübner,[1824]) (Satyridae) *anthelea* Hübner,[1824]; *atavirensis* Coutsis,1973. 01 02 03 05 06 07 08 10 11 12 13 14 15 16 18 19 20 21 23 24 25 26 29 31 32 33 35 36 37 38 40 42 43 44 45 46 48 49 50 51 55 56 58 60 62 63 64 65 66 68 69 70 71 72
- 1232) **Pseudochazara (s.str.) beroe** (Freyer,[1843]) (Satyridae) *beroe* Freyer,[1843] 01 03 04 06 07 08 13 16 24 25 29 30 32 33 34 36 38 42 44 46 51 53 58 60 65 69 70 76
- 1233) **Pseudochazara (s.str.) geyeri** (Herrich-Schäffer,[1846]) (Satyridae) *geyeri* Herrich-Schäffer,[1846]; *aristonius* Fruhstorfer,[1911]; *selim* Gross,1978, *karsicola* Gross,1978 04 05 06 07 08 13 24 25 29 30 36 38 42 50 51 58 60 62 65 66 69 73 75 76
- 1234) **Pseudochazara (s.str.) mnischei** (Herrich-Schäffer,[1851]) (Satyridae) *mnischei* Herrich-Schäffer,[1851] 01 03 05 06 07 10 11 14 15 16 19 20 23 24 25 26 28 29 32 33 36 37 38 40 42 43 44 46 48 50 51 58 60 62 66 68 69 70 71 74
- 1235) **Satyrus (Asatyrus (s.str.)) amasinus** Staudinger,1861 (Satyridae) *bryce* Herrich-Schäffer,[1852] *nec* Hübner,[1800]; *amasinus* Staudinger,1861 02 03 05 06 08 14 23 24 25 29 35 36 38 42 44 46 50 58 60 62 69 71 76
- 1236) **Scythris (scopellula-gr.) flabella** (Mann,1861) (Scythridae) *flabella* Mann,1861; *aurella* Caradja,1920 05 06 38 42 46 76
- 1237) **Scythris (subfasciata-gr.) subfasciata** (Staudinger,1880) (Scythridae) *subfasciata* Staudinger,1880 05 06
- 1238) **Bembecia illustris** (Rebel,1901) (Sesiidae) *illustris* Rebel,1901 01 06
- 1239) **Bembecia scopigera** (Scopoli,1763) (Sesiidae) *scopigera* Scopoli,1763; *communis* Le Cerf,1920 06 16 25 36 59
- 1240) **Chamaesphecia anatolica** Schwingenschuss,1938 (Sesiidae) *anatolica* Schwingenschuss,1938 04 06 25 42
- 1241) **Chamaesphecia bibioniformis** (Esper,[1800]) (Sesiidae) *bibioniformis* Esper,[1800]; *tengyraeformis* Boisduval,1840; *tengiriformis* Rambur,1866; *myrsinites* Pinker,1954. 05 06 14 34 38 42 58
- 1242) **Chamaesphecia doryceraeformis** (Lederer,1853) (Sesiidae) *doryceraeformis* Lederer,1853 01 02 05 06 12 17 21 26 42 47 50 65 70
- 1243) **Chamaesphecia oxybeliformis** (Herrich-Schäffer,1846) (Sesiidae) *oxybeliformis* Herrich-Schäffer,1846 06
- 1244) **Chamaesphecia schmidtii** (Freyer,1836) (Sesiidae) *schmidtii* Freyer,1836 01 05 06 37 38 42 46 60
- 1245) **Chamaesphecia thracica** Z.Lastuvka,1983 (Sesiidae) *thracica* Z.Lastuvka,1983 05 06 17 25 39 46
- 1246) **Paranthrene insolita** Le Cerf,1914 (Sesiidae) *insolita* Le Cerf,1914; *aurantiacum* Rebel,1917. 01 06 11 14 24 26 31 33 42 46 47 62 70
- 1247) **Pyropteron triannuliformis** (Freyer,1845) (Sesiidae) *meriaeformis* Assmann,1845 *nec* Bsd.,1840; *triannuliformis* Freyer,1845; *braconiformis* Herrich-Schäffer,1846; *philanthiformis* Lederer,1853 *nec* Lasp.,1801; *armeniaca* Bartel,1906; *balcanica* Zukowsky,1929; *liljananae* Tosevski,1986; *pungeleri* K.Spatenka,1987 01 04 05 06 07 08 13 16 22 25 30 31 34 35 36 39 42 44 46 50 58
- 1248) **Sesia apiformis** (Clerck,1759) (Sesiidae) *#apiformis* Clerck,1759; *crabroniformis* [Denis & Schiffermüller],1775; *sireciformis* Esper,1782; *tenebrioniformis* Esper,1782; *vespa* Retzius,1783 06 16
- 1249) **Synansphecia leucomelaena** (Zeller,1847) (Sesiidae) *leucomelaena* Zeller,1847 01 05 06 07 16 20 34 48
- 1250) **Synansphecia mannii** (Lederer,1853) (Sesiidae) *mannii* Lederer,1853 06 14 16 34 39
- 1251) **Synanthedon culiciformis** (Linnaeus,1758) (Sesiidae) *culiciformis* Linnaeus,1758; *culex* Retzius,1783; *americana* Beutenmüller,1896 06 45

- 1252) **Synanthedon myopaeformis (Borkhausen,1789)** (Sesiidae) *myopaeformis* Borkhausen,1789; *mutillaeformis* Laspeyres,1801; *luctuosa* Lederer,1853; *myopiformis* Staudinger,1856; *elegans* Lederer,1861. 05 06 16 25 31 32 34 35 42 44 50
- 1253) **Synanthedon rubiana Kallies, M.Petersen & Riefenstahl,1998** (Sesiidae) *rubiana* Kallies, M.Petersen & Riefenstahl,1998 06 14 32 50 51
- 1254) **Synanthedon vespiformis (Linnaeus,1761)** (Sesiidae) *vespiformis* Linnaeus,1761; *asiliformis* Rottemburg,1775; *oestriformis* Rottemburg,1775; *cynipiformis* Esper,1783; *chrysorrhoea* Donovan,1795 01 05 06 07 08 15 16 22 25 33 39 42 60 65
- 1255) **Tinthia myrmosaeformis (Herrich-Schäffer,1846)** (Sesiidae) *myrmosaeformis* Herrich-Schäffer,1846; *#lucida* Lederer,1853; *myrmosiformis* Staudinger,1856. 01 05 06 16 33 36 39 42 46 50
- 1256) **Acherontia atropos (Linnaeus,1758)** (Sphingidae) *atropos* Linnaeus,1758; *solani* Oken,1815; *sculda* Kirby,1877. 06 17 35 36 46
- 1257) **Agrius convolvuli (Linnaeus,1758)** (Sphingidae) *convolvuli* Linnaeus,1758; *abadonna* Fabricius,1798; *pseudofasciatus* Koch,1865; *pseudoconvolvuli* Schaufuss,1870; *orientalis* Butler,1876; *distans* Butler,1876; *batatae* Christ,1882; *nigricans* Cannaviello,1900; *ichangensis* Tutt,1904; *javanensis* Tutt,1904; *tahitiensis* Tutt,1904; *indica* Skell,1913; *marshallensis* Clark,1922; *aksuensis* O.Bang-Haas,1927 05 06 10 16 42 44 60
- 1258) **Deilephila porcellus (Linnaeus,1758)** (Sphingidae) *porcellus* Linnaeus,1758 05 06 16 33 35 45 58 60 71
- 1259) **Deilephila suellus Staudinger,1878** (Sphingidae) *suellus* Staudinger,1878; *kuruschi* O.Bang-Haas,1938. 01 04 05 06 07 12 13 19 25 30 32 42 50 58 60 65 66 71
- 1260) **Hemaris (Cochrania) croatica (Esper,[1779])** (Sphingidae) *croatica* Esper,[1779]; *sesia* Hübner,[1806]; *#obscurata* Closs,1911; *#rangnowi* Closs,1911. 05 06 13 16 30 33 42 44 45 46 50 60 65 71
- 1261) **Hyles conspicua (Rothschild & Jordan,1903)** (Sphingidae) *conspicua* Rothschild & Jordan,1903. 01 05 06 07 09 10 13 14 15 16 17 20 24 25 30 32 33 35 36 42 45 46 47 50 51 58 60 63 65 73 76
- 1262) **Hyles hippophaes (Esper,[1789])** (Sphingidae) *hippophaes* Esper,[1789]; *teriolensis* Dannehl,1929; *kiortsii* Koutsaftikis,1974. 06 19 23 25 30 36 44 46 50 62 65 71
- 1263) **Hyles livornica (Esper,[1780])** (Sphingidae) *livornica* Esper,[1780]; *koechlini* Fuessly,1781; *tatsienluica* Oberthür,1916; *saharae* Gehlen,1932; *malgassica* Denso,1944; *tatsienluica* Oberthür,1944; *renneri* Eitschberger, Danner & Surholt,1998. 01 05 06 07 09 16 17 19 23 30 33 34 35 36 45 46 47 53 58 60 61 63 73
- 1264) **Hyles nicaea (Prunner,1798)** (Sphingidae) *nicaea* Prunner,1798; *cyparissiae* Hübner,[1813]. 06 19 25 30 36 50 58 60 65 76
- 1265) **Laothoe populeti (Bienert,[1870])** (Sphingidae) *populeti* Bienert,[1870]; *populetorum* Staudinger,1887; *syriaca* Gehlen,1932; *intermedia* Gehlen,1934. 05 06 12 25 30 32 36 42 44 46 53 60 65 71
- 1266) **Macroglossum stellatarum (Linnaeus,1758)** (Sphingidae) *stellatarum* Linnaeus,1758; *nigra* Cosmovici,1892. 01 05 06 09 10 11 14 16 17 21 25 33 35 36 38 45 46 55 58 60 65 71
- 1267) **Marumba quercus ([Denis & Schiffermüller],1775)** (Sphingidae) *quercus* [Denis & Schiffermüller],1775; *denisii* Fuessly,1779; *#brunnescens* Rebel,1910; *#canescens*, *pallescens* Closs,1922; *mesopotamica* O.Bang-Haas,1938; *schirasi* O.Bang-Haas,1938; *#pallida* Villarrubia,1973. 01 05 06 07 10 12 19 30 42 46 47 62 65 73
- 1268) **Rethera komarovi (Christoph,1885)** (Sphingidae) *komarovi* Christoph,1885; *#kamarowi* Wagner,1931; *rjabovi* O.Bang-Haas,1934; *#albocingulata* O.Bang-Haas,1934; *#roseocingulata* O.Bang-Haas,1937 05 06 23 30 36 42 46 60 65 71
- 1269) **Smerinthus kindermanni Lederer,1852** (Sphingidae) *kindermanni* Lederer,1852; *#obscura* Closs,1917 06 22 23 25 30 42 46 58 60 63 65 76
- 1270) **Sphinx ligustri Linnaeus,1758** (Sphingidae) *ligustri* Linnaeus,1758; *spiraeae* Esper,1800; *amurensis* Oberthür,1886; *nisseni* Rothschild & Jordan,1903; *fraxini* Dannehl,1925; *chischimensis* Matsumura,1929; *weryi* Rungs,1977; *zolutuhini* Eitschberger & Lukhtanov,1996; *eichleri* Eitschberger, Danner & Surholt,1998 06 16 25 36 42 60
- 1271) **Sphinx pinastri Linnaeus,1758** (Sphingidae) *pinastri* Linnaeus,1758; *asiaticus* Butler,1875; *saniptri* Strecker,1876; *cenisius* Jordan,1931; *medialis* Jordan,1931; *euxinus* Derzhavets,1979; *selon* De Freina & Witt,1987. 05 06 15 17 19 32 36 42 46 60
- 1272) **Thaumetopoea (s.str.) processionea (Linnaeus,1758)** (Thaumetopoeidae) *processionea* Linnaeus,1758; *pseudosolitaria* Daniel,1951. 03 06 07 10 34 59
- 1273) **Achyla flavicornis (Linnaeus,1758)** (Thyatiridae) *flavicornis* Linnaeus,1758; *cinerea* Hufnagel,1766; *sulphureomaculata* Retzius,1783; *arcuata* Fourcroy,1785; *luteicornis* Haworth,1809 06 71
- 1274) **Asphalia ruficollis (Fabricius,1787)** (Thyatiridae) *#ruficollis* [Denis & Schiffermüller],1775; *ruficollis* Fabricius,1787 06 07 34 59 71 73
- 1275) **Cymatophorima diluta ([Denis & Schiffermüller],1775)** (Thyatiridae) *diluta* [Denis & Schiffermüller],1775; *fasciculosa* Borkhausen,1790; *bistrigata* Borkhausen,1790; *hartwegi* Reisser,1927 06 31
- 1276) **Polyploca korbi Rebel,1901** (Thyatiridae) *korbi* Rebel,1901 06 07 31 33 42 46 64 73
- 1277) **Tethea ocularis (Linnaeus,1767)** (Thyatiridae) *ocularis* Linnaeus,1767; *octogena* Esper,1788 03 06 12 13 14 15 17 19 32 36 37 42 43 46 50 60 62 65 71
- 1278) **Hapsifera luridella Zeller,1847** (Tineidae) *luridella* Zeller,1847; *baliopsamma* Meyrick,1921; *pustulatella* Lucas,1942 *nec* Zell.,1852; *eburnea* Butler,1881; *palaestinensis* Rebel,1901; *kerbelella* Amsel,1949 01 05 06 16 22 27 31 42 46 65 71 76
- 1279) **Infurcitinea turcica G.Petersen,1968** (Tineidae) *turcica* G.Petersen,1968 06 71
- 1280) **Myrmecozela (Flavida) insignis Amsel,1935** (Tineidae) *insignis* Amsel,1935; *stichograptia* Meyrick,1936; *diacona* Amsel,1949 05 06
- 1281) **Myrmecozela (Flavida) lutosella (Eversmann,1844)** (Tineidae) *lutosella* Eversmann,1844 05 06
- 1282) **Nemapogon anatolica Gaedike,1986** (Tineidae) *anatolica* Gaedike,1986 06 32 42
- 1283) **Nemapogon inconditella (Lucas,1956)** (Tineidae) *inconditella* Lucas,1956; *buckwelli* Lucas,1956; *heydeni* G.Petersen,1957; *hispanellus* Gozmany,1960; *thomasi* Capuše,1975. 06 32 41
- 1284) **Nemapogon quercicolella (Zeller,1852)** (Tineidae) *quercicolellus* Zeller,1852 06 16 42 61
- 1285) **Nemapogon ruricolella (Stainton,1859)** (Tineidae) *ruricolella* Stainton,1859; *cochylidella* Stainton,1854. 06 16
- 1286) **Nemapogon signatella G.Petersen,1957** (Tineidae) *signatellus* G.Petersen,1957 05 06 14 16 33 71
- 1287) **Rhodobates laevigatellus (Herrich-Schäffer,[1854])** (Tineidae) *laevigatellus* Herrich-Schäffer,[1854]. 05 06 24 27 33 38 42 44 46 71
- 1288) **Acleris kochiella (Goeze,1783)** (Tortricidae) *kochiella* Goeze,1783; *ternatella* Fourcroy,1785; *boscana* Fabricius,1794; *cerusana* Hübner,[1799]; *ulmana* Duponchel,1836; *parisiana* Guenée,1845. 05 06 15 16
- 1289) **Acleris variegana ([Denis & Schiffermüller],1775)** (Tortricidae) *variegana* [Denis & Schiffermüller],1775; *asperana* Fabricius,1777; *osbeckiana* Thunberg,1784; *nyctemerana* Hübner,[1817]; *blandiana* Charpentier,1821; *blandana* Hübner,[1825]; *cirrana* Curtis,1835; *albana* Humpreys & Westwood,1845; *insignana* Herrich-Schäffer, 1851. 05 06 15 16 32 35 42 44 46 61
- 1290) **Aethes bilbaensis (Rössler,1877)** (Tortricidae) *bilbaensis* Rössler,1877; *loxopteroides* Walsingham,1903; *mediterranea* Rebel,1906; *reclusa* Meyrick,1923. 05 06 46 71
- 1291) **Aethes eryngiella (Vallot,1829)** (Tortricidae) *eryngiella* Vallot,1829; *flagellana* Duponchel,1836; *helveticana* Heyden,1865; *eryngiana* Heyden,1865; *sardoa* Amsel,1952. 01 06 42 46
- 1292) **Aethes francillana (Fabricius,1794)** (Tortricidae) *francillana* Fabricius,1794; *francillonana* Humprey & Westwood,1845; *ferulae* Müller-Rutz,1920. 05 06 16 33 42 45
- 1293) **Aethes kasyi Razowski,1962** (Tortricidae) *kasyi* Razowski,1962 06

- 1294) **Aethes margarotana (Duponchel,1836)** (Tortricidae) *margarotana* Duponchel,1836; *maritimana* Guenée,1845; *scabidulana* Lederer,1855; *capnospila* Meyrick,1912; *parallelana* Kennel,1913; *edrisitana* Chrétien,1922; *paronyma* Meyrick,1932. 05 06 16 31 35 42 46 54 71
- 1295) **Aethes mauritanica (Walsingham,1898)** (Tortricidae) *mauritanica* Walsingham,1898; *#mauretanica* Kennel,1910; *cornelia* Turati,1924; *albella* Amsel,1952. 06 34 41
- 1296) **Aethes nefandana (Kennel,1899)** (Tortricidae) *nefandana* Kennel,1899; *diacrisiana* Rebel,1903; *chersonana* Obratsov,1937. 06 38
- 1297) **Aethes tesserana ([Denis & Schiffermüller],1775)** (Tortricidae) *tesserana* [Denis & Schiffermüller],1775; *aleella* Sulzer,1776; *heiserana* Fabricius,1787; *groendalana* Thunberg,1791. 05 06 16 40
- 1298) **Aethes tornella (Walsingham,1898)** (Tortricidae) *tornella* Walsingham,1898 05 06 16 46
- 1299) **Agapeta hamana (Linnaeus,1758)** (Tortricidae) *hamana* Linnaeus,1758; *trigonana* [Denis & Schiffermüller],1775; *citrinella* Fourcroy,1785; *cruciana* Fabricius,1787; *diversana* Hübner,1793 06 14 16
- 1300) **Aleimma loeflingianum (Linnaeus,1758)** (Tortricidae) *loeflingiana* Linnaeus,1758; *mixtana* Fabricius,1794; *plumbana* Hübner,[1799]; *ectypa* Hübner,[1800]; *plumbeolana* Haworth,1811 05 06 16 17 22 32 42 46 71 81
- 1301) **Ancylys comptana (Frölich,1828)** (Tortricidae) *comptana* Frölich,1828; *conflexana* Walker,1863; *pulchellana* Clemens,1864; *lamiana* Clemens,1864; *fragariae* Walsh & Riley,1869; *floridana* Zeller,1875; *amblygona* Zeller,1875; *cometana* Walsingham,1879; *sculpta* Meyrick,1922 05 06 16
- 1302) **Archips crataeganus (Hübner,[1799])** (Tortricidae) *crataegana* Hübner,[1799]; *roborana* Hübner,[1799] 03 06 15 18 34
- 1303) **Archips rosanus (Linnaeus,1758)** (Tortricidae) *rosana* Linnaeus,1758; *avellana* Linnaeus,1758; *ameriana* Linnaeus,1758; *laevigana* [Denis & Schiffermüller],1775; *oxycanthana* Hübner,[1799]; *acerana* Hübner,[1799]; *nebulana* Stephens,1834 03 05 06 07 08 14 15 16 17 18 22 24 25 32 34 42 51
- 1304) **Bactra (s.str.) lancealana (Hübner,[1799])** (Tortricidae) *lancealana* Hübner,[1799]; *#lanceolana* Hübner,[1822]; *egestana* Haworth,1811; *plagana* Haworth,1811; *dibeliana* Hübner,[1819]; *rufana* Stephens,1834; *nigrovittana* Stephens,1852 05 06 16 34 46
- 1305) **Cnephasia (Cnephasiella) abrasana (Duponchel,1843)** (Tortricidae) *abrasana* Duponchel,1843 05 06 35
- 1306) **Cnephasia (s.str.) heringi Razowski,1958** (Tortricidae) *heringi* Razowski,1958 05 06 71
- 1307) **Cnephasia (s.str.) orientana (Alpheraky,1877)** (Tortricidae) *orientana* Alpheraky,1877 06 30 38
- 1308) **Cnephasia (s.str.) sedana (Constant,1884)** (Tortricidae) *sedana* Constant,1884; *marcidana* Kennel,1901; *valderiana* Turati & Verity,1912; *alaicana* Caradja,1916; *agathana* Kennel,1919; *obscurana* Osthelder,1938; *oricasis* Meyrick,1932; *amseli* Razowski,1957; *pirizanica* Razowski,1965 06 38 46
- 1309) **Cnephasia (s.str.) tristrami (Walsingham,1900)** (Tortricidae) *tristrami* Walsingham,1900 06 46
- 1310) **Cochylimorpha alternana (Stephens,1834)** (Tortricidae) *alternana* Stephens,1834; *#gigantana* Doubleday,1849; *moscovana* Kennel,1913; *cinnamomella* Turati & C.G.Krüger,1936. 06 35
- 1311) **Cochylimorpha diana (Kennel,1899)** (Tortricidae) *diana* Kennel,1899; *iraniana* Razowski,1963. 06 42 44 46 47 58 65 76
- 1312) **Cochylimorpha langeana (Kalchberg,1897)** (Tortricidae) *langeana* Kalchberg,1897; *anticyphas* Meyrick,1936; *hannemanni* Razowski,1961 06 31 71
- 1313) **Cochylimorpha meridiana (Staudinger,1859)** (Tortricidae) *meridiana* Staudinger,1859; *claviculana* Mann,1863; *frauenfeldi* Mann,1871; *naeviferana* Kennel,1899; *priscillana* Kennel,1919. 05 06 38 42 46
- 1314) **Cochylimorpha straminea (Haworth,[1811])** (Tortricidae) *straminea* Haworth,[1811]; *tischerana* Treitschke,1830; *sudana* Duponchel,1836; *substraminea* Ragonot,1895; *scabiosa* Kennel,1900; *lentiginosana* Kennel,1900; *ramessana* Rebel,1912; *numidana* Turati,1924; *glaisana* Lucas,1942; *pallens* Lucas,1954. 05 06 16 33 35 46
- 1315) **Cochylimorpha wiltshirei Razowski,1963** (Tortricidae) *wiltshirei* Razowski,1963 06
- 1316) **Cochylis defessana (Mann,1861)** (Tortricidae) *defessana* Mann,1861; *centaureana* Staudinger,1879. 05 06 14 42 44 71
- 1317) **Cochylis epilana Duponchel,1842** (Tortricidae) *epilana* Duponchel,1842; *carpophilana* Staudinger,1859. 06 38 42 71
- 1318) **Cochylis hybridella (Hübner,[1813])** (Tortricidae) *hybridella* Hübner,[1813]; *dissolutana* Herrich-Schäffer,[1847]; *carduana* Zeller,1847; *clarana* Caradja,1916. 06
- 1319) **Cochylis pallidana Zeller,1847** (Tortricidae) *pallidana* Zeller,1847 06 16
- 1320) **Cydia leucogrammana (Hofmann,1898)** (Tortricidae) *leucogrammana* Hofmann,1898 06
- 1321) **Cydia ulicetana (Haworth,[1811])** (Tortricidae) *ulicetana* Haworth,[1811]; *consequana* Zeller,1847; *micaceana* Constant,1865. 03 06 46
- 1322) **Diceratura rhodograpta Djakonov,1929** (Tortricidae) *rhodograpta* Djakonov,1929 05 06 33 42
- 1323) **Diceratura roseofasciana (Mann,1855)** (Tortricidae) *roseofasciana* Mann,1855; *aequana* Caradja,1916; *keredjana* Razowski,1963. 01 05 06 16 42 46
- 1324) **Epinotia dalmatana (Rebel,1891)** (Tortricidae) *dalmatana* Rebel,1891; *psychrodora* Meyrick,1936; *mesopotamica* Obraztsov,1952; *obraztsovi* Agenjo,1967 06
- 1325) **Epinotia festivana (Hübner,[1799])** (Tortricidae) *festivana* Hübner,[1799] 05 06 14 16 46 65 71
- 1326) **Eucosma gypsata (Kennel,1921)** (Tortricidae) *gypsata* Kennel,1921 06 42
- 1327) **Eucosma sparsana (Rebel,1935)** (Tortricidae) *sparsana* Rebel,1935 06
- 1328) **Eugnosta lathoniana (Hübner,[1800])** (Tortricidae) *lathoniana* Hübner,[1800] 06 16 31 42
- 1329) **Eugnosta magnificana (Rebel,1914)** (Tortricidae) *margaritana* Hübner,[1813] nec Haw.,[1811]; ? *norvichiana* Hübner,[1817] [nomina dubia!]; *magnificana* Rebel,1914. 06 13 42 71
- 1330) **Fulvoclysia proxima Razowski,1970** (Tortricidae) *proxima* Razowski,1970 06 14
- 1331) **Grapholita compositella (Fabricius,1775)** (Tortricidae) *compositella* Fabricius,1775; *quadrella* Goeze,1783; *quadratella* Fourcroy,1785; *composana* Fabricius,1798; *gundiana* Hübner,[1799]; *compositana* Haworth,1802; *simillimana* Toll,1953 05 06 16
- 1332) **Grapholita orobana (Treitschke,1830)** (Tortricidae) *orobana* Treitschke,1830; *strandiana* Fuhcs,1901; *persicana* Osthelder,1938 05 06 16 35 49
- 1333) **Hedya nubiferana (Haworth,[1811])** (Tortricidae) *dimidioalba* Retzius,1783; *variegana* Hübner,[1799] nec [Denis & Schiff.],1775; *nubiferana* Haworth,[1811] 03 06 14 15 17 22 32 34 42 71
- 1334) **Hedya salicella (Linnaeus,1758)** (Tortricidae) *salicella* Linnaeus,1758; *salicana* [Denis & Schiffermüller],1775 06 42 71
- 1335) **Isotria hybridana (Hübner,[1817])** (Tortricidae) *cingulana* Scopoli,1772; *hybridana* Hübner,[1817]; *puellana* Frölich,1828; *pedemontana* Staudinger,1871; *figalana* Millière,1884; *castiliana* Ragonot,1894 06 16
- 1336) **Notocelia aquana (Hübner,[1799])** (Tortricidae) *#roborana* [Denis & Schiffermüller],1775; *aquana* Hübner,[1799]. 03 06 14 42 71 81
- 1337) **Notocelia trimaculana (Haworth,[1811])** (Tortricidae) *trimaculana* Haworth,[1811]; *suffusana* Duponchel,1843. 03 06 14 16 46
- 1338) **Notocelia uddmanniana (Linnaeus,1758)** (Tortricidae) *uddmanniana* Linnaeus,1758 01 05 06 14 16 21 46 53 81
- 1339) **Olethreutes (Argyroplote) stibiana (Guenée,1845)** (Tortricidae) *stibiana* Guenée,1845; *sibirana* Caradja,1916; *fluviana* Kennel,1919. 05 06 58
- 1340) **Phalonidia contractana (Zeller,1847)** (Tortricidae) *contractana* Zeller,1847; *manifestana* Kennel,1900; *exaequata* Meyrick,1923; *thermoconis* Meyrick,1925. 05 06 15 16 42 46 71

- 1341) **Phtheochroa duponchelana** (Duponchel,1843) (Tortricidae) *duponchelana* Duponchel,1843; *duponcheliana* Costa,1847; *gloriosana* Herrich-Schäffer,1851; *syriaca* Walsingham,1900 01 06 16 31 42 65
- 1342) **Phtheochroa larseni** Huemer,1990 (Tortricidae) *larseni* Huemer,1990 06
- 1343) **Phtheochroa rugosana** (Hübner,[1799]) (Tortricidae) *rugosana* Hübner,[1799]; *v-albana* Donovan,1806. 05 06
- 1344) **Prochlidonia ochromixtana** (Kennel,1913) (Tortricidae) *ochromixtana* Kennel,1913 06 26 42
- 1345) **Ptycholoma lecheana** (Linnaeus,1758) (Tortricidae) *lecheana* Linnaeus,1758; *obsoletana* Stephens,1834 06 14 22 34 39
- 1346) **Rhyacionia buoliana** ([Denis & Schiffermüller],1775) (Tortricidae) *buoliana* [Denis & Schiffermüller],1775; *herbstella* Goeze,1783; *thurificana* Lederer,1855; *#bouoliana* Kalchberg,1897 06 07 09 14 15 34 41 57
- 1347) **Spilonota ocellana** ([Denis & Schiffermüller],1775) (Tortricidae) *ocellana* [Denis & Schiffermüller],1775; *luscana* Fabricius,1794; *comitana* Hübner,[1799]; *pyrifoliana* Clemens,1860; *occulana* Harris,1862; *zellerana* Borgmann,1895; *centralasiae* Obratzsov,1949 05 06 14 15 16 18 25 34 61 71 81
- 1348) **Thiodia couleruana** (Duponchel,1835) (Tortricidae) *couleruana* Duponchel,1835; *castiliana* Caradja,1917; *pseudodelitanus* Obratzsov,1952 06 65
- 1349) **Tortricodes selma** Koçak,1991 (Tortricidae) *selma* Koçak,1991 06 71
- 1350) **Tortrix viridana** (Linnaeus,1758) (Tortricidae) *viridana* Linnaeus,1758; *sutneriana* [Denis & Schiffermüller],1775; *flavipes* Fourcroy,1785; *flavana* Zincken,1821 *nec* Hübn.,[1799]; *coeruleana* Sorhagen,1881. 03 05 06 10 12 13 16 17 34 39 42 45 50 65 71 76
- 1351) **Digitivalva glaseri** Gaedike,1971 (Yponomeutidae) *glaseri* Gaedike,1971. 06
- 1352) **Nipponympha albella** (Zeller,1847) (Yponomeutidae) *albella* Zeller,1847; *dealbatella* Zeller,1847; *immaculanella* Bruand,1850; *cignivicinella* Bruand,1859 06 31 46
- 1353) **Paraswammerdamia lutarea** (Haworth,[1828]) (Yponomeutidae) *lutarea* Haworth,[1828] 06 42
- 1354) **Plutella** (s.str.) **xylostella** (Linnaeus,1758) (Yponomeutidae) *xylostella* Linnaeus,1758; *cinerea* Fourcroy,1785 *nec* Hufn.,1766; *xylostei* Fabricius,1798; *maculipennis* Curtis,1832; *niveella* Zeller,1839; *cruciferarum* Zeller,1843; *brassicella* Fitch,1856; *limbipennella* Clemens,1860; *mollipedella* Clemens,1860; *cicerella* Rondani,1876; *dubiosella* Beutenmüller,1889; *albovenosa* Walsingham,1897; *megapterella* Bentinck,1934 01 06 34 38 42 65 71
- 1355) **Pseudoswammerdamia combinella** (Hübner,1786) (Yponomeutidae) *combinella* Hübner,1786 06 16
- 1356) **Rhigognostis senilella** (Zetterstedt,[1839]) (Yponomeutidae) *senilella* Zetterstedt,[1839]; *dalella* Stainton,1849; *marmarosella* Wocke,1850 06
- 1357) **Swammerdamia caesiella** (Hübner,1796) (Yponomeutidae) *caesiella* Hübner,1796; *heroldella* Hübner,[1825]; *caesia* Haworth,1828; *nubeculella* Tengström,1848; *griseocapitella* Stainton,1851 06
- 1358) **Yponomeuta malinellus** Zeller,1838 (Yponomeutidae) *malinellus* Zeller,1838 05 06 45
- 1359) **Yponomeuta padellus** (Linnaeus,1758) (Yponomeutidae) *padella* Linnaeus,1758; *evonymella* Scopoli,1763 *nec* Linn.,1758; *malinella* Zeller,1838; *variabilis* Zeller,1844; *diffuellus* Heinemann,1870. 06 38 44
- 1360) **Yponomeuta rorrellus** (Hübner,1796) (Yponomeutidae) *rorrella* Hübner,1796; *helicella* Freyer,1827; *rorea* Haworth,1828. 06
- 1361) **Ypsolopha albiramella** (Mann,1861) (Yponomeutidae) *albiramella* Mann,1861 05 06 76
- 1362) **Ypsolopha excisella** (Lederer,1855) (Yponomeutidae) *excisella* Lederer,1855 06
- 1363) **Ypsolopha persicella** (Fabricius,1787) (Yponomeutidae) *persicella* Fabricius,1787; *sulphurella* Hübner,1793; *#persicellume* Noack,1960. 01 05 06 16 24 35
- 1364) **Ypsolopha ustella** (Clerck,1759) (Yponomeutidae) *ustella* Clerck,1759; *ciliella* [Denis & Schiffermüller],1775; *radiatella* Donovan,1794 *nec* Fourc.,1785; *variella* Hübner,1796 *nec* [Den. & Schiff.],1775; *fissella* Hübner,1796; *cornutus* Fabricius,1798; *unguiculatus* Fabricius,1798; *parallela* Panzer,1799; *byssinella* Hübner,[1813]; *quinquepunctatus* Haworth,1828; *lutosus* Haworth,1828; *flaviciliatus* Haworth,1828; *varians* Haworth,1828; *fissus* Haworth,1828; *radiatus* Haworth,1828; *fulvella* Duponchel,1839 06
- 1365) **Ypsolopha vittella** (Linnaeus,1758) (Yponomeutidae) *vittella* Linnaeus,1758; *sisymbrella* Denis & Schiffermüller,[1775]; *lanceolata* Fabricius,1777; *lancea* Borkhausen,1792; *dorsella* Fabricius,1794; *dorsatus* Fabricius,1798; *#vitellum* Noack,1960. 06 16
- 1366) **Adscita** (s.str.) **capitalis** (Staudinger,1878) (Zygaenidae) *capitalis* Staudinger,1878 01 05 06 50 51 58
- 1367) **Adscita** (s.str.) **obscura** (Zeller,1847) (Zygaenidae) *obscura* Zeller,1847; *anceps* Staudinger,1862. 05 06 12 16 31 33 35 36 38 42 46 50 51 63 65 71 80
- 1368) **Adscita** (s.str.) **statices** (Linnaeus,1758) (Zygaenidae) *statices* Linnaeus,1758; *turcosa* Retzius,1783; *stuticus* Fourcroy,1785; *micans* Freyer,1833; *extensa* Alberti,1937; *anomala* Verity,1946; *lutrinensis* Heuser,1960; *heuseri* Reichl,1964 06 23 31 38 58 80
- 1369) **Jordanita** (Lucasiterna) **subsolana** (Staudinger,1862) (Zygaenidae) *subsolana* Staudinger,1862 06 29 32 33 35 38 60 63 65 75
- 1370) **Jordanita** (Roccia) **budensis** (Speyer & Speyer,1858) (Zygaenidae) *budensis* Speyer & Speyer,1858 05 06 29 33 36 42 51 58 62 69 70
- 1371) **Jordanita** (Roccia) **paupera** (Christoph,1887) (Zygaenidae) *paupera* Christoph,1887; *mollis* Grum-Grshimailo,1893; *hamifera* Jordan,1909; *tamerlana* Alberti,1937; *minor* Alberti,1937 06
- 1372) **Jordanita** (Roccia) **volgensis** (Möschler,1862) (Zygaenidae) *volgensis* Möschler,1862 01 06 13 36 44 51 63 65 70
- 1373) **Jordanita** (Tremewania) **notata** (Zeller,1847) (Zygaenidae) *notata* Zeller,1847 05 06 13 30 36 44 47 65 80
- 1374) **Jordanita** (s.str.) **chloros** (Hübner,[1813]) (Zygaenidae) *chloros* Hübner,[1813]; *sepium* Boisduval,1834. 05 06 16 23 24 25 30 42 69
- 1375) **Jordanita** (s.str.) **graeca** (Jordan,1907) (Zygaenidae) *graeca* Jordan,1907; *sultana* Alberti,1937 06 13 24 30 33 42 47 49 50 62 65
- 1376) **Zygaena** (Agrumenia) **carniolica** (Scopoli,1763) (Zygaenidae) *carniolica* Scopoli,1763 01 04 05 06 08 13 14 16 22 23 24 25 29 30 31 33 34 35 36 37 38 41 42 43 46 58 60 65 71 76 77
- 1377) **Zygaena** (Agrumenia) **formosa** Herrich-Schäffer,[1852] (Zygaenidae) *formosa* Herrich-Schäffer,[1852] 01 05 06 29 42 44 58 76
- 1378) **Zygaena** (Agrumenia) **olivieri** Boisduval,1828 (Zygaenidae) *olivieri* Boisduval,1828 04 05 06 11 13 19 23 25 29 30 36 38 44 49 58 60 62 65 66 73 76
- 1379) **Zygaena** (Agrumenia) **sedi** Fabricius,1787 (Zygaenidae) *sedi* Fabricius,1787 06 12 13 36 45 58 60
- 1380) **Zygaena** (Mesembrynus) **laeta** (Hübner,1790) (Zygaenidae) *laeta* Hübner,1790 05 06 11 13 16 25 38 42 46 58 66
- 1381) **Zygaena** (Mesembrynus) **minos** ([Denis & Schiffermüller],1775) (Zygaenidae) *minos* [Denis & Schiffermüller],1775. 01 06 07 10 13 23 24 31 32 33 36 42 44 48 53 58 60 61 65 66 75
- 1382) **Zygaena** (Mesembrynus) **punctum** Ochsenheimer,1808 (Zygaenidae) *punctum* Ochsenheimer,1808 04 05 06 12 13 17 23 33 35 42 44 45 49 57 58 60 66 76
- 1383) **Zygaena** (Mesembrynus) **purpuralis** (Brünnich,1763) (Zygaenidae) *purpuralis* Brünnich,1763; *pythia* Fabricius,1777; *scabiosae* Scheven,1777; *pilosellae* Esper,1780; *pluto* Ochsenheimer,1808; *pasiphae* Meigen,[1829]; *tatvanica* Reiss & Reiss,1973. 04 05 06 08 13 14 16 23 25 29 30 31 34 36 38 42 44 58 61 62 65 69 71 75 76
- 1384) **Zygaena** (s.str.) **dorycnii** Ochsenheimer,1808 (Zygaenidae) *dorycnii* Ochsenheimer,1808 04 06 08 11 13 14 24 25 28 29 33 36 38 42 43 49 53 57 61 62 69 75 76
- 1385) **Zygaena** (s.str.) **filipendulae** (Linnaeus,1758) (Zygaenidae) *filipendulae* Linnaeus,1758; *aries* Retzius,1783 01 05 06 08 11 13 14 16 18 22 24 25 28 29 30 31 34 36 37 42 43 44 49 50 53 58 60 61 62 65 66 69 70 75 76

- 1386) **Zygaena (s.str.) lonicerae (Scheven,1777)** (Zygaenidae) *lonicerae* Scheven,1777; *graminis* Villers,1789; *rechei* Dujardin,1965; *microdoxa* Dujardin,1965 05 06 08 13 14 16 24 25 29 36 42 55 58 62 76
- 1387) **Zygaena (s.str.) loti ([Denis & Schiffermüller],1775)** (Zygaenidae) *loti* [Denis & Schiffermüller],1775; *fulvia* Fabricius,1777 04 05 06 08 13 14 18 22 23 25 26 28 29 30 31 36 37 38 42 44 49 53 58 60 62 65 69 71 75 76
- 1388) **Zygaena (s.str.) viciae ([Denis & Schiffermüller],1775)** (Zygaenidae) *viciae* [Denis & Schiffermüller],1775; *meliloti* Esper,1789; *buglossi* Boisduval,1829 06 08 13 18 24 25 28 31 38 46 49 58 60 71 76

Priamus⁴**ISSN 1015-8243**

Priamus is the first international serial publication of the Centre for Entomological Studies Ankara, and appears in volumes at irregular intervals. Each volume is composed of four or six parts.

The serial serves as a refereed publication outlet and accepts original manuscripts of the researchers of the Cesa. Articles accepted deal with the Insect taxonomy, nomenclature, morphology, bibliography, check-list, fauna, biodiversity, distribution, biogeography, ecology, insect-plant interactions, bionomy, and behaviour. The Cesa is a non-profit organization, no royalties will be paid to the authors of contributions. Papers accepted become the copyright of the journal. The publication languages are Turkish, English, German, Uighur language, and Chinese.

Centre for Entomological Studies Ankara

(A scientific Consortium)

(co-operation of research workers for pure-scientific, not commercial purpose)

Web Page of the Cesa: <http://www.cesa-tr.org/>

Scientific Serials: Priamus & Supplement (ISSN 1015-8243)⁵, Miscellaneous Papers (ISSN 1015-8235)⁶, Memoirs (ISSN-8227)⁷ DVD Films⁸, Iconographia Insectorum⁹

Owner / Sahibi - Editor / Yayıncı: Prof. Dr. Ahmet Ömer Koçak (c/o Yüzüncü Yıl University, Turkey) - Editor Assistants: Yrd. Doç. Dr. Muhabbet Kemal Koçak (c/o Yüzüncü Yıl University, Turkey), Dr. Selma Seven (Gazi University, Turkey).

Editorial Board of all Scientific Serials / Bütün Bilimsel Yayınların Yayın Kurulu: Insecta, taxonomy, nomenclature, ecology, faunistics: Prof. Dr. Ahmet Ömer Koçak (Yüzüncü Yıl Üniversitesi, Turkey), Yrd. Doç. Dr. Muhabbet Kemal Koçak (Yüzüncü Yıl University, Turkey), Dr. Selma Seven (Gazi University, Turkey), General Entomology: Assoc. Prof. Dr. Paitoon Leksawasdi (Chiang Mai University, Faculty of Science, Thailand); Homoptera: Dr. Emine Demir (Turkey). Orthoptera: Dr. Piotr Naskrecki (Connecticut University, U.S.A.), Yrd. Doç. Dr. Mustafa Ünal (Abant İzzet Baysal University, Turkey), Yrd. Doç. Dr. Yusuf Hüseyinoğlu (Mersin University, Turkey), Yrd. Doç. Dr. Yaşar Gülmez (Gazi Osman Paşa University, Tokat). Coleoptera / Chrysomelidae: Assoc. Prof. M.S.Mohammedsaid (Malaysia). - Plant taxonomy, flora and vegetation: Prof. Dr. Mecit Vural (Gazi University, Turkey).

ALL RIGHTS RESERVED

Correspondences should be addressed to:

Prof. Dr. Ahmet Ömer Koçak, c/o Yüzüncü Yıl University, Fen-Edebiyat Fakültesi, Biyoloji Bölümü, Kampus, Van / Turkey.

e-mail: cesa_tr@yahoo.com.tr

Yüzüncü Yıl Üniversitesi Matbaasında bastırılmıştır.

All serials are recorded regularly by the Zoological Record, Biosis, Garforth House, 54 Micklegate, York, North Yorkshire. fax (01904) 612793 - DCS@york.biosis.org

⁴ <http://www.cesa-tr.org/Priamus.htm>⁵ <http://www.members.tripod.com/entcesa/Pri.htm>⁶ <http://www.cesa-tr.org/Miscell.htm>⁷ <http://www.cesa-tr.org/Memoirs.htm>⁸ <http://www.cesa-tr.org/CDF.htm>⁹ <http://www.cesa-tr.org/Icon.htm>